



Over 370 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.

## The gardening catalogue contents



















## 8 Plant Care

**Pruners** X-series<sup>™</sup> · Plus · Solid<sup>™</sup>

- · Quantum<sup>™</sup> · Professional Pruners
- · Fingerloop · Other

 $\textbf{Loppers} \ \mathsf{PowerGear}^{\!{\scriptscriptstyle\mathsf{TM}}}\! X$ 

- $\cdot \ \mathsf{PowerGear}^{\scriptscriptstyle\mathsf{TM}} \cdot \mathsf{Quantum}^{\scriptscriptstyle\mathsf{TM}}$
- $\cdot$  SmartFit<sup>TM</sup>  $\cdot$  SingleStep<sup>TM</sup>  $\cdot$  Other

**Hedge Shears** PowerGear™X

- $\cdot \ \mathsf{Quantum}^{\scriptscriptstyle\mathsf{TM}} \cdot \ \mathsf{SmartFit}^{\scriptscriptstyle\mathsf{TM}} \cdot \ \mathsf{SingleStep}^{\scriptscriptstyle\mathsf{TM}}$
- $\cdot \ \mathsf{PowerLever}^{\scriptscriptstyle{\mathsf{TM}}} \cdot \mathsf{Other}$

**Tree pruners** PowerGear™X

· Other Tree Pruners & Accessories

Scissors Classic · Other

## 44 Lawn Care

## Rakes

 $\mathsf{Xact}^{^{\scriptscriptstyle{\mathsf{TM}}}} \cdot \mathsf{Ergonomic}^{^{\scriptscriptstyle{\mathsf{TM}}}} \cdot \mathsf{Classic}$ 

· White · Solid™

### **Grass Shears**

 $PowerLever^{TM} \cdot Servo-System^{TM}$ 

 $\cdot \operatorname{SmartFit}^{\scriptscriptstyle{\mathsf{TM}}} \cdot \operatorname{White} \cdot \operatorname{Solid}^{\scriptscriptstyle{\mathsf{TM}}}$ 

### **Weed Pullers**

 $\mathsf{Xact}^{^{\scriptscriptstyle{\mathsf{TM}}}} \cdot \mathsf{SmartFit}^{^{\scriptscriptstyle{\mathsf{TM}}}} \cdot \mathsf{White} \cdot \mathsf{Solid}^{^{\scriptscriptstyle{\mathsf{TM}}}}$ 

Classic & Solid™ Yard Tools

 $\mathsf{Ergo}^{\scriptscriptstyle{\mathsf{TM}}}\cdot\mathsf{Solid}^{\scriptscriptstyle{\mathsf{TM}}}$ 

Reel Mowers StaySharp™

## 62 Soil Care

## **Growing & Planting**

Xact<sup>™</sup> · Ergo<sup>™</sup> · Solid<sup>™</sup>

## Shovels, Spades & Forks

 $Xact^{\scriptscriptstyle{\intercal}} \cdot Ergonomic^{\scriptscriptstyle{\intercal}} \cdot SmartFit^{\scriptscriptstyle{\intercal}}$ 

 $\cdot \ \text{White} \cdot \ \text{Solid}^{\scriptscriptstyle{\text{TM}}}$ 

## QuikDrill™

## **Soil Care Tools**

 $\mathsf{Classic} \cdot \mathsf{Xact}^{\scriptscriptstyle{\mathsf{TM}}} \cdot \mathsf{Ergonomic}^{\scriptscriptstyle{\mathsf{TM}}}$ 

 $\cdot \ \text{White} \cdot \ \text{Solid}^{\scriptscriptstyle{\text{TM}}}$ 

## **Nursery Tools**

Xact<sup>™</sup> · Premium Planters<sup>™</sup> · Ergo<sup>™</sup>

 $\cdot \ \text{White} \cdot \ \text{Solid}^{\scriptscriptstyle{\mathsf{TM}}}$ 

## 86 Fiskars QuikFit™

Click & Reach · Click & Clean

· Click & Grow

## 100 Wood Preparation

Norden Axes · X-series axes


- · WoodXpert<sup>™</sup> wood handling tools
- · Xtract saws · Other tools · Knives


## 124 Yard Cleaning

White · Solid™

## 128 Kids Tools

Please note! All the measurements portrayed in the catalogue are products in packaging measurements.





Founded in 1649, Fiskars' iconic heritage of creating highly aesthetic, intuitive tools makes us proud to be a world-renowned expert in two-blade cutting and manual hand tools for gardening enthusiasts all over the world.

## **Design philosophy**

We submerge ourselves in segmentation studies, immersive consumer interviews and usability research to find ingenious ways to continually improve our products. As a result, we've won many awards, including the prestigious RedDot Best of the Best Design Awards.

## **Innovation**

We've developed hundreds of patents and technologies to-date, all designed to help our tools outperform the competition and feel like a natural extension of your body.

## **Durability & quality**

In addition to using only the highest quality materials, all of our products must pass rigorous lab testing before they can be distributed.

## Global leader


Already known as the world's #1 brand in scissors, our gardening tools are also top sellers in Europe, North America, Australia and the Middle East.

## Commitment

If gardening is happiness, Fiskars is committed to providing tools to help you find 100% happiness in the garden.

# the world to sh

# elieve disyours ape.





## **New Pruners**

Offer your customers a balance of products from each of our three ranges to ensure quality options for each and every consumer – no matter what they are motivated by.

## X-series<sup>™</sup>

## **Exceptional performance.**

Our top-of-the-line range of products combines the best of our technologies and ergonomics with the ultimate in durability, offering a best-in-class option that truly improves the perception – and experience – of the activity itself. Model IDs: P900

## Plus™

## Adds something more.

Our mid-range offers the opportunity to trade-up casual users to reliable tools that are better equipped for rugged, everyday use. Improved durability and thoughtful, additional features allow these tools to offer a more enhanced user experience.

Model IDs: P500-700

## Solid™

## The solid choice.

Our base range offers quality, no-frills tools that will entice and introduce casual or new users to the brand.

Model IDs: P100-300







# X-series<sup>TM</sup> Pruners



FISKAR



minimises strain on fingers, while allowing the user to use all their fingers simultaneously.


## 2. Blade capacity

Designed for easy and clean cutting, these pruners are ideal for quick snips on thinner branches, as well as heavy cuts on thicker branches

3. Blade coating Silver PTFE coating for less friction

## 4. Grip

Improved SoftGrip<sup>™</sup> with texture for comfort and better grip





## X-series<sup>™</sup> Pruners



## **Exceptional performance.**

Combining best-in-class technologies, ergonomics and durability to provide an experience that exceeds expectations. Gardening will never be the same.

X-series <sup>™</sup> L	Bypass Prun	er (P961)	Art. no. 1057175			
Height: 28.5 cm	Length: 4.4 cm	Width: 9.5 cm	Weight: 0.247 kg	Retail box: 4	Old art. no	6 411501 111234
Wew			QUARANTEE 25 YEARS		<ul> <li>For clean cuts on</li> <li>Fully hardened, pr</li> <li>Low-friction blade performance, result</li> <li>Ergonomic Fiber Csecure, comfortable</li> </ul>	imises leverage for 3x more power green, living growth up to Ø 26 mm recision-ground steel blade stays sharp longe coating resists rust and improves ting in smoother cuts and less gumming comp™ handle with full SoftGrip™ details for e grip

X-series <sup>™</sup> Anvil Pruner (P941)						1057174	EAN	6 411501 111227
Height: 28.5 cm	Length: 4.4 cm	Width: 9.5 cm	Weight: 0.246 kg	Retail box: 4	Old art. no.	-		6 411501 111227





- PowerGear<sup>™</sup> maximises leverage for 3x more power
- Anvil-style blade for cleaner cuts while pruning dead growth up
- Fully hardened, precision-ground steel blade stays sharp longer
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming
- Ergonomic FiberComp<sup>™</sup> handle with top handle SoftGrip<sup>™</sup> for
- durability and comfort


X-series <sup>™</sup> M Bypass Pruner (P921)					Art. no.	1057173	
Height: 28.5 cm	Length: 4.4 cm	Width: 9.5 cm	Weight: 0.245 kg	Retail box: 4	Old art. no	 EA	6 411501 111210
New			QUARANTEE 25 YEARS		<ul><li>Bypass b</li><li>Ø 26 mm</li><li>Fully hard</li><li>Low-fried</li></ul>	dened, precision-grou ion blade coating resis	green, living growth up to  nd steel blade stays sharp longe

- Ergonomic FiberComp<sup>™</sup> handle with full SoftGrip<sup>™</sup> details for secure, comfortable grip
- Optimised for both medium and large hand sizes

## Plus<sup>TM</sup> Pruners



- Blade capacity Ideal for medium-sized branches.
- 3. Blade coating
  PTFE coating for less friction.
- Grip
   SoftGrip™for comfort and better grip.



## **Plus<sup>™</sup> Pruners**

## Adds something more.

Trusted performers with additional features that not only improve durability but enhance the overall experience.

Better tools, equipped for rugged, everyday use.

Plus <sup>™</sup> Metal	Bypass Prun	er (P751)	Art. no. <b>1057172</b>	- E		
Height: 28.5 cm	Length: 2.5 cm	Width: 9.5 cm	Weight: 0.276 kg	Retail box: 4	Old art. no	6 411501 111197



- Power-Lever<sup>™</sup> powers through tough stems and branches
- Bypass blade for clean cuts on green, living growth up to
- Fully hardened, precision-ground steel blade stays sharp longer
- Low-friction blade coating resists rust and improves
- performance, resulting in smoother cuts and less gumming
   Ergonomic cast-aluminium handle with SoftGrip™ details for secure, comfortable grip

Plus <sup>™</sup> Anvil Prune	r (P741)				Art. no. <b>1057171</b>	6 4 1 1 5 0 1 1 1 1 1 8 0
Height: <b>28.5 cm</b> Length	2.5 cm	Width: 9.5 cm	Weight: 0.207 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 1 1 1 1 8 0



- Power-Lever<sup>™</sup> powers through tough stems and branches
- Anvil-style blade for cleaner cuts while pruning dead growth up
- Fully hardened, precision-ground steel blade stays sharp longer
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming
- Ergonomic FiberComp<sup>™</sup> handle with SoftGrip<sup>™</sup> reduces fatigue and adds durability and comfort

Plus™	Bypas	s Pruner (P72	21)	Art. no. <b>1057170</b>	z		
Height:	28.5 cm	Length: 2.5 cm	Width: 9.5 cm	Weight: 0.202 kg	Retail box: 4	Old art. no	6 411501 111173



- Power-Lever<sup>™</sup> powers through tough stems and branches
- Bypass blade for clean cuts on green, living growth up to Ø 24 mm
- Fully hardened, precision-ground steel blade stays sharp longer
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming
- Ergonomic FiberComp<sup>™</sup> handle with full SoftGrip<sup>™</sup> details for secure, comfortable grip

Plus <sup>™</sup> Bypas	ss Pruner (P5	41)	Art. no. <b>1057169</b>	6"411501" 111166		
Height: 26.5 cm	Length: 2cm	Width: 7.6 cm	Weight: 0.194 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 1 1 1 1 6 6



- $\bullet$  SmartFit  $^{\!\scriptscriptstyle\mathsf{TM}}$  lever adjusts how wide the pruner opens for easy pruning of stems and branches
- Bypass blade for clean cuts on green, living growth up to Ø 24 mm
- Fully hardened, precision-ground steel blade stays sharp longer
   Low-friction blade coating resists rust and improves

- performance, resulting in smoother cuts and less gumming Ergonomic FiberComp™ handle with full SoftGrip™ detail for a secure, comfortable grip
- Easy-open lock protects blade during transport and storage

## Anvil or bypass?



Both blade and counter blade press into the wood to make clean cuts with less compression damage. In other words, the cutting blade bypasses the counter blade in a scissors-like fashion. This makes it possible to cut close to the stem, making bypass pruners ideal for cutting fresh wood.



The upper blade is forced through the wood with greater pressure as the anvil blade supports the branch, spreading pressure until the cut is complete. Anvil blades are ideal for cutting dry or dead wood.


## Solid<sup>TM</sup> Pruners

## The "solid choice."

Simple, effective and affordable with the quality Fiskars is known for. In short, these tools get the job done.



## **Solid™ Pruners**





- Fully hardened, precision-ground steel blade stays sharp longer
- Anvil-style blade for cleaner cuts while pruning dead growth up to Ø 20 mm
- Low-friction blade coating resists rust and improves
- performance, resulting in smoother cuts and less gumming Light, yet sturdy, FiberComp™ handle has full SoftGrip™ detail for a secure, comfortable grip
- Easy-open lock protects blade during transport and storage

Solid <sup>™</sup> Bypa	nss Pruner (P	341)	Art. no. <b>1057164</b>	4 1 1 5 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Height: 26.5 cm	Length: 2cm	Width: 7.6 cm	Weight: 0.186 kg	Retail box: 4	Old art. no	6 411501 111111



- Fully hardened, precision-ground steel blade stays sharp longer
- $\bullet$  Bypass blade for clean cuts on green, living growth up to Ø 20 mm
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming
- Light, yet sturdy, FiberComp<sup>™</sup> handle has full SoftGrip<sup>™</sup> detail for a secure, comfortable grip
- Easy-open lock protects blade during transport and storage

Solid <sup>™</sup> Bypa	ss Pruner (P	321)			Art. no.	1057162	Z	6 411501 111081
Height: 26 cm	Length: 2cm	Width: 7.6 cm	Weight: 0.181 kg	Retail box: 4	Old art. no.	-	EA	6 4 1 1 5 0 1 1 1 1 0 8 1



- Fully hardened, precision-ground steel blade stays sharp longer
- Bypass blade for clean cuts on green, living growth up to Ø 20 mm
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming
- Light, yet sturdy, FiberComp<sup>™</sup> handle with SoftGrip<sup>™</sup> for added comfort
- Easy-open lock protects blade during transport and storage

Solid <sup>™</sup> Bypass Pruner (P121)						1057160	Z Y
Height: 25.5 cm	Length: 2cm	Width: 7.6 cm	Weight: 0.141 kg	Retail box: 4	Old art. no.	-	6 411501 111029



- Fully hardened, precision-ground steel blade stays sharp longer
- Bypass blade for clean cuts on green, living growth up to
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming
- Light, yet sturdy, FiberComp<sup>™</sup> handle
- Easy-open lock protects blade during transport and storage

# Choose the right pruner







## X-SERIES™

- PowerGear<sup>™</sup> technology maximises leverage where you need it most, for 3x more cutting power
- Fully hardened, precision -ground steel blade stay sharp longer
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming
- Ergonomically designed
   FiberComp™ handle fits the
   natural shape of your hand and
   has full Softgrip™ details for a
   secure, comfortable grip
- 25-year guarantee

### PLUS™

- Power-Lever<sup>™</sup> technology powers through tough stems and branches
- SmartFit<sup>™</sup> lever adjusts how wide the pruner opens for easier cuts
- Fully hardened, precision -ground steel blade stays sharp longer
- Ergonomically designed,
   FiberComp™ or cast-aluminium handle fits the natural shape of your hand and has full Softgrip™ details for a secure, comfortable grip

## SOLID™

- Ideal for easy cuts through stems and branches
- Fully hardened, precision
   -ground steel blade stays sharp
   longer
- Light, yet sturdy, FiberComp™ handle has full Softgrip™ detail for a secure, comfortable grip
- Easy-open lock protects the blade during transport and storage



## POWERSTEP™

- Allows for easy cuts through both thin and thick branches, using the same tool - without compromising on performance
- Thin branches are cut in one easy snip – thicker branches in 2 or 3 gradual steps to reduce the force needed per stroke
- Mechanism automatically sets the applicable amount of strokes



## **FINGERLOOP**

- Lightweight and strong FiberComp™ handles with SoftGrip™ for added comfort and safety
- Fingers are protected by the loop in the lower handle
- Corrosion-resistant, stainless steel blades



## QUANTUM™


- High-quality, aluminium body balanced by comfortable, cork TruGrip™ handles
- Clean accurate cuts thanks to TruEdge™ blade technology, including precision-ground, hardened steel and anti-friction coating



## **PRO PRUNERS**

- Professional-quality CrMoV
- Easy to maintain, with all parts being replaceable
- Lightweight with SoftGrip<sup>™</sup> and shock absorber
- Handles and lock accommodate both left- and right-handed users

## **Quantum**<sup>™</sup> Pruner



## **Professional Pruners**

These shears have been developed with professionals' needs in mind. Made of the best materials, all parts are replaceable for added convenience. The Pro Pruner features a traditional design and includes special features such as a wire cutter.

Pruning Sh	ears, Large (F	PB-8)	Art. no.	1020203	z		
Height: 2.5 cm	Length: 29 cm	Width: 8.5 cm	Weight: 0.20 kg	Retail box: 4	Old art. no.		6 411501 118707
0						hand lock cone bolt	olades other grivory handles with sturdy
Pruning Sh	ears, Mediun	n (PB-8)			Art. no.	1020204	<u>z</u>
Height: 2.5 cm	Length: 29 cm	Width: 8.4 cm	Weight: 0.23 kg	Retail box: 4	Old art. no.	111850	6'411501'118509



- Professional quality CrMoV blades
- Lightweight, durable, all weather grivory handles with sturdy grip
- Left/right hand lock
- Greased cone bolt
- Sap groove

Pro Pruner (P90)					Art. no.	1001530	L L L L L L L L L L L L L L L L L L L
Height: 2 cm	Length: 23 cm	Width: 7 cm	Weight: 0.27 kg	Retail box: 4	Old art. no.	111960	8 008220 029629



- $\bullet$  Blades have side support to ensure they stay in place when cutting thick branches up to Ø 26 mm
- Includes a wire cutter to spare the blades
- Nut locking ring allows for adjustable tightening to help ensure consistent, precise cuts

## **Fingerloop Pruners**

Our fingerloop range includes two pruners and one snip for a neat, ergonomic way to prune branches and perform basic cutting tasks without excessive hand strain. The signature loop handle engages the power of all fingers while SoftGrip $^{\text{\tiny{M}}}$  detail provides an extra level of comfort for extended work in the garden.

Fingerloop Pruner Bypass (P44)						1001534	<b>Y 6 4 1 1 1 1 1 1 1 1 1 1</b>	
Height: 3 cm	Length: 26.5 cm	Width: 9 cm	Weight: 0.18 kg	Retail box: 4	Old art. no.	111440	6 4 1 1 5 0 1	964403



- For cutting fresh wood up to Ø 20 mm
- Fingerloop protects fingers while keeping the pruner comfortably in hand
- Non-stick coating on upper blades allows for easier cuts and cleaning

Fingerloop Pruner Anvil (P43)						1001535	6 4 1 1 5 0 1 9 6 4 3 0 4
Height: 2.5 cm	Length: 26.5 cm	Width: 9 cm	Weight: 0.18 kg	Retail box: 4	Old art. no.	111430	6 4 1 1 5 0 1 9 6 4 3 0 4



- For cutting dry and hard wood up to Ø 20 mm
- Fingerloop protects fingers while keeping the pruner comfortably in hand
- Anvil blade configuration provides increased durability and stability

Fingerloop	Fingerloop Universal Snip (SP45)						z
Height: 3 cm	Length: 26.5 cm	Width: 9 cm	Weight: 0.20 kg	Retail box: 4	Old art. no.	111450	6 4 1 1 5 0 1 9 6 4 5 0 2



- $\bullet$  Designed to cut steel, plastic, tubes, rope or hoses up to Ø 20 mm
- Fingerloop protects fingers while keeping the pruner comfortably in hand

NOTE! Not for cutting branches in garden

## Solid<sup>™</sup> Snips

Solid <sup>™</sup> Prun	ing MicroTip	Snip (SP13)	Art. no. <b>1051600</b>	8 4 1 1 5 0 1 1 1 0 8 1 7		
Height: 21.5 cm	Length: 2cm	Width: 8.4 cm	Weight: 0.04 kg	Retail box: 4	Old art. no	6 411501 110817



- Ideal for encouraging healthy growth on plants and flowers
   Precision blades for shaping, repetitive trimming and intricate snips in tight places
- Stainless steel blades
- Softouch handles

Solid <sup>™</sup> Prun	ing Floral Sni	ip (SP14)	Art. no. <b>1051601</b>	6 4 1 1 5 0 1 1 1 0 8 2 4		
Height: 24 cm	Length: 2.2 cm	Width: 8cm	Weight: 0.13 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 1 1 0 8 2 4



- Ideal for encouraging healthy growth and working with cut flowers
- $\bullet$  For cuts up to Ø 13 mm
- Includes stem stripper and wire cutter


Solid <sup>™</sup> Pruning Snips (SP15)					Art. no. <b>1051602</b>	- A 6 4 1 1 5 0 1 1 1 0 8 3 1
Height: 23.8 cm	Length: 2.1 cm	Width: <b>10.5 cm</b>	Weight: 0.08 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 1 1 0 8 3 1





- $\bullet$  Ideal for intricate cuts on plants and flowers while trimming and shaping
  • Stainless steeel, precision blades
- Softouch handles

## **Other Pruners**



Bypass Pru	ner, white (P	57)	Art. no. <b>1026916</b>	6 411501 150189		
Height: 2.5 cm	Length: 24 cm	Width: 9.2 cm	Weight: 0.14 kg	Retail box: 4	Old art. no	6 411501 150189



- $\bullet$  For easy cuts on twigs and branches up to Ø 20 mm
- White colour for improved visibility
   Ultra lightweight operation due to FiberComp™ construction
- Power-Lever<sup>™</sup> technology allows for added cutting power
- Ambidextrous locking mechanism

# Choose the right lopper

Suitable for all kinds of garden cutting tasks with a capacity of up to  $\emptyset$  55 mm, Fiskars loppers are designed to be lightweight, efficient and comfortable to use



## Different heads for different purposes

## Bypass head

For frequent cuts on fresh wood

## 2 Anvil head

For cutting dry and/or hard/dead wood

## 3 Hook head

For heavy cuts on fresh wood

## Scissor head

For precision cuts

## **PowerGear<sup>™</sup>X Loppers**



PowerGear <sup>™</sup> X L Bypass Lopper (LX98)						1020188	6411501 124906
Height: 3 cm	Length: 85 cm	Width: <b>25.5 cm</b>	Weight: 1.34 kg	Retail box: 4	Old art. no.	112490	6 411501 124906







• Bypass blades easily catch branches while providing clean cuts

Durable and light aluminium shaft with comfortable SoftGrip™



PowerGear <sup>™</sup> X L Anvil Lopper (LX99)						1020189	EAN
Height: 3 cm	Length: 85 cm	Width: <b>25.5 cm</b>	Weight: 1.36 kg	Retail box: 4	Old art. no.		6" 4 1 1 5 0 1" 1 2 4 4 0 1"





- $\bullet$  For heavy cuts of hard and dry wood up to Ø 55 mm
- Anvil blade configuration for added durability and efficiency
- Durable, light aluminium shaft with comfortable SoftGrip™

PowerGear <sup>™</sup> X M Bypass Lopper (LX94)						1020187	N N
Height: 3cm	Length: 69 cm	Width: 20.3 cm	Weight: 1.19 kg	Retail box: 4	Old art. no.	112390	6 411501 123909





- $\bullet$  For frequent cuts on fresh wood up to Ø 50 mm
- Bypass blades easily catch branches while providing clean cuts
   Durable and light aluminium shaft with comfortable SoftGrip™
- handle

PowerGear <sup>1</sup>	<sup>™</sup> X S Bypass	Lopper (LX9)	Art. no.	1020186	z		
Height: 2.5 cm	Length: 62 cm	Width: 23 cm	Weight: 0.83 kg	Retail box: 4	Old art. no.	112260	6 411501 122605





- For frequent cuts on fresh wood up to Ø 38 mm
   Bypass blades easily catch branches while providing clean cuts
   Durable and light aluminium shaft with comfortable SoftGrip™ handle

## **PowerGear<sup>™</sup> Loppers**

PowerGear <sup>™</sup> L Hook Head Bypass Lopper (L78)					Art. no.	1000584	z	6 4 1 1 5 0 1 1 2 5 9 0 3
Height: 3.4 cm	Length: 75 cm	Width: <b>22.5 cm</b>	Weight: 0.94 kg	Retail box: 4	Old art. no.	112590		6 4 1 1 5 0 1 1 2 5 9 0 3



- For heavy cutting of fresh wood up to Ø 50 mm
   Very lightweight due to FiberComp™ construction
- Bypass blades for easy catching of branches and a clean cuts

PowerGear	<sup>™</sup> L Anvil Lopp	oer (L77)	Art. no. 1000583	6 4 1 1 5 0 1 1 2 5 8 0 4		
Height: 3.5 cm	Length: 74.5 cm	Width: <b>24.5 cm</b>	Weight: 1.12 kg	Retail box: 4	Old art. no. <b>112580</b>	6 411501 125804



- $\bullet$  For heavy cutting of hard and dry wood up to Ø 50 mm
- Very lightweight due to FiberComp™ construction
- Anvil blade configuration for added durability and effective cuts

PowerGear <sup>™</sup> M Hook Head Bypass Lopper (L74)					Art. no. 1000582	6 4 1 1 5 0 1 1 2 2 9 0 2
Height: 3 cm	Length: 60.7 cm	Width: 18.3 cm	Weight: 0.50 kg	Retail box: 4	Old art. no. <b>112290</b>	6 411501 122902



- For cutting of fresh wood up to Ø 38 mm
- Very lightweight due to FiberComp<sup>™</sup> construction
- Bypass blades for easy catching of branches and a clean cuts

PowerGear <sup>™</sup> S Anvil Lopper (L71)						1001556	3
Height: 3 cm	Length: 51 cm	Width: 17 cm	Weight: 0.52 kg	Retail box: 4	Old art. no.	112180	6 411501 121806



- For cutting of hard, dry wood up to Ø 40 mm
- Very lightweight due to FiberComp™ construction

PowerGear <sup>™</sup> S Hook Head Bypass Lopper (L70)						Art. no.	1002104	Z					
Height:	2.4 cm	Length:	50.5 cm	Width:	15.4 cm	Weight:	0.43 kg	Retail box:	4	Old art. no.	112190	]	6 411501 121905



- $\bullet$  For frequent cutting of fresh wood up to Ø 38 mm
- $\bullet$  Very lightweight due to FiberComp  $^{\scriptscriptstyle{\text{TM}}}$  construction
- Hooked bypass blades for easy catching of branches and a

PowerGear <sup>1</sup>	<sup>™</sup> S Anvil Lop <sub>l</sub>	per (L31)			Art. no.	1000581	6"411503"961707
Height: 2.4 cm	Length: 43.2 cm	Width: 18 cm	Weight: 0.40 kg	Retail box: 4	Old art. no.	112170	6 4 1 1 5 0 3 9 6 1 7 0 7



- For cutting of hard, dry wood up to Ø 35 mm
   Very lightweight due to FiberComp™ construction

## **Quantum**<sup>™</sup> **Loppers**

Quantum <sup>™</sup> L	. Anvil Loppe	r ( <b>L109</b> )			Art. no.	1001437	<u> </u>
Height: 3 cm	Length: 84.5 cm	Width: <b>27.5 cm</b>	Weight: 1.50 kg	Retail box: 4	Old art. no.	112610	6 411501 126108





- $\bullet$  Optimised for cutting of hard, dry wood up to Ø 55 mm
- Lightweight, yet durable aluminium shaft
  Natural cork handles for ultimate comfort

Quantum <sup>™</sup> L Bypass Lopper (L108)					Art. no.	1001435	z	
Height: 3.1 cm	Length: 85 cm	Width: <b>24.5 cm</b>	Weight: 1.48 kg	Retail box: 4	Old art. no.	112630		6"411501" 126306







- Optimised for heavy cutting of fresh wood up to Ø 50 mm
   Lightweight, yet durable aluminium shaft
- Natural cork handles for ultimate comfort

## **SmartFit<sup>™</sup> Lopper**

SmartFit™l	Bypass Loppe	er (L86)	Art. no. 1013564			
Height: <b>4.2 cm</b>	Length: 70.6 cm	Width: <b>24.9 cm</b>	Weight: 1.28 kg	Retail box: 4	Old art. no. <b>112500</b>	6 411501 125002
( Daving				reddot design award winner 2014	<ul> <li>Adjustable shaft length be working position</li> </ul>	o Ø 40 mm both far and near etween 665 - 915mm for optimal asily catch branches while providing

## SingleStep<sup>™</sup> Loppers

SingleStep <sup>™</sup> L Hook Head Bypass Lopper (L38)						1426	6 4 1 1 5 0 1 1 2 4 6 0 9
Height: 2.5 cm	Length: 88.6 cm	Width: <b>34.6 cm</b>	Weight: 1.16 kg	Retail box: 4	Old art. no. <b>1124</b> 0	2460	6 4 1 1 5 0 1 1 2 4 6 0 9



- For heavy cutting of fresh wood
- Cut capacity: Ø 40 mm
- Hardened steel blades with non-stick coating

SingleStep <sup>™</sup> S Hook Head Bypass Lopper (L28)					Art. no. <b>1001432</b>	z
Height: 2.5 cm	Length: 57 cm	Width: <b>17.5 cm</b>	Weight: 0.96 kg	Retail box: 4	Old art. no. <b>112160</b>	6 411501 121608



- For cutting fresh wood Cut capacity: Ø 35 mm
- Hardened steel blades with non-stick coating

## **Light Lopper**

Light Lopper (L32)					Art. no. <b>1026930</b>	6"411501" 150196
Height: 2.4 cm	Length: 43.2 cm	Width: 18 cm	Weight: 0.37 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 1 5 0 1 9 6



- For cuts on hard, dry wood up to Ø 35 mm
   White colour for added visbility
   Lightweight FlberComp™ construction

## Fiskars® Loppers

Lopper, tele	scopic L13		Art. no. <b>1027528</b>	z		
Height: 4cm	Length: 74 cm	Width: 15 cm	Weight: 1.65 kg	Retail box: 4	Old art. no	6"411501" 150370



- Lopper ideal for cutting fresh wood up to Ø 45 mm.
- Telescopic, extendable handles with non-slip grips make high, hard-to-reach or awkward cuts easy.
- Length: 63 cm 83 cm.

Lopper, teles	scopic L12		Art. no. <b>1027540</b>	6 4 1 1 5 0 1 1 5 0 3 9 4		
Height: 3.5 cm	Length: 79 cm	Width: 19 cm	Weight: 1.35 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 1 5 0 3 9 4



- Ideal for cutting thicker branches up to Ø 44 mm.
- Softgrip handle provides comfort and control.

Lopper, tele	scopic L11		Art. no. <b>1027541</b>	z		
Height: 3.5 cm	Length: 81 cm	Width: 19 cm	Weight: 1.25 kg	Retail box: 4	Old art. no	6 411501 150400



- Ideal for cutting green branches up tp Ø 38 mm.
  Non-slip grip provides comfort and control.

## Hedge Shears

Whether you're interested in topiary, controlling annual growth or keeping a nice straight line in your hedge, Fiskars has a full range of hedge shears for your needs. From robust SingleStep™ action hedge shears to adjustable telescopic shears, to shears featuring our unique PowerGear™ technology, for 3x more cutting power, right to the tip.



## **PowerGear<sup>™</sup> Hedge Shears**

PowerGear <sup>11</sup>	X Hedge Sh	ears (HSX92)	Art. no. <b>1023631</b>	- E 6 4 1 1 5 0 1 1 4 0 0 6 7		
Height: <b>7.5 cm</b>	Length: 66.5 cm	Width: <b>16.5 cm</b>	Weight: 1.10 kg	Retail box: 4	Old art. no	6 411501 140067





- For effortless trimming of hedges and bushes
  Unique PowerGear™ mechanism makes cutting up to 3 times easier vs standard mechanisms
- Lightweight and durable with PTFE-coated, precision-ground blades
- $\bullet$  SoftGrip  $^{\!\scriptscriptstyle{\mathsf{T}}}$  handles for optimum comfort and balance

PowerGear <sup>™</sup> Hedge Shears (HS72)						1000596	z	6411501 147905
Height: 4.5 cm	Length: 61.2 cm	Width: 17 cm	Weight: 0.72 kg	Retail box: 4	Old art. no.	114790	Ä	6 4 1 1 5 0 1 1 4 7 9 0 5



- For easy trimming of hedges and bushes
- PowerGear™ technology reduces effort with up to 3x more cutting power
- Lightweight, FiberComp<sup>™</sup> shaft

## **Quantum™ Hedge Shears**

Quantum <sup>™</sup> F	ledge Shears	s (HS102)	Art. no. <b>1001449</b>	z		
Height: 7.5 cm	Length: 66.5 cm	Width: 16.5 cm	Weight: 0.82 kg	Retail box: 4	Old art. no. <b>114820</b>	6"411501" 148209







- For easy trimming of hedges and bushes
- PowerGear<sup>™</sup> technology reduces effort with up to 3x more cutting power
- Ultimate usage comfort with natural cork handles and padded stoppers

## **SmartFit<sup>™</sup> Hedge Shears**



## **PowerLever<sup>™</sup> Hedge Shears**

PowerLever <sup>™</sup> Hedge Shears (HS52)							Art. no.	1001564	z			
Height:	ight: <b>7.2 cm</b> Length: <b>58.8 cm</b> Width: <b>14.8 cm</b> Weight: <b>0.61 kg</b> Retail box: <b>4</b>							Retail box: 4	Old art. no.	114750	6"411501"967503"	
	PERAPE						*	reddot design award winner 2002	<ul> <li>Power-Le cutting pov</li> </ul>	٠,	duces effort with up to 2x more	
								enniaprize good design grows global ONORARY MENTION				

## SingleStep<sup>™</sup> Hedge Shears

SingleStep™	SingleStep <sup>™</sup> Hedge Shears Wavy Blade (HS22)						z	
Height: 13 cm	Length: 58 cm	Width: 19 cm	Weight: 0.71 kg	Retail box: 4	Old art. no.	114730	EA	6"411501"147301



- For trimming hedges and bushes
- Sturdy, comfortable, glassfibre-reinforced polypropene (PPGF) handle
- Hardened steel blades with non-stick coating

## **Other Hedge Shears**

Light Hedge	e Shears (HS	53)	Art. no. <b>1026931</b>	LAN		
Height: <b>7.2 cm</b>	Length: 58.8 cm	Width: <b>14.8 cm</b>	Weight: 0.61 kg	Retail box: 4	Old art. no	6 411501 150202
						dges and bushes the grass shear more visible gy reduces effort with up to 2x more





• For trimming hedges and bushes

Lightweight, FiberComp<sup>™</sup> shaft

- Hardened steel blades
- Sturdy, comfortable handles with Softouch™ grip

## Fiskars® Hedge Shears

Hedge shea	r, telescopic	HS13	Art. no. <b>1027527</b>	E A N		
Height: 5 cm	Length: 74 cm	Width: 17 cm	Weight: 1.55 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 1 5 0 3 6 3



- Ideal for trimming and shaping hedges and decorative shrubs.
  Telescopic, extendable handles with non-slip grips make high,
- hard-to-reach or awkward cuts easy.
- Length: 63 cm 83 cm.

Hedge shea	r, trimming H	S10	Art. no. <b>1027529</b>	6 4 1 1 5 0 1 1 5 0 3 8 7		
Height: 4.2 cm	Length: 55 cm	Width: 13 cm	Weight: 0.85 kg	Retail box: 4	Old art. no	6 411501 150387



- Ideal for trimming & sculpting bushes and hedges.
- Non-slip handle provides comfort and control.


# PowerGear<sup>TM</sup>X Tree Pruners



SoftGrip<sup>™</sup> for better grip

## **PowerGear™X Tree Pruners**

Fiskars tree pruners are mult-use tools that allow access to tree crowns and dense bushes, allowing gardeners to trim high branches without the use of a ladder - or at ground level without bending or kneeling.





## **Other Tree Pruners & Accessories**

Pruning Snip, white (UP69)						1023626	z
Height: <b>7.1 cm</b>	Length: <b>175.5 cm</b>	Width: <b>11.2 cm</b>	Weight: 0.9 kg	Retail box: 4	Old art. no.	-	6"411501" 150141
\					<ul> <li>Cutting rea</li> </ul>	ng branches high a ach approx 3,5 m handle 270° for ea	
<u> </u>							

Anvil Tree Pr	uner (UP53)		Art. no. 1000597	z		
Height: 7.4 cm	Length: 165 cm	Width: 13.8 cm	Weight: 0.85 kg	Retail box: 4	Old art. no. <b>115350</b>	6 411501 963505

- Anvil cutting action is especially ideal for dry and hard wood up to Ø 32 mm

- Cutting reach vertically about 3,5 meters
  Adjustable cutting angle up to 260°
  Can be used with fruit picker (art No 1001562)



Fruit Picker	(UP80), plus p	part	Art. no. 1001562	z		
Height: 7.5 cm	Length: 33.4 cm	Width: 16 cm	Weight: 0.25 kg	Retail box: 4	Old art. no. <b>110970</b>	6 411501 969705



- Can be used with article No 1001557, 1000598, 1023624 and 1023625
- FiberComp™ frame and durable, cotton bag

Tree Pruner	JPX86 + Bran	Art. no. <b>1023634</b>	z				
Height: 9 cm	Length: 230 cm	Width: 19 cm	Weight: 2.21 kg	Retail box: -	Old art. no	<b>1</b>	6 411501 150172

Tool set components:

1 x Tree Pruner Bypass Telescopic UPX86 (EAN 6411501150127)

1 x Branch Saw UPX80 Plus Part (EAN 6411501150165)



# The icon

The iconic Classic scissors are a symbol of Fiskars and our Finnish design heritage





#### Sharp blades

Specially developed blade grind ensures blades stay sharp longer while providing high-precision cuts

### Easy cleaning

Handles are injection-molded onto the blades, ensuring easy, hygienic cleaning

### **3 Supreme ergonomics**

Handles are designed under strong consideration of the natural movement of the hand resulting in enhanced comfort and cutting control

#### Best materials

Made of the best quality materials, Classic scissors offer outstanding comfort, performance and durability


### Quality control

Each product is manually tested before leaving the factory ensuring you get only the best scissors



## **Classic Scissors**

Fiskars Orange-handled Scissors<sup>™</sup> are design classics that have been popular for more than four decades. With stainless steel blades that cut easily through garden materials ranging from fine wire to flower stems, our selection of garden scissors are excellent for precise cutting and trimming tasks.



Universal C	arden Scisso	ors, 21 cm (S	Art. no. <b>1001539</b>	z		
Height: 28 cm	Length: 2cm	Width: 8.6 cm	Weight: 0.08 kg	Retail box: 5	Old art. no. <b>111040A</b>	6 411501 110404
-	W C			QUARANTEE 25	<ul> <li>Superior comfort and per</li> </ul>	mium and durable materials

Universal Garden Scissors, 18 cm (S92)						1000555	ş
Height: 28 cm	Length: 2.1 cm	Width: 8.6 cm	Weight: 0.07 kg	Retail box: 5	Old art. no.	111030	6 411501 110305
				GUARANTEE 25			od grip and are ideal for cutting



- Superior comfort and performance
- Made in Finland with premium and durable materials
- For right-handed use
- Handles made from impact-resistant PBT

## **Other Scissors**

Floral Scissors (S28)						1001544	6 411501 932006
Height: 25 cm	Length: 2 cm	Width: 7.5 cm	Weight: 0.08 kg	Retail box: 5	Old art. no.		6 411501 932006



- For cutting flowers and sprouts
- Serrated lower blade for better control prevents the flower or plant from slipping forwards.

## **Heavy-duty scissors**

Hardware s	cissors 25cm	າ			Art. no. <b>1020478</b>	N N N N N N N N N N N N N N N N N N N
Height: 26 cm	Length: 32 cm	Width: 9 cm	Weight: 156 g	Retail box: 6	Old art. no	3 359900 699638



- High-quality stainless steel blades with wire cutting notch.
- Ergonomic and durable design.

PowerArc <sup>™</sup>	<sup>1</sup> Heavy-duty	scissors 21c	Art. no. <b>1027204</b>	3		
Height: 26 cm	Length: 10 cm	Width: 22 cm	Weight: 200 g	Retail box: 6	Old art. no	6 411501 701220



- Ideal for cutting insulating materials such as mineral wool or polysterene.
- Ergonomically designed handle with finger guard.
- Blade of stainless steel.

PowerArc <sup>TN</sup>	<sup>1</sup> Heavy-duty	scissors 26c	Art. no. <b>1027205</b>	z		
Height: 29.5 cm	Length: 10 cm	Width: 26 cm	Weight: 264 g	Retail box: 6	Old art. no	6"411501"701237



- Ideal for cutting a range of materials, including insulation, duct tape, cardboard, rope, tar paper, Tyvek, hose and more.
- Heavy-duty coined stainless steel blades power through thick materials without separation and won't rust.
- Bigger loops optimised for large gloved hands.





# Recycled

- a classic design reimagined with sustainability in mind





## Features & benefits

## Made of recycled and 100% recyclable materials

Total scissors are made from 62% recycled materials and 38% cellulose fiber. Scissors are 100% recyclable. Scissors packaging is made of 100% recycled and recyclable paper fiber.

### Sharp blades

Durable stainless steel blade are made of 85-95% of recycled stainless steel.

#### © Ergonomic design

Comfortable handles are made of 62% recycled plastic (post consumer package waste) and 38% natural cellulose fiber.

### Made in Finland

These scissors are made with an environmentally-friendly process in our environment-, quality- and safety-certified scissors factory in Billnäs, Finland.

### 5 Tested by hand

Scissors are tested by hand at the factory. Only our very best scissors are ever cleared to leave the factory.



# **Recycled Scissors**

Recycled Universal Scissors, 21 cm							Art. no.	1058094	
Height: 27.3 cm	Length: 2.2 cm	Width: 8.5 cm	Weight:	0.98 kg	Retail box:	5	Old art. no.	-	6 424002 013280
Man			>				Made from and 32% c	ellulose fiber comfort and cutting Finland	naterials; 62% recycled materials





# Rakes



### XACT™

Premium quality materials and ergonomic, aluminium shafts for ultimate performance

### ERGONOMIC™

Special teardrop-shaped shaft with wide head for effective raking


#### WHITE

Beautiful, white rakes are the perfect addition to your garden

### SOLID™

A versatile selection of rakes ranging from lawn to soil care

## Xact<sup>™</sup> Rakes





- Durable, stainless steel head with 13 prongs for raking in larger areas
- Ideal for preparing planting beds, leveling soil, cleaning and spreading
- Hardened aluminium shaft with unique profile reduces weight without sacrificing strength for effortless strokes
- SoftGrip<sup>™</sup> handle allows for multiple hand positions, while exceptional handle end shape provides good support during use
- Convenient hang hole for easy storage

# **Ergonomic**<sup>™</sup> Rakes

Ergonomic <sup>®</sup>	<sup>™</sup> Lawn/Leaf I	Rake			Art. no.	1000660	5 9 0 5 5 6 1 3 3 5 7 0 5
Height: 4.5 cm	Length: 184 cm	Width: 61 cm	Weight: 0.77 kg	Retail box: 4	Old art. no.	135570	5 905561 335705



- Wide rake for working on large lawn areas
- Sturdy, flexible tines with specific geometry helps prevent twigs and leaves from getting caught


## **Classic Rakes**

Classic XL Leaf Rake						1001584	3 1 5 7 3 3 1 3 5 5 9 1 4
Height: 4.2 cm	Length: 173.5 cm Widt	n: <b>64.6 cm</b>	Weight: 0.90 kg	Retail box: 5	Old art. no.	135591	3 157331 355914



- Extra wide head (65 cm) and wooden shaft
   Flat, rigid and curved plastic tines reduce leaves from sliding up and blocking the head
  • Rounded edges make it suitable for all types of terrain
  • FSC® wood

## **Light Rakes**






Old art. no. **135523** 

Art. no.

1019608

- and spreading  $\bullet$  Durable hardened head with 14 prongs for raking in larger areas
- **Light Rose Rake** Art. no. 1019607 Width: **24.5 cm** Retail box: 4 Height: 6.5 cm Length: 158 cm Weight: 0.52 kg Old art. no. 135503 • Light rose rake for cleaning and spreading soil in small spaces around trees and under plants • Hardened steel form for raking between and under plants



## **Solid™ Rakes**






- Extra-wide head (65 cm) makes it easy to quickly rake large areas
- New durable, aluminium lightweight shaft
- 27 flat, rigid and curved plastic tines prevent leaves from sliding up and blocking the head

Solid <sup>™</sup> L Leaf Rake						1003465	4 1 1 5 0 1 " 3 5 0 1 6 9 6 4 1 1 5 0 1 " 3 5 0 1 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6
Height: 5cm	Length: 175 cm	Width: 52 cm	Weight: 0.50 kg	Retail box: 5	Old art. no.	135016	6 4 1 1 5 0 1 3 5 0 1 6 9



- Wide rake for working on large lawn areas
- Sturdy and flexible tines with specific geometry help prevent twigs and leaves from getting caught
- Lightweight, yet durable aluminium handle

Solid <sup>™</sup> M Leaf Rake						1003464	6'411501'350268
Height: 3.5 cm	Length: 172 cm	Width: 44 cm	Weight: 0.52 kg	Retail box: 5	Old art. no.	135026	6 411501 350268




quantities of leaves and

lawn debris

• Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes

aluminium handle

- Sturdy tines work well on rooty and uneven surfaces
- Lightweight but durable aluminium handle



on rooty and uneven

surfaces

leaves from getting

caught

Solid <sup>™</sup> Universal Garden Rake						1003466	z	6 4 1 1 5 0 1 3 5 0 6 6 4
Height: 11 cm	Length: 167 cm	Width: 41 cm	Weight: 0.44 kg	Retail box: 5	Old art. no.	135066		6 4 1 1 5 0 1 3 5 0 6 6 4



- For raking long, loose grass or branches, as well as preparing planting beds
- Leveling function for evening soil beds
- Lightweight, yet durable, aluminium handle

Solid <sup>™</sup> Shaft						1014913	6 4 1 1 5 0 1 3 5 0 0 1 5
Height: 3 cm	Length: 157.5 cm	Width: 2.8 cm	Weight: 0.31 kg	Retail box: 10	Old art. no.	135001	6 4 1 1 5 0 1 3 5 0 0 1 5

- Lightweight and durable aluminium construction
- Compatible with Solid™ rake heads (article No 1014914, 1014915 & 1014917)
- Spare part for rakes (article No 1003465, 1003464 & 1003466)

Solid <sup>™</sup> L Leaf Rake Head						1014915	z
Height: 5.4 cm	Length: 22.8 cm	Width: 51.1 cm	Weight: 0.23 kg	Retail box: 10	Old art. no.		6 4 1 1 5 0 1 3 5 0 1 4 5



- Wide rake for working on large lawn areas
- Sturdy and flexible tines with specific geometry prevent twigs and leaves from getting caught
- Complementary to Solid<sup>™</sup> Shaft (article No 1014913)
- Spare part for rake (article No 1003465)

Solid <sup>™</sup> M Le	af Rake Head	ı	Art. no. <b>1014914</b>	z		
Height: 6.4 cm	Length: 21.2 cm	Width: <b>41.5 cm</b>	Weight: 0.15 kg	Retail box: 10	Old art. no. 135024	6 411501 350244



- Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes
- Sturdy tines work well on rooty and uneven surfaces
   Complementary to Solid™ Shaft (article No 1014913)
- Spare part for rake (article No 1003464)

# **Grass Shears**



## **Grass Shears**









- For cutting grass, hedges and small bushes
- Cuts up to 10 mm at the base of the blade and reaches up to
- Cutting head adjusts up to 270°



Servo-System <sup>™</sup> Grass Shears, Long (GS46)					Art. no.	1000590	6 4 1 1 5 0 1 9 6 6 9 0 2
Height: 8cm	Length: 105 cm	Width: 25 cm	Weight: 0.74 kg	Retail box: 4	Old art. no.	113690	6 411501 966902





- For trimming lawn edges standing up
- Cutting angle adjustable to 360°
  Ergonomic handle with finger protection
- Servo-System<sup>™</sup> technology prevents the blades from jamming

Servo-System <sup>™</sup> Grass Shears (GS42)					Art. no.	1000589	EAN	
Height: 4.5 cm	Length: 34.4 cm	Width: 12 cm	Weight: 0.31 kg	Retail box: 4	Old art. no.	113680	7	6 411501 966803







- For trimming lawn edges and hedges
   Cutting angle adjustable to 360°
   Ergonomic handle with finger protection
- Servo-System<sup>™</sup> technology prevents the blades from jamming

SmartFit <sup>™</sup> Grass Shears (GS40)					Art. no. <b>1023632</b>	3
Height: 3 cm	Length: 38 cm	Width: 13 cm	Weight: 0.35 kg	Retail box: 5	Old art. no	6 4 1 1 5 0 1 1 2 0 1 0 6



- For trimming lawn edges and hedges Cutting angle adjustable to 180°
- Ergonomic handle with finger protection

Grass Shea	rs, white (GS	41)	Art. no. <b>1026917</b>	L PAN		
Height: 3.2 cm	Length: 43 cm	Width: 13 cm	Weight: 0.28 kg	Retail box: 5	Old art. no	6 4 1 1 5 0 1 1 5 0 2 8 8



- For trimming lawn edges and hedges
- White coulour for added visibility
- Cutting angle adjustable to 180°
- Ergonomic handle with finger protection

Solid <sup>™</sup> Grass Shears (GS21)						1026826	z	
Height: 4.5 cm	Length: 31.5 cm	Width: 8.5 cm	Weight: 0.32 kg	Retail box: 4	Old art. no.	-	Ш	6 4 1 1 5 0 1 1 5 0 2 6 4



- For trimming lawn edges and hedgesSoftouch handles for comfortable grip

Long handled edging shears						1000587	E BAN
Height: -cm	Length: 99 cm	Width: 24 cm	Weight: 1.69 kg	Retail box: 4	Old art. no.	113310	64115011331065



- For trimming lawn edges
   Heat treated carbon steel blades for added strength
   Comfortable SoftGrip™ handles for extra grip



# Improved Weed Pullers

Our sturdy range of weed pullers offer a range of features including an ergonomic handle design, an adjustable shaft with SmartFit™ technology that adapts to different size users, and beautifully designed white and Solid™ weed pullers with light, aluminium construction for ease of use.



## **Weed Pullers**







- For ergonomic, effortless removal of root weeds
- Telescopic aluminium shaft can be adjusted between 990-1190 mm
- Large, D-shaped handle fits all hand sizes

Weed Puller, white						1020127	z
Height: 9cm	Length: 93 cm	Width: 30 cm	Weight: 0.90 kg	Retail box: 4	Old art. no.		6411501 399403




• Light for ergonomic, effortless removal of root weeds

Solid <sup>™</sup> Weed	d Puller		Art. no. <b>1026652</b>	6 4 1 1 5 0 1 3 1 0 4 8 4		
Height: 9 cm	Length: 93 cm	Width: 30 cm	Weight: 0.90 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 1 0 4 8 4



• For effortless removal of root weeds



## **Classic & Solid™ Lawn Care Tools**

Solid <sup>™</sup> Law	n Edger		Art. no. <b>1011617</b>	Z 317797 035003		
Height: 3cm	Length: 110 cm	Width: <b>30.5 cm</b>	Weight: 1.85 kg	Retail box: 3	Old art. no. <b>5371</b>	7 3 1 7 7 9 7 0 3 5 0 0 3
4			1		Durable all steel construction     Optimal for cutting straight	on edges on lawns and planting beds

Ergo <sup>™</sup> S Pop	o-up Bag, 73L	•			Art. no. <b>1028371</b>	EAN
Height: 4cm	Length: 45 cm	Width: 45 cm	Weight: 0.71 kg	Retail box: 10	Old art. no	6 4 1 1 5 0 1 6 0 0 1 8 9



- Ideal for collecting wet yard and garden waste like damp leaves, weeds or grass clipping, weeds or even toys
- Folds to 3 cm for space-saving storage
- Internal spring pops it up for use
- $\bullet$  Tear- and mildew-resistant construction provides durability and easy cleaning
- Height closed: 30 mm, Height open: 460 mm

Ergo <sup>™</sup> M Po	p-up Bag, 17	5L			Art. no. <b>1028372</b>	6 4 1 1 5 0 1 6 0 0 1 9 6
Height: 4cm	Length: 53 cm	Width: 53 cm	Weight: 1.21 kg	Retail box: 8	Old art. no	6 411501 600196



- Ideal for collecting wet yard and garden waste like damp leaves, weeds or grass clipping, weeds or even toys
- Folds to 3 cm for space-saving storage
- Internal spring pops it up for use
- Tear- and mildew-resistant construction provides durability and easy cleaning
- Height closed: 30 mm, Height open: 700 mm

Ergo <sup>™</sup> L Pop	o-up Bag, 219	L			Art. no. 1028373	Z	6 4 1 1 5 0 1 6 0 0 2 0 2
Height: 4cm	Length: 59 cm	Width: <b>59 cm</b>	Weight: 1.63 kg	Retail box: 6	Old art. no	EA	6 4 1 1 5 0 1 6 0 0 2 0 2



Solid <sup>™</sup> Pop-	up Garden B	ag, 56 l			Art. no. <b>1015646</b>	6"411501" 350411
Height: 3 cm	Length: 40 cm	Width: 40 cm	Weight: 0.60 kg	Retail box: 6	Old art. no. 135041	6 4 1 1 5 0 1 3 5 0 4 1 1



• Ideal for collecting wet yard and garden waste like damp leaves or grass clipping

<ul> <li>Height closed:</li> </ul>	15 mm, Height o	pen: 460 mm
------------------------------------	-----------------	-------------

Solid <sup>™</sup> Pop-	up Garden B	ag, 172 I			Art. no. <b>1015647</b>	6 4 1 1 5 0 1 3 5 0 4 2 8
Height: 3 cm	Length: 56 cm	Width: 56 cm	Weight: 1.25 kg	Retail box: 6	Old art. no. 135042	6 4 1 1 5 0 1 3 5 0 4 2 8



- Ideal for collecting weeds, grass clippings, other types of yard waste or even toys or laundry off the clothesline
   Folds to 10 cm for space-saving storage
   Internal spring pops it up for use
   Tear- and mildew-resistant construction provides durability and easy cleaning
   Height closed: 20 mm, Height open: 700 mm

# **StaySharp**<sup>TM</sup>

Fiskars StaySharp<sup>™</sup> Max Reel Mower promotes greener, healthier lawns by cleanly cutting each blade of grass with a scissors-like action. This minimises the lawn's moisture loss, while reducing exposure to disease.



# StaySharp<sup>™</sup> Reel Mower

StaySharp™	Max Reel Mo	ower			Art. no. 1000591	z	6411501 138804
Height: 60 cm	Length: 61 cm	Width: 37 cm	Weight: 20.00 kg	Retail box: 1	Old art. no. <b>113880</b>	Ä	6 4 1 1 5 0 1 1 3 8 8 0 4



- 2x more cutting power compared to standard reel mowers
- 60% easier to push than other reel mowers
- Cut height adjustable between 2 -10 cm
- Compatible with grass catcher

StaySharp™	Plus Reel Mo	ower			Art. no. <b>1015649</b>	6 4 1 1 5 0 1 1 3 8 7 2 9
Height: 34.5 cm	Length: 60 cm	Width: <b>45.5 cm</b>	Weight: <b>18.00 kg</b>	Retail box: 1	Old art. no. <b>113872</b>	6 411501 138729



75% more cutting power compared to standard reel mowers
40% easier to push than other reel mowers
Cut height adjustable between 4 -10 cm

StaySharp™	Grass Catch	er			Art. no.	1000592	Z	6411501 138835
Height: 54.5 cm	Length: 55 cm	Width: 6 cm	Weight: 1.59 kg	Retail box: 1	Old art. no	.113883		6 4 1 1 5 0 1 1 3 8 8 3 5



- $\bullet$  Simple, tool-free assembly with Fiskars StaySharp  $^{\text{\tiny{TM}}}$  Max Mower
- Effective capacity of approximately 18 litres
- UV- and mildew-resistant polyester screen with heavy-duty steel frame for long-lasting performance





New Bulb planters

# Features & benefits

## Xact<sup>™</sup> Standing bulb planter

Perfect for planting bulbs and small saplings without bending

- Release button
- ② Aluminium shaft & FiberComp™ handle
- Planting depth 150 mm
- Max. bulb size 55 mm

## **Ergo**™ Bulb planter

- Comfortable handle for loosening the soil
- Circular motion and sharp teeth allow it to pass easily through dense soil
- Stainless steel shaft & FiberComp<sup>™</sup> handle

### Solid<sup>™</sup> Hand bulb planter

## \_\_\_\_\_


- Durable, glass fiber reinforced plastic body
- Comfortable handle for loosening the soil
- Circular motion and sharp teeth help to pass through tight ground
- Easy-to-clean surface







# **NEW! Xact<sup>™</sup> & Ergo<sup>™</sup> Growing & Planting Tools**






- Non-slip standing board allows you to easily push the tool into
- Cone features sharp teeth for powering through even tough soil
- Handle trigger releases soil over the bulb and hole for quick, efficient planting
- Shaft is made of durable steel for years of reliable use
- Planting depth up to 150 mm

Solid <sup>™</sup> Hand	Bulb Planter	•			Art. no. 1057079	Z	6411501 311344
Height: 10.3 cm	Length: 24.3 cm	Width: 11.7 cm	Weight: 0.25 kg	Retail box: 12	Old art. no		6 4 1 1 5 0 1 3 1 1 3 4 4
					Ideal for quick and precise.	nlant	ing of hulbs and spedlings



- Blade has teeth for fast and efficient digging using a circular motion
- Planter features measuring guide on side for accurate depth
- A simple trigger opens the blade to release soil over the hole and bulb
- Suited for bulbs up to 65 mm wide and planting depth of up to 125 mm
- Made of durable, weather-resistant FiberComp™

## Solid<sup>™</sup> Growing & Planting Novelties





- Creates divots and holes for planting seeds at the correct depth
- Measuring scale on tip of tool allows for depth of up to 150 mm
- $\bullet$  Unique L-shaped handle provides maximum torque and comfort
- $\bullet$  Lightweight, yet incredibly strong, FiberComp  $^{\!\scriptscriptstyle{\mathsf{T}}}$  construction is weather-resistant and easy to clean

Height: 13.1 cm Length: 30 cm Width: 16.5 cm Weight: 0.28 kg Retail box: 12 Old art. no	Solid <sup>™</sup> Spre	ader				Art. no. <b>1057076</b>	z	
	Height: 13.1 cm	Length: 30 cm	Width: <b>16.5 cm</b>	Weight: 0.28 kg	Retail box: 12	Old art. no		6 411501 311313



- Ideal for accurate spreading of sand, salt, fertilizer and more
- Easy-to-turn adjustment knob controls dosing while deploying your material. Choose from pour, fast flow or slower flow options
- Easy-lock system allows for quick refilling with spreading

# Digging

To make digging as easy as possible, you need a reliable spade suitable for the task. That's why we've developed a variety of spades and shovels including spades for digging in hard soil, edging and planting, as well as light spades for soft soil. We also have shovels designed to move sand, soil and snow.



#### XACT™

Gardening is a demanding pastime. Fiskars Xact™ digging tools will give you that extra push to take your gardening to a whole new level and make digging a truly pleasurable experience. Fiskars Xact digging tools fit you – combining the right length with lightweight material and durability.

#### SMARTFIT™

This range of telescopic tools have an adjustable shaft length which extends from 1050 mm to 1250 mm. The spades, shovels and forks can be comfortably used at a range of heights. The welded connection between the blade and the shaft ensures rigid durability and longevity while its boron steel construction adds extra strength.

### **ERGONOMIC™**

Beautifully designed and realised, Fiskars Ergonomic™ is a perfect selection of tools for digging and composting – all for the most discerning gardener. The spades, shovels and forks have angled shafts and handles for reduced strain on backs, hands and wrists. A resin coating on the shafts also maximise grip and comfort.

#### WHITE

The new beautiful White range offers you a selection of light-weight tools for planting, cultivating, raking and other gardening tasks. Fiskars versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows for planting seeds and bulbs and even harvesting root crops.

Xact<sup>™</sup> M Digging Spade

## Xact<sup>™</sup> Spades & Shovels













- For digging in hard and rocky soil
- Pointed sharpened blade with stepping board cuts easily through soil layers and roots
- For users with a height of 160 175 cm

• Best tool for digging in hard and rocky soil










• Pointed sharpened blade with stepping board cuts easily





Width: 19 cm

Width: 19 cm

Art. no. 1003682 Old art no 131480 Retail box: 4





Xact<sup>™</sup> M Edging & Planting Spade

Length: 108 cm

Length: 120 cm

Height: 7.5 cm

Height: 10.5 cm



reddot design award



- For normal garden soil (grass layer, soft ground)
- Sharpened blade with stepping board is perfect for digging planting holes, edging beds and removing small amounts of soil
- For users with a height of 160 175 cm



Weight: 1.87 kg

Weight: 2.06 kg





Retail box: 4



- For normal garden soil (grass layer, soft ground)
- Sharpened blade with stepping board is perfect for digging planting holes, edging beds and removing small amounts of soil
- For users with a height of 175 195 cm

Old art. no. 131481

Xact <sup>™</sup> L Shovel					Art. no.	1003688	z	
Height: 16.7 cm	Length: 130 cm	Width: <b>22.4 cm</b>	Weight: 1.95 kg	Retail box: 4	Old art. no	132480		6 4 1 1 5 0 1 3 2 4 8 0 1









- Broad scoop is ideal for lifting and moving bulk materials such as soil, sand or snow
- · Upright shaft for easier, more ergonomic shoveling

## Xact<sup>™</sup> Forks





## **Ergonomic<sup>™</sup> Spades & Forks**





- Angeled shaft and handle for reduced strain on back, hands and wrists
- Plastic coating on shaft for maximised comfort and grip
- Boron steel material for strength


Ergonomic"	* Rounded Ga	arden Spade	Art. no. 1001411	5 905568 020017		
Height: 14 cm	Length: <b>125.5 cm</b>	Width: <b>19.5 cm</b>	Weight: 1.89 kg	Retail box: 4	Old art. no. <b>131400</b>	5 905568 020017





- For digging planting holes, edging beds and removing of soil
- Angeled shaft and handle for reduced strain on back, hands and wrists
- Plastic coating on shaft for maximised comfort and grip
- Boron steel material for strength

Ergonomic <sup>™</sup> Garden Fork					Art. no. 1001413	z.
Height: 9.5 cm	Length: 123 cm	Width: 20 cm	Weight: 2.09 kg	Retail box: 4	Old art. no. <b>133400</b>	5 905568 902108
				il	<ul> <li>Angeled shaft and handle and wrists</li> </ul>	wns or raking out stones and weeds e for reduced strain on back, hands or maximised comfort and grip







- For lifting, turning and spreading loose material like grass, hay,
- weeds, leaves, compost and other garden waste
- Angeled shaft and handle for reduced strain on back, hands and wrists
- Plastic coating on shaft for maximised comfort and grip
- Boron steel material for strength

# SmartFit<sup>™</sup> Spades & Forks





SmartFit <sup>™</sup> Edging & Planting Spade				Art. no. <b>1000620</b>	z	
Height: 8.5 cm	Length: <b>105.5 cm</b>	Width: 19 cm	Weight: 1.73 kg	Retail box: 4	Old art. no. <b>131310</b>	6"411503" 250559
		- Parameter		reddot design award winner 2003	<ul> <li>For various gardening task</li> </ul>	ng edge for edging and planting ks like planting, edging or shovelling djusted between 1054-1250 mm

SmartFit <sup>™</sup> Fork					Art. no. 1000630	z	
Height: 9cm	Length: 106 cm	Width: 18 cm	Weight: 1.73 kg	Retail box: 4	Old art. no. <b>133320</b> 6 4 1 1 5 0 3 3 5 2 5		
				reddot design award winner 2003	For loosening and turning over compacted soil Easily move tufts of grass when bordering or planting Also great for aerating lawns or raking out stones and we Length of fork can be adjusted between 1165-1256 mm		




## **Light Spades & Shovels**





Light Shovel					Art. no. 1019602	z
Height: 16.5 cm	Length: 120 cm	Width: <b>23.3 cm</b>	Weight: 1.43 kg	Retail box: 4	Old art. no. <b>132503</b>	6 4 1 1 5 0 1 3 2 5 0 3 7
::		PORTAGE	-(		Light shovel with broad so lifting and moving soil, mule	coop makes it easy to handle while ch or snow





# Solid<sup>™</sup> Spades & Forks

Solid <sup>™</sup> Point	ed Spade		Art. no. <b>1003455</b>	PAN MINING		
Height: 13.5 cm	Length: 117 cm	Width: 18 cm	Weight: 1.64 kg	Retail box: 4	Old art. no. <b>131413</b>	6 4 1 1 5 0 1 3 1 4 1 3 0



 $\bullet$  All-purpose digging spade with pointed and sharpened cutting edge

Solid <sup>™</sup> Roun	ided Spade		Art. no. <b>1003456</b>	6 4 1 1 5 0 1 3 1 4 0 3 1		
Height: 14 cm	Length: 117 cm	Width: 18 cm	Weight: 1.94 kg	Retail box: 4	Old art. no. <b>131403</b>	6"411501"314031



• Straight and sharpened cutting edge for cutting grass and moving and mixing soil

Solid <sup>™</sup> Shov	el		Art. no. <b>1003457</b>	N A M		
Height: 18.7 cm	Length: 127 cm	Width: <b>23.5 cm</b>	Weight: 2.13 kg	Retail box: 4	Old art. no. <b>132403</b>	6 4 1 1 5 0 1 3 2 4 0 3 0



• For moving sand, gravel and other bulky materials

Solid <sup>™</sup> Fork			Art. no. <b>1003458</b>	N N N N N N N N N N N N N N N N N N N		
Height: 8.5 cm	Length: <b>120.5 cm</b>	Width: 18 cm	Weight: 1.66 kg	Retail box: 4	Old art. no. <b>133423</b>	6 4 1 1 5 0 1 3 3 4 2 3 7



- For loosening and turning over compacted soil
- Also great for aerating lawns or raking out stones and weeds


### QuikDrill™

Fiskars QuikDrill™ makes many garden tasks simpler, easier and more precise. It is a handy tool for planting flowers or bushes, or aerating and fertilizing the ground.




# **Cultivating Tools**

Fiskars cultivating tools are designed for comfortable planting, cultivating, weeding and seeding. The three different ranges offer a wide selection of tools from weeders to rose rakes.




### Xact<sup>™</sup> Soil Care Tools





- Dual blade weeding knife for removing weeds and moss between paving stones and patios
- Precisely finished stainless steel blades provide ultimate performance and control
- Hardened aluminium shaft with unique profile reduces weight without sacrificing strength for effortless strokes
- SoftGrip™ handle allows for multiple hand positions, while its exceptional shape provides good support during use
- Convenient hanging hole on handle for easy storage

# **Ergonomic<sup>™</sup> Soil Care Tools**




Ergonomic <sup>11</sup>	Cultivator		Art. no. <b>1001301</b>	7 3 1 7 7 9 1 1 1 6 6 6 1		
Height: 12.5 cm	Length: 167 cm	Width: 12 cm	Weight: 0.79 kg	Retail box: 4	Old art. no. <b>136510</b>	7 3 1 7 7 9 1 1 1 6 6 6 1



• Cultivator for loosening and tiling soil before planting

Ergonomic <sup>™</sup> Hoe						1000675	7 3 1 7 7 9 1 1 1 2 6 0 1
Height: 9cm	Length: 155 cm	Width: 20 cm	Weight: 0.53 kg	Retail box: 4	Old art. no. <b>136500</b>		
4-			-	•	Hoe for rer the soil for c		ween rows of plants or breaking up



# **Light Soil Care Tools**

This beautiful range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks

Light Weed	ling Knife		Art. no. 1019604	6 4 1 1 5 0 1 3 6 5 4 3 9		
Height: 3 cm	Length: 161 cm	Width: 7.5 cm	Weight: 0.41 kg	Retail box: 4	Old art. no. <b>136543</b>	6 4 1 1 5 0 1 3 6 5 4 3 9
		-53	jar.	-	spaces in vegetable or flo	removing weeds from patios or tight ower beds of the asily into tight places

\_\_\_\_

Light	Light Weeder						Art. no.	1019610	6"411501" 365637"
Height:	4.5 cm	Length: <b>164.5 cm</b>	Width: <b>14.5</b>	5 cm Weigh	nt: <b>0.65 kg</b>	Retail box: 4	Old art. no.	136563	6 4 1 1 5 0 1 3 6 5 6 3 7
( ).	-	AND .					larger area		eeds from vegetable beds and

Light Cultiv	ator		Art. no. 1019611	6"411501" 365736		
Height: 11 cm	Length: 164 cm	Width: 9.5 cm	Weight: 0.55 kg	Retail box: 4	Old art. no. <b>136573</b>	6 411501 365736
>-	100	10		_	Light cultivator for loos     Sharp, hardened steel cultivating	ening compacted soil prongs penetrate soil easily when

Light Hoe					Art. no. <b>1019609</b>	N N
Height: 9 cm	Length: 158 cm	Width: 19.5 cm	Weight: 0.48 kg	Retail box: 4	Old art. no. <b>136553</b>	6"411501" 365538
	er.		pi-		beds and under plants	weeds and loosening soil in vegetable edges for reaching under plants

# **Solid™ Soil Care Tools**

Solid <sup>™</sup> Culti	Solid <sup>™</sup> Cultivator					6"411501" 357144
Height: 12 cm	Length: 167 cm	Width: 13 cm	Weight: 0.59 kg	Retail box: 4	Old art. no. 135714	6 411501 357144
_					Fasy-to-use tool for loosening	ng and tilling soil before planting



- Hardened carbon steel blade
- Aluminium handle

Solid <sup>™</sup> Hoe					Art. no. <b>1016035</b>	N M M M M M M M M M M M M M M M M M M M
Height: 14 cm	Length: 164 cm	Width: 16 cm	Weight: 0.52 kg	Retail box: 4	Old art. no. <b>135713</b>	6 4 1 1 5 0 1 3 5 7 1 3 7



- Efficient tool for removing weeds between rows of plants or breaking up the soil for cultivation
   Hardened carbon steel blade

Solid <sup>™</sup> Soil F	Rake				Art. no. <b>1016036</b>	6 4 1 1 5 0 1 3 5 7 1 5 1
Height: 7 cm	Length: <b>156.5 cm</b>	Width: 36 cm	Weight: 0.62 kg	Retail box: 4	Old art. no. 135715	6" 4 1 1 5 0 1" 3 5 7 1 5 1"



- All purpose soil rake for preparing planting beds, smoothing down soil and other general gardening tasks like raking branches or spreading mulch
- Hardened carbon steel blade
- Aluminium handle

# **Nursery Tools**

Fiskars nursery tools are ergonomically designed with rounded edges to minimise soil and root damage while planting, cultivating, weeding and seeding





XACT™ PLANTERS
Perfect tools covering
all nursing tasks with
ultimate performance



PLANTERS
Ergonomically
designed for
comfortable planting



ERGO™ PLANTERS
Robust nursery
tools for demanding
cultivating tasks



WHITE PLANTERS
Lightweight and
rust-free
nursery tools



SOLID™ Lightweight and rust-free nursery tools

### **Xact<sup>™</sup> Hand Tools**









- Ideal for digging while planting, taking up plants and turning up soil
- Large stainless steel head with sharpened edges moves more soil, faster, while cutting easily through tough turf
- Comfortable SoftGrip<sup>™</sup> handle allows for multiple handle positions, while its longer length brings balance and extra power when needed
- Convenient hanging hole on handle for easy storage

Xact <sup>™</sup> Hand	Rake		Art. no. <b>1027044</b>	N N N N N N N N N N N N N N N N N N N		
Height: 4cm	Length: 44.3 cm	Width: <b>12.3 cm</b>	Weight: 0.20 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 5 1 0 1 2







- Fan shaped hand rake is the perfect tool for raking up leaves, weeds and grass cuttings in small flowerbeds and hard-to-reach
- Perfectly finished stainless steel head with 7 prongs provide ultimate precision and control
- Comfortable SoftGrip<sup>™</sup> handle allows for multiple handle positions, while its longer length brings balance and extra power when needed
- Convenient hanging hole on handle for easy storage

Xact <sup>™</sup> Small	Weeding Kn	ife			Art. no.	1027045	z	
Height: 3cm	Length: 33.8 cm	Width: 9.4 cm	Weight: 0.27 kg	Retail box: 4	Old art. no		E	6 41150
	-							







- between paving stones and patios
- Precisely finished stainless steel blades provide ultimate performance and control
- $\bullet$  Comfortable SoftGrip  $^{\!\scriptscriptstyle{\mathsf{TM}}}$  handle allows for multiple handle positions, while its longer length brings balance and extra power when needed
- Convenient hanging hole on handle for easy storage

Xact <sup>™</sup> Extra		Art. no. <b>1027046</b>	Z				
Height: 3.6 cm	Length: 39.6 cm	Width: 4.3 cm	Weight: 0.26 kg	Retail box: 4	Old art. no	EA	6 4 1 1 5 0 1 3 5 1 0 3 6







- Effective hand extractor for removing deep rooted weeds with minimal soil adhesion
- Long, sharp stainless steel blade provides precision and efficiency.
- Comfortable SoftGrip<sup>™</sup> handle allows for multiple handle positions, while its longer length brings balance and extra power when needed
- · Convenient hanging hole on handle for easy storage

Xact <sup>™</sup> Cultiv		Art. no. <b>1027047</b>	Z				
Height: 6.2 cm	Length: 32.3 cm	Width: 9.2 cm	Weight: 0.26 kg	Retail box: 4	Old art. no	E/	6 411501 351043





- Durable and functional cultivator for loosening soil, removing weeds and aerating soil
- Large and sharp stainless steel tines provide maximum soil contact to speed work
- Comfortable SoftGrip<sup>™</sup> handle allows for multiple handle positions, while its longer length brings balance and extra power when needed
- Convenient hanging hole on handle for easy storage

# **Premium Planters<sup>™</sup> Nursery Tools**

Fiskars nursery tools are designed with rounded edges to minimise soil and root damage while planting, cultivating, weeding and seeding







• For planting and transplanting in hard ground

Premium Pla	splanter	Art. no. 1000727	z	6 4 1 1 5 0 1 3 7 2 1 0 9			
Height: 4cm	Length: 27.5 cm	Width: 7 cm	Weight: 0.11 kg	Retail box: 4	Old art. no. <b>137210</b>		6 4 1 1 5 0 1 3 7 2 1 0 9





- $\bullet$  For planting and weeding in hard ground
- Perfect for use in narrow bed layouts and on balconies

Premium Planters <sup>™</sup> Cultivator					Art. no.	1000728	z	
Height: 5 cm	Length: 25 cm	Width: 8 cm	Weight: 0.14 kg	Retail box: 4	Old art. no.	137220	Ä	6 411501 372208
				<i>a</i> .				





• For aerating and loosening soil in hard ground

### **Ergo<sup>™</sup> Hand Tools**

Ergo <sup>™</sup> Trowe		Art. no. <b>1027017</b>	Z	6'41501"350718			
Height: 2.5 cm	Length: 30 cm	Width: 7.5 cm	Weight: 0.17 kg	Retail box: 4	Old art. no	Ā	6 4 1 1 5 0 1 3 5 0 7 1 8



- Ideal for digging in tough soil and breaking up hardened dirt clods
- Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue
- Steel head won't break while digging in dense soil
- Handle hang hole offers easy storage

Ergo <sup>™</sup> Trans		Art. no. <b>1027018</b>	z	6 4 1 1 5 0 1 3 5 0 7 2 5			
Height: 2.5 cm	Length: 30 cm	Width: 5.5 cm	Weight: 0.14 kg	Retail box: 4	Old art. no		6 4 1 1 5 0 1 3 5 0 7 2 5



- Ideal for transplanting small plants and flowers
- Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue
- Steel head won't break while digging in dense soil
- Gradation marks on the blade make it easy to measure depth for perfect transplants

Ergo <sup>™</sup> Cultiv	vator		Art. no. 1027019	6 4 1 1 5 0 1 3 5 0 7 3 2		
Height: 4.5 cm	Length: 30.5 cm	Width: 8.5 cm	Weight: 0.25 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 5 0 7 3 2



- Ideal for digging in tough soil and breaking up hardened dirt clods
- Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue
- Steel head won't break while digging in dense soil
- Large tines provide maximum soil contact to speed up work

Ergo <sup>™</sup> Cultiva	ator Hoe		Art. no. <b>1027030</b>	8 411501 350749		
Height: 7.5 cm	Length: 30.5 cm	Width: 18 cm	Weight: 0.25 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 5 0 7 4 9




- Ideal for loosening, aerating and shaping tough soil
- Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue
   Sharpened hoe blade breaks up hard soil easily
- Large cultivator tines provide maximum soil contact to speed work
- Handle hang hole offers easy storage

Ergo <sup>™</sup> Weed	ling Knife		Art. no. <b>1027031</b>	z		
Height: 2.5 cm	Length: 31 cm	Width: 2.5 cm	Weight: 0.13 kg	Retail box: 4	Old art. no	6 411501 350756



- Ideal for removing dandelions, thistles and other invasive plants
- Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue
- Steel head won't break while digging in dense soil
- Sharpened forked tip helps you remove weeds by the roots

# **Light Nursery Tools**



Light Trans	planter		Art. no. <b>1027033</b>	z.		
Height: 4.2 cm	4.2 cm Length: 29.1 cm Width: 5.8 cm Weight: 0.07 kg Retail box: 16 Old art. no					
		MARKE			<ul> <li>Ideal for planting and wee</li> <li>Perfect for use in narrow</li> <li>Lightweight, durable Fibe</li> <li>Rustproof</li> <li>Hang hole for easy storage</li> <li>Can lift up to 35 kg</li> </ul>	bed layouts and on balconies erComp™ material

Light Fork			Art. no. <b>1027034</b>	- A		
Height: 4cm	Length: <b>26.3 cm</b>	Width: 7.8 cm	Retail box: 16	Old art. no		
		ARIS			<ul> <li>Ideal for planting and weed</li> <li>Lightweight, durable Fiber</li> <li>Rustproof</li> <li>Hang hole for easy storage</li> <li>Can lift up to 35 kg</li> </ul>	Comp <sup>™</sup> material

7/16/10/ 1027000 N	4 8 8 8 8 1 8 1 8 1 1 1 1 1 <b>8 8</b> 1 1 1 <b>8 1 1 1 1</b> 1 1
Height: 5 cm Length: 27.6 cm Width: 7.6 cm Weight: 0.09 kg Retail box: 16 Old art. no	11501 350794



- Ideal for multiple planting and weeding tasks
   Lightweight, durable FiberComp™ material

- RustproofHang hole for easy storageCan lift up to 35 kg

# **Solid™ Nursery Tools**

Solid <sup>™</sup> Plant	ers Trowel		Art. no. 1000694	6"411503"460101		
Height: 4.7 cm	Length: 29.1 cm	Width: 8.3 cm	Weight: 0.08 kg	Retail box: 16	Old art. no. <b>137000</b>	6 411503 460101





- Ideal for planting and transplanting
- Lightweight, durable FiberComp<sup>™</sup> material
- Rustproof
- Hang hole for easy storage
- Can lift up to 35 kg

Solid <sup>™</sup> Plant	ers Transpla	nter	Art. no. <b>1000695</b>	6 411503 460200		
Height: 4.2 cm	Length: 29.1 cm	Width: 5.8 cm	Weight: 0.07 kg	Retail box: 16	Old art. no. <b>137010</b>	6 4 1 1 5 0 3 4 6 0 2 0 0





- Ideal for planting and weeding
- Perfect for use in narrow bed layouts and on balconies
   Lightweight, durable FiberComp™ material
- Rustproof
- Hang hole for easy storage
- Can lift up to 35 kg

Solid <sup>™</sup> Planters Cultivator						1001600	z	
Height: 5 cm	Length: 27.6 cm	Width: 7.6 cm	Weight: 0.09 kg	Retail box: 16	Old art. no.	137020	6 411503 460309	
				11=		aerating and loose ght, durable Fiber(		





- Rustproof
- Hang hole for easy storageCan lift up to 35 kg

Solid <sup>™</sup> Plar	nters Weed Fo	rk	Art. no. <b>1000696</b>	E P		
Height: 4cm	Length: 26.3 cm	Width: 7.8 cm	Retail box: 16	Old art. no. <b>137030</b>	6 411502 460409	
	Had	ris 📗		il:	<ul> <li>Ideal for planting and w</li> <li>Lightweight, durable Fil</li> <li>Rustproof</li> </ul>	·



- Hang hole for easy storageCan lift up to 35 kg

Solid <sup>™</sup> Planters Hoe					Art. no. 10	001601	8 6 4 1 1 5 0 2 4 6 0 5 0	
Height: 7.5 cm	Length: 32.2 cm	Width: <b>19.9 cm</b>	Weight: 0.15 kg	Retail box: 16	Old art. no. 13	37040	6 4 1 1 5 0 2 4 6 0 5 0	    8 C





- Ideal for multiple planting and weeding tasks
- Lightweight, durable FiberComp<sup>™</sup> material
- Rustproof
- Hang hole for easy storage
- Can lift up to 35 kg





# Smart and safe











### Click & Reach

Within the Click&Reach range, QuikFit™ offers easy solutions for those hard-to-reach tasks, paying special attention to safety. Forget the ladder when sawing high branches or cleaning gutters – let QuikFit™ do the job from the ground up.

### Click & Clean

Within the Click & Clean range, QuickFit™ offers easy solutions for cleaning your lawn and yard, with special attention paid to functionality and storage efficiency. With their unique and smart design, QuikFit™ rakes and brooms allow you to tidy up your garden with minimal effort, all while keeping your shed neat and clutter-free.

### **Click & Grow**

Within the Click&Grow range, QuikFit™ offers easy and mobile solutions for cultivating vegetables and flowers in your garden, summer cottage or city allotment. The unique space-saving system, where one shaft can be used with several tool heads, makes transportation and storage easy.

### QuikFit™ Click & Reach



reddot design award winner 2010

QuikFit <sup>™</sup> Tre	e Cutter				Art. no. <b>1001410</b>	EAN
Height: <b>7.5 cm</b>	Length: 44 cm	Width: <b>12.5 cm</b>	Weight: 0.57 kg	Retail box: 6	Old art. no. <b>136525</b>	6 4 1 1 5 0 1 3 6 5 2 5 5





- $\bullet$  Enhanced cutting power (x12) with PowerReel  $^{\!\scriptscriptstyle{\mathsf{IM}}}$  mechanism
- No external ropes on the cutting head allows you to easily reach
- Anvil cutting action for dry and hard wood
- Cut capacity: Ø 32 mm

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M

QuikFit <sup>™</sup> Curved Saw					Art. no. <b>1000691</b>	EAN
Height: 6 cm	Length: 65 cm	Width: 7cm	Weight: 0.32 kg	Retail box: 6	Old art. no. <b>136527</b>	5 9 0 5 5 6 8 3 6 5 2 7 9



- Pull saw with hardened steel blade with a length of 360 mm
- Top-hook ensures non-slip steadiness while pulling
- Bottom knife ensures a clean and precise finishing cut from below the branch

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M

QuikFit <sup>™</sup> Fru	iit Picker				Art. no. 1000693	EAN
Height: 8.5 cm	Length: 41 cm	Width: <b>16.8 cm</b>	Weight: 0.23 kg	Retail box: 6	Old art. no. <b>136950</b>	5 905568 369505



- Broad opening makes it easy to pull fruit off the branch, while an optimal design directs the fruit to the end of the tips
- Cotton bag can be removed for machine washing
- Durable, lightweight FiberComp<sup>™</sup> design

Recommended Shaft: Telescopic Shaft L, Telescopic Shaft M and Shaft L

QuikFit <sup>™</sup> Gutter Cleaner					Art. no. <b>1001414</b>	z
Height: 7 cm	Length: 26 cm	Width: 34 cm	Weight: 0.34 kg	Retail box: 6	Old art. no. <b>135542</b>	5 905568 355423



- Brush and scraper combination offers a full complement of gutter cleaning capabilities
- Adjustable angle ensures optimal positioning of tool safely from the ground

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M

QuikFit <sup>™</sup> M Telescopic Shaft					Art. no. <b>1000666</b>	5,905568,360427
Height: 4.5 cm	Length: 140 cm	Width: 7.5 cm	Weight: 1.01 kg	Retail box: 6	Old art. no. <b>136042</b>	5 905568 360427



- Specially designed for hard-to-reach tasks in the garden with a reach of up to 4 metres
- Fits conveniently into most cars
- Dual locking system for maximum safety
- Lightweight aluminium construction
- Adjustable shaft length from 1400 2400 mm

# QuikFit™ Click & Reach



QuikFit <sup>™</sup> L T	elescopic Sh	aft	Art. no. <b>1000665</b>	EAN		
Height: 4cm	Length: <b>228.5 cm</b>	Width: 9.5 cm	Weight: 1.55 kg	Retail box: 4	Old art. no. <b>136032</b>	5 905568 360328

- Especially designed for hard to reach tasks in the garden with a reach of up to 6 m
- Dual locking system for maximum safety
- Lightweight aluminium construction
   Adjustable shaft length from 2280 4000 mm



### QuikFit™ Click & Clean



red<mark>dot</mark> design award winner 2010

QuikFit <sup>™</sup> Lea	af Rake, L		Art. no. <b>1000642</b>	6 4 1 1 5 0 1 3 5 0 1 3 8		
Height: 6 cm	Length: 41.5 cm	Width: 51 cm	Weight: 0.32 kg	Retail box: 6	Old art. no. <b>135013</b>	6 411501 350138



- Wide rake for gathering fallen leaves and grass cuttings
- Tines work in a pull direction for more comfort with less effort

  Soft and flexible, high-quality PBT plastic tines withstand bending

Recommended Shaft: Shaft L

QuikFit <sup>™</sup> Lea	af Rake Meta	I			Art. no. <b>1000644</b>	N N N N N N N N N N N N N N N N N N N
Height: <b>7.5 cm</b>	Length: 59 cm	Width: 45 cm	Weight: 0.50 kg	Retail box: 6	Old art. no. <b>135201</b>	6 411501 352019



- For removing loose moss and grass cuttings from the lawn
- 22 flexible steel prongs

Recommended Shaft: Shaft L

QuikFit <sup>™</sup> Ga	ther Rake		Art. no. <b>1000656</b>	z		
Height: 12 cm	Length: 26 cm	Width: <b>56.7 cm</b>	Weight: 0.93 kg	Retail box: 2	Old art. no. <b>135514</b>	5 905568 540331
					Wide rake for gathering leareas     Hardened carbon steel h	eaves and cutting waste from lawn
***************************************	111111111111111111111111111111111111111				Recommended Shaft: Sha	aft L

QuikFit <sup>™</sup> Aeı	rator Rake				Art. no. <b>1000655</b>	N N N N N N N N N N N N N N N N N N N
Height: 8.2 cm	Length: 36 cm	Width: <b>35.5 cm</b>	Weight: 0.99 kg	Retail box: 2	Old art. no. <b>135513</b>	5 905568 540324



- For removing moss and thatch from lawn areas
- Hardened carbon steel head

Recommended Shaft: Shaft L

QuikFit <sup>™</sup> S Leaf Rake						000659	6 411501 355515
Height: 4.2 cm	Length: 41 cm	Width: 22 cm	Weight: 0.17 kg	Retail box: 6	Old art. no. 1		6 4 1 1 5 0 1 3 5 5 5 1 5



- Convenient small leaf rake for clearing around narrow beds and
- $\bullet$  Tines work in a pull direction for more comfort with less effort
- 11 soft and flexible, high-quality PBT plastic tines withstand bending

Recommended shaft: Shaft M and L



QuikFit <sup>™</sup> Flo	wer Rake				Art. no. 1001412	6 411501 355522
Height: 4 cm	Length: 48.5 cm	Width: <b>12.5 cm</b>	Weight: 0.22 kg	Retail box: 6	Old art. no. <b>135552</b>	6 4 1 1 5 0 1 3 5 5 5 2 2



Durable FiberComp™ frame with 7 steel tines
 13 cm working width - ideal for nursery spaces and narrow plant beds

Recommended shaft: Handle S and Shaft M

QuikFit <sup>™</sup> Lav	wn Edger		Art. no. 1000690	S 905568 540454		
Height: 4cm	Length: 35 cm	Width: 19.7 cm	Weight: 0.30 kg	Retail box: 6	Old art. no. <b>136526</b>	5 905568 540454



• Easily clear space between your lawn and hard surfaces by stepping on the blade and driving it deep into the soil
 Great for edging borders
 Hardened boron steel head with flat top

Recommended shaft: Shaft M and L

QuikFit <sup>™</sup> Yard Broom						1001417	z	5 9 0 5 5 6 8 3 5 5 3 2 4
Height: 10 cm	Length: 29 cm	Width: 26 cm	Weight: 0.33 kg	Retail box: 6	Old art. no.	135532	Ē	5 9 0 5 5 6 8 3 5 5 3 2 4





- All-purpose yard broom
- Featuring PowerClean<sup>™</sup> soft and hard combing bristles for efficient sweeping

Recommended shaft: Shaft M and L

QuikFit <sup>™</sup> Patio Broom						Art. no. 1001416		
Height: 9.5 cm	Length: 31 cm	Width: 38 cm	Weight: 0.34 kg	Retail box: 6	Old art. no.	135533	4	5 905568 355331



- For sweeping smooth surfaces like patios, wooden decks and polished concrete floors
- Wide brush head and soft bristles allow for fast, efficient sweep-

Recommended shaft: Shaft M and L

QuikFit <sup>™</sup> Sweeping Broom					Art. no.	1001415	Z	
Height: 7 cm	Length: 39.5 cm	Width: 26 cm	Weight: 0.39 kg	Retail box: 6	Old art. no	. 135534		5 905568 355348



- A modern take on the traditional sweeping broom
- Robust construction and long bristles make it ideal for use on coarser debris, leaves, etc.

Recommended shaft: Shaft M and L



red<mark>dot</mark> design award winner 2010

QuikFit <sup>™</sup> Paving Brush						1000657	z	5"905568" 355225"
Height: 4.5 cm	Length: 32.5 cm	Width: <b>14.5 cm</b>	Weight: 0.19 kg	Retail box: 6	Old art. no	. 135522		5 9 0 5 5 6 8 3 5 5 2 2 5
<u> </u>					• For remo	oving moss and wee	eds f	rom between paving slabs



- For removing moss and weeds from between paving stabs
   Hardened steel front blade for stubborn moss and dirt
   Steel bristles for scrubbing paving and slabs
   Lightweight FiberComp™ construction for added durability and resistance to moisture

Recommended shaft: Shaft M and L

QuikFit <sup>™</sup> Patio Knife					Art. no. 1000687	5 9 0 5 5 6 8 5 4 0 3 9 3
Height: 7 cm	Length: 33.5 cm	Width: 7.5 cm	Weight: 0.16 kg	Retail box: 6	Old art. no. <b>136521</b>	5 905568 540393



- Ideal tool for removing grass, moss and weeds from between slabs, block paving, wall corners and steps
   Blade of hardened boron steel

Recommended shaft: Shaft M and L

QuikFit <sup>™</sup> Straight Saw					Art. no. <b>1000692</b>	EAN
Height: 10 cm	Length: 62 cm	Width: 10 cm	Weight: 0.20 kg	Retail box: 6	Old art. no. 136528	5 905568 365286



- For sawing tasks in the garden
   FiberComp<sup>™</sup> slider and adaptor
   Hardened steel blade with a length of 345 mm

Recommended shaft: Shaft M and L

### QuikFit™ Click & Grow



QuikFit <sup>™</sup> Soil Rake, 14 prongs					Art. no. 1000653	E P N
Height: 9 cm	Length: 27 cm	Width: 38 cm	Weight: 0.44 kg	Retail box: 6	Old art. no. <b>135511</b>	5 905568 540300



- For raking, levelling or smoothing seed beds that cover a wider area
- 14 spikes of hardened carbon steel

Recommended shaft: Shaft L

QuikFit <sup>™</sup> So	il Rake, 16 pro	ongs	Art. no. 1000654	5 9 0 5 5 6 8 5 4 0 3 1 7		
Height: 8 cm	Length: 26.5 cm	Width: 61.4 cm	Weight: 0.45 kg	Retail box: 6	Old art. no. 135512	5 9 0 5 5 6 8 5 4 0 3 1 7



- For raking, levelling or smoothing seed beds that cover a wider area
- 16 tines of hardened carbon steel

Recommended shaft: Shaft L

QuikFit <sup>™</sup> Universal Rake						1000643	z	6"411501" 350510
Height: 11 cm	Length: 26 cm	Width: 41 cm	Weight: 0.28 kg	Retail box: 6	Old art. no.		EA	6 4 1 1 5 0 1 3 5 0 5 1 0





- For raking and clearing long, loose grass, as well as leveling soil and sand or packing down soil while making planting beds
- 12 FiberComp™ tines designed at a specific angle to help with ergonomic posture
- Leveling function helps even soil beds

Recommended shaft: Shaft L

QuikFit <sup>™</sup> Rose Rake						000651	5 9 0 5 5 6 8 5 4 0 3 5 5
Height: <b>7.5 cm</b>	Length: 29.5 cm	Width: <b>24.3 cm</b>	Weight: 0.22 kg	Retail box: 6	Old art. no. 1	135501	5 905568 540355



- Unique head shape allows you to work between plants and stems without causing damage
- Ideal for narrow bed layouts
- 10 teeth of hardened boron steel

Recommended shaft: Shaft L and M

QuikFit <sup>™</sup> Cultivator					Art. no.	1000680	Z	
Height: 12 cm	Length: 40 cm	Width: 12 cm	Weight: 0.40 kg	Retail box: 6	Old art. no.	136511		5 905568 540423



- For cultivating, scarifying, aerating and breaking up soil
- Suitable for seed bed preparation and maintenance
- Hardened carbon steel blade

Recommended shaft: Shaft L



red<mark>dot design award</mark> winner 2010

QuikFit <sup>™</sup> Cu	ltiweeder		Art. no. <b>1000681</b>	5 9 0 5 5 6 8 5 4 0 4 1 6		
Height: 17.5 cm	Length: 41.5 cm	Width: <b>12.5 cm</b>	Weight: 0.51 kg	Retail box: 6	Old art. no. <b>136512</b>	5 905568 540416



- $\bullet$  For cultivating, scarifying, aerating and breaking up soil
- Suitable for seed bed preparation and maintenance
- Hardened carbon steel blade

Recommended shaft: Shaft L

QuikFit™ Gr	ubber		Art. no. <b>1000685</b>	N N N N N N N N N N N N N N N N N N N		
Height: 10 cm	Length: 36.5 cm	Width: 9 cm	Weight: 0.36 kg	Retail box: 6	Old art. no. <b>136517</b>	5 905568 365170



- For cultivating and aerating garden flower beds Hardened carbon steel blade

Recommended shaft: Shaft M and L

QuikFit <sup>™</sup> Ho	е		Art. no. <b>1000677</b>	E P		
Height: 9.5 cm	Length: 32.5 cm	Width: 19.5 cm	Weight: 0.27 kg	Retail box: 6	Old art. no. <b>136503</b>	5 905568 540379



- $\bullet$  Efficient tool for removing weeds between rows of plants or breaking up the soil
- Blade of stainless steel

Recommended shaft: Shaft L

QuikFit <sup>™</sup> Pu	sh-Pull Weed	ler	Art. no. 1000738	z		
Height: 4.5 cm	Length: 37.5 cm	Width: <b>15.5 cm</b>	Weight: 0.39 kg	Retail box: 6	Old art. no. <b>139970</b>	5 9 0 5 5 6 8 5 4 0 4 0 9



- Useful for weeding as it loosens the soil simply by pushing and pulling back and forth

  • Hardened boron steel head

Recommended shaft: Shaft L

QuikFit <sup>™</sup> Hoe, 3 functions					Art. no.	1000682	z
Height: 4 cm	Length: 42 cm	Width: 13 cm	Weight: 0.27 kg	Retail box: 6	Old art. no.	136513	5 9 0 5 5 6 8 5 4 0 4 3 0



- For working around stems and in narrow spaces
   Blade is sharpened on 3 sides to assist cultivating at different angles
- Blade of hardened boron steel

Recommended shaft: Shaft L



QuikFit <sup>™</sup> Dutch Hoe						1000676	5 9 0 5 5 6 8 5 4 0 3 6 2
Height: 4 cm	Length: 38.5 cm	Width: <b>12.5 cm</b>	Weight: 0.23 kg	Retail box: 6	Old art. no.	136502	5 9 0 5 5 6 8 5 4 0 3 6 2



• Sharp, ground weeding blade for removing weeds, breaking up soil, creating seed rows or removing moss from patios

• Blade of hardened boron steel

Recommended shaft: Shaft L

QuikFit <sup>™</sup> Sp	iker		Art. no. 1000689	6 4 1 1 5 0 1 3 6 5 2 4 8		
Height: 10 cm	Length: 39.5 cm	Width: 81 cm	Weight: 0.91 kg	Retail box: 2	Old art. no. <b>136524</b>	6 4 1 1 5 0 1 3 6 5 2 4 8



Used for aerating smaller, narrower plots
 Allows nutrients to penetrate the surface and helps seed, fertiliser, water, air and light to reach the roots

Hardened steel blades

Recommended shaft: Shaft L

QuikFit <sup>™</sup> Cultivator, Angled					Art. no.	1000683	Z	5905568 365156
Height: 8 cm	Length: 40.5 cm	Width: 9 cm	Weight: 0.34 kg	Retail box: 6	Old art. no.	136515	Ä	5 9 0 5 5 6 8 3 6 5 1 5 6



- For loosening and aerating plant beds to optimise nutrient distribution
- Tool design protects plants roots
- Carbon steel head

Recommended shaft: Handle S and Shaft M

QuikFit <sup>™</sup> Double Scraper Hoe					Art. no.	1000734	z	5 9 0 5 5 6 8 3 7 5 6 2 9
Height: 14.7 cm	Length: 28.2 cm	Width: 7.5 cm	Weight: 0.20 kg	Retail box: 6	Old art. no.	137562		5 9 0 5 5 6 8 3 7 5 6 2 9



- Versatile use on patios and for removing grass, moss and weeds from between tiles and slabs
- Can also be used to cultivate plant beds
- Boron steel blades with carbon steel thong

Recommended shaft: Handle S and Shaft M

QuikFit <sup>™</sup> Double Hoe					Art. no.	1000735	Z	
Height: 14.3 cm	Length: 28.2 cm	Width: 7.5 cm	Weight: 0.19 kg	Retail box: 6	Old art. no.	137572		5 9 0 5 5 6 8 3 7 5 7 2 8



- Versatile use with dual functionality
- For breaking up soil, cultivating plant beds and weeding
   Boron steel blades with carbon steel thong

Recommended shaft: Handle S and Shaft M



Height: <b>4.5 cm</b> Length: <b>36.5 cm</b> Width: <b>7.7 cm</b> Weight: <b>0.22 kg</b> Retail box: <b>6</b> Old art. no. <b>137552</b>	QuikFit <sup>™</sup> We		Art. no. 1000733	EAN	5"905568" 375520			
	Height: 4.5 cm	Length: 36.5 cm	Width: 7.7 cm	Weight: 0.22 kg	Retail box: 6	Old art. no. <b>137552</b>		5 9 0 5 5 6 8 3 7 5 5 2 0



• For transplanting, cultivating and weeding

Boron steel head

Recommended shaft: Handle S and Shaft M

QuikFit <sup>™</sup> Tro	wel		Art. no. <b>1000730</b>	5 9 0 5 5 6 8 3 7 5 1 2 4		
Height: 5.5 cm	Length: 41 cm	Width: 7.5 cm	Weight: 0.29 kg	Retail box: 6	Old art. no. <b>137512</b>	5 905568 375124



For planting and transplantingBoron steel head

Recommended shaft: Handle S and Shaft M

QuikFit <sup>™</sup> We	ed Extractor		Art. no. 1000731	EAN		
Height: 4cm	Length: 42.5 cm	Width: 7.5 cm	Weight: 0.23 kg	Retail box: 6	Old art. no. <b>137522</b>	5 905568 375223



For planting and transplantingBoron steel head

Recommended shaft: Handle S and Shaft M

QuikFit <sup>™</sup> Sha	aft, L		Art. no. <b>1000661</b>	3 905568 540461		
Height: 3.5 cm	Length: 157 cm	Width: 7.5 cm	Weight: 0.49 kg	Retail box: 6	Old art. no. <b>136001</b>	5 905568 540461

- $\bullet$  Teardrop-shaped, hardened aluminium shaft with SoftGrip  $^{\!\scriptscriptstyle{\mathsf{M}}}$  for Hang hole for easy storage
   Shaft works with several heads for all-around use in the garden

					_	PGP(APG/QHP)		0
QuikFit <sup>™</sup> Sha	aft, M				Art. no.	1000664	EAN	
Height: 4cm	Length: 87.5 cm	Width: 7.5 cm	Weight: 0.31 kg	Retail box: 6	Old art. no.	136022	4	5 905568 360229



- Medium-length shaft can be used with nursery tools, cultivators and hoes
- Teardrop-shaped, hardened aluminium shaft with SoftGrip<sup>™</sup> for optimum comfort
- Hang hole for easy storage
   Shaft works with several heads for all-around use in the garden



QuikFit <sup>™</sup> Handle, S					Art. no.	1000663	5 9 0 5 5 6 8 3 6 0 1 2 0
Height: 4.5 cm	Length: 25.5 cm	Width: 8 cm	Weight: 0.11 kg	Retail box: 6	Old art. no.		5 905568 360120



- Small handle ideal for use with nursery tools
- Teardrop-shaped, hardened aluminium shaft with SoftGrip<sup>™</sup> for optimum comfort
- Hang hole for easy storage
- Shaft works with several heads for all-around use in the garden


QuikFit <sup>™</sup> Universal Adapter					Art. no. <b>1000617</b>	Z	6 4 1 1 5 0 1 3 0 0 0 0 3
Height: 4.3 cm	Length: 17.1 cm	Width: 3 cm	Weight: 0.07 kg	Retail box: 6	Old art. no. <b>130000</b>		6 4 1 1 5 0 1 3 0 0 0 0 3




- For connecting a variety of interchangable heads produced by other manufacturers
- $\bullet \ Lightweight \ Fiber Comp^{^{\text{\tiny{TM}}}} \ construction$









# Norden Axes


With Norden axes, Fiskars returns to its deep roots. The finest hickory is used to craft a handle with the authentic and natural feel of the traditional wooden axes.

Yet as with all its axes, Fiskars always insists on the highest possible performance. After thorough testing, you can be sure that the blade will always stay attached, while enjoying unparalleled performance, endurance and durability.

Fiskars Norden.

Pure performance.





#### **Ultimate safety**

- Safest, undetachable axe head and shaft connections
- ② Virtually unbreakable, FiberComp™ overstrike protection for lightweight, break- and shock-proof use
- 6 Hooked handle for secure grip & control

### Unbeatable performance

 Ultra stay-sharp blades are double-hardened to optimise strength in demanding situations.

Precision-ground cutting edge with low-friction coating.

- Optimal weight balance
- Optimally designed blades for chopping & splitting tools.

#### High quality, durable materials

- 7 High-quality, hickory wood handle made from sustainably managed forests
- 8 Carbon steel blades



The mark of responsible forestry




### **Norden Axes**





FENNIAprize 20

HONOURABLE MENTION



• Its compact size makes it a perfect companion for camping, hiking and other outdoor activities

• Product: 3,2 x 35,5 x 13 cm





Norden Chopping Axe, N10					Art. no. <b>1051143</b>	Z	6 411501 701138
Height: 47.6 cm	Length: 3.5 cm	Width: <b>19.4 cm</b>	Weight: 1.21 kg	Retail box: 4	Old art. no	<b> </b>	6 4 1 1 5 0 1 7 0 1 1 3 8



FENNIAprize 20 HONOURABLE MENTION

• A great general tool for chopping & kindling tasks on the yard and small construction projects around the house

• Its 44,5 cm handle makes it ideal for easy one-handed use

• Product: 3,2 x 44,5 x 15,2 cm









FENNIAprize 20 HONOURABLE MENTION



- $\bullet$  For easy splitting of small sized logs up to Ø 20 cm
- Its 50 cm shaft size makes it a perfect size also for 2 handed use
- Product: 3,2 49,5 x 15,2 cm

Premium Axe Blade Cover, XS					Art. no. 1057531	z
Height: 2.5 cm	Length: 18.8 cm	Width: 10 cm	Weight: 0.037 kg	Retail box: 6	Old art. no	6 411501 600332



- Premium axe blade cover for safe storage & carrying
- Made of recyled leather 100% natural materials
- Snap closure ensures that blade cover stays in place
   High quality leather with reinforced edge for sheath durability
- Water resistant for axe protection against rust
- Suitable axe blade cover for Fiskars axe models N7, X5, X7, A5 & A6

Premium Axe Blade Cover, S					Art. no. <b>1057532</b>	32 =	
Height: 3 cm	Length: 20.5 cm	Width: 10 cm	Weight: 0.043 kg	Retail box: 6	Old art. no	3	6 411501 600349



- Premium axe blade cover for safe storage & carrying
- Made of recyled leather 100% natural materials
- Snap closure ensures that blade cover stays in place
- High quality leather with reinforced edge for sheath durability
- Water resistant for axe protection against rust
- Suitable axe blade cover for Fiskars axe models N10,N12, X10,X11,A10 & A11

# X-series<sup>TM</sup> Axes

GUARANTEE 25
YEARS'

Fiskars next-generation splitting axes are a true evolution of craftsmanship, purposefully designed for one-strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

#### **KEY BENEFITS**

- √ 35 degree convex cutting bevel angle for splitting axes - the convex shape strengthens the edge to make it less sensitive to fracture
- Perfect balance between head and shaft for the most safe, comfortable and efficient swing
- ✓ Ultralight and durable FiberComp™ shaft minimizes fatigue and makes the axe virtually unbreakable
- Optimal anti-shock surface structure ensures a comfortable, firm grip
- Hooked end of the handle prevents the axe from slipping out of the hand
- Comes with a plastic sheath for easy carrying and storage



### **CHOPPING AXES**

#### **SPLITTING AXES**



# Chopping vs. splitting

### **Chopping axes**

Fiskars next-generation chopping axes serve all manners of woodwork, chopping, carpentry and pruning. The range delivers a wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand.


The Universal Chopping Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.


### **Splitting axes**

Fiskars next-generation splitting axes are a true evolution of craftsmanship –purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.

# X-series<sup>™</sup> Splitting Axes





reddot design award





- For medium size logs 20- 30cm
- New 3D grip for increased safety and swing speed
- New extended 25 yrs warranty via web registration
- Product: 36 x 709 x 165 mm



X-series <sup>™</sup> XI	Splitting Ax	e, X25	Art. no. <b>1015643</b>	z		
Height: 77.5 cm	Length: 4.6 cm	Width: 23.5 cm	Weight: 2.43 kg	Retail box: 2	Old art. no. 122483	6"411501"224835"
	-				<ul><li>For large logs &gt; 30 cm</li><li>New 3D grip for increased</li></ul>	safety and swing speed



- New extended 25 years warranty via web registration
- Product: 40 x 725 x 191 mm

X-series <sup>™</sup> X	XL Splitting A	xe, X27	Art. no. <b>1015644</b>	z		
Height: 96 cm	Length: 4.6 cm	Width: <b>23.5 cm</b>	Weight: 2.56 kg	Retail box: 2	Old art. no. 122503	6 411501 225030



- For extra large logs > 30 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 40 x 925 x 191 mm

# **X-series<sup>™</sup> Chopping Axes**













- For kindling small wood for camp fires
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 28 x 231 x 130 mm

X-series <sup>™</sup> XS Chopping Axe, X7					Art. no. <b>1015618</b>		Z	6"411501"214232"
Height: 38.5 cm	Length: 3.4 cm	Width: 17.2 cm	Weight: 0.64 kg	Retail box: 4	Old art. no.	121423		6 4 1 1 5 0 1 2 1 4 2 3 2



- For chopping small wood for camp fire
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 33 x 354 x 130 mm

X-series <sup>™</sup> S Chopping Axe, X10					Art. no. <b>1015619</b>	6"411501"214430
Height: 47.6 cm	Length: 3.4 cm	Width: 19.6 cm	Weight: 1.00 kg	Retail box: 4	Old art. no. <b>121443</b>	6 411501 214430









- For carpentry and small wood work
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 33 x 445 x 152 mm

Xsharp <sup>™</sup> Axe and Knife Sharpener					Art. no. <b>1000601</b>	6 411501 207401
Height: 4 cm	Length: 23.5 cm	Width: 9 cm	Weight: 0.09 kg	Retail box: 4	Old art. no. <b>120740</b>	6 411501 207401







- 2 sharpeners in 1 for regular maintenace of your Fiskars axes and knives
- Ceramic grind stone has clearly indicated cutting grooves for either axes or knives
- Easy-to-use, optimised sharpening angle for Fiskars blades
- Convenient portability

### Choose the right size for you





### 1. LENGTH TEST

Grab the axe on the shaft below the blade. Turn the shaft towards your armpit. If the end of the shaft reaches your armpit, the axe is too long.

### 2. WEIGHT TEST

Grab the axe at the end of the shaft and let the head rest towards the ground. Lift the head up while turning your wrist close to your body. The axe should be vertical in your hand by the end of this movement. If you can't lift the axe this way, the axe is too heavy.

# Solid<sup>™</sup> Axes

Solid™ Camping axe					Art. no. 1051084		
Height: -cm	Length: -cm	Width: -cm	Weight: -kg	Retail box: 4	Old art. no	M	6 4 1 1 5 0 1 7 0 2 0 2 9



Height: 35.3 cm Length: 3.2 cm Width: 13.2 cm Weight: 0.643 kg Retail box: 4 Old	Old art. no. <b>1020167</b>	6"411501"310842"



Solid™ Chopping axe A10					Art. no. <b>1051085</b>	EAN	
Height: -cm	Length: -cm	Width: -cm	Weight: -kg	Retail box: 4	Old art. no	Ā	6 4 1 1 5 0 1 7 0 2 0 3 6



Solid™ Spli		Art. no. <b>1051086</b>	Z	6'41501'702043			
Height: -cm	Length: -cm	Width: -cm	Weight: -kg	Retail box: 4	Old art. no	EA	6 4 1 1 5 0 1 7 0 2 0 4 3



Solid™ Felli	ng axe A18 (L	.)	Art. no. <b>1052045</b>	8 4 1 1 5 0 1 3 1 0 8 3 5 1		
Height: 72.2 cm	Length: 4cm	Width: 19 cm	Weight: 1.59 kg	Retail box: 4	Old art. no. <b>1020168</b>	6 4 1 1 5 0 1 3 1 0 8 3 5



Solid™ Felling axe A19 (L)					Art. no. <b>1052044</b>	6 4 1 1 5 0 1 3 1 0 8 2 8
Height: 70.8 cm	Length: 3.6 cm	Width: <b>16.9 cm</b>	Weight: 1.662 kg	Retail box: 4	Old art. no. 1015428/ 122260	6 4 1 1 5 0 1 3 1 0 8 2 8



Solid™ Splitting axe A26 (XL)						1052043	N A M A M A M A M A M A M A M A M A M A
Height: 91.5 cm	Length: 4 cm	Width: 19 cm	Weight: 2.59 kg	Retail box: 2	Old art. no.	1015459 / 122300	6 4 1 1 5 0 1 3 1 0 8 0 4



Solid <sup>™</sup> Axe and knife sharpener					Art. no. <b>1026797</b>	A Market
Height: -cm	Length: -cm	Width: -cm	Weight: - kg	Retail box: -	Old art. no	6 411501 702036





Fiskars WoodXpert<sup>™</sup> felling levers facilitate the felling down of a tree, safely and ergonomically, and also assist in sectioning logs and transportation.

# Features & benefits

- Sturdy, forged, hardened steel head
- 2. Optimised lever tip steers trees safely while felling
- 3. Attachable/detachable WoodXpert<sup>™</sup> log hook
- 4. Non-slip SoftGrip<sup>™</sup> ergonomic handles
- 5. Robust, yet light-weight tubular steel construction
- 6. Easy & fast lock interface



















# **WoodXpert<sup>™</sup> Felling Levers**



WoodXpert	<sup>™</sup> L Felling Le	ver			Art. no. <b>1015439</b>	z	6 4 1 1 5 0 1 2 6 0 5 2 9
Height: 8.6 cm	Length: 115 cm	Width: 23 cm	Weight: 2.70 kg	Retail box: 2	Old art. no. <b>126052</b>		6 4 1 1 5 0 1 2 6 0 5 2 9
							6.111





reddot design award winner 2015


- For steering large-sized trees when felling
   Additionally functions as support for sawing and carrying logs
   Forged, hardened steel blade
   Sturdy, yet lightweight, special steel shaft
   Fast lock interface for log hook and tongs interoperation

# WoodXpert<sup>TM</sup> Brush Hooks

Fiskars WoodXpert<sup>™</sup> brush hooks are a great choice for outdoor enthusiasts with a lot of clearing to do. Featuring precision-ground steel blades with a rust-resistant, low-friction coating, these hooks rip through underbrush and wood with speed and ease.

# Features & benefits

- Deep curved blade design is ideal for pull-cuts and lifting branches off the ground
- Ultra-light and durable FiberComp<sup>™</sup> shaft minimises fatigue and makes the shaft virtually unbreakable.
- 3. Hooked handle with SoftGrip™ for comfortable, non-slip grip
- 4. Made in Finland









FASHARE

# **WoodXpert<sup>™</sup> Brush Hooks**

Height: 55 cm Length: 2.7 cm Width: 14.5 cm Weight: 0.51 kg Retail box: 4 Old art. no. 126004	WoodXpert	<sup>™</sup> Brush Hool	< (XA3)			Art. no.	1003609	Z	6 4 1 1 5 0 1 2 6 0 0 4 8
	Height: 55 cm	Length: 2.7 cm	Width: <b>14.5 cm</b>	Weight: 0.51 kg	Retail box: 4	Old art. no.	126004	E	6 4 1 1 5 0 1 2 6 0 0 4 8







- For cutting smaller branches from trees
   For clearing weeds and brush in gardens and forests
- For stripping bark from logs

WoodXpert <sup>™</sup> Brush Hook (XA23)					Art. no. 1003621	6 411501 260055
Height: 94.3 cm	Length: 3.6 cm	Width: <b>14.5 cm</b>	Weight: 1.00 kg	Retail box: 2	Old art. no. <b>126005</b>	6 4 1 1 5 0 1 2 6 0 0 5 5







- For cutting larger branches from trees / logs
   For clearing saplings and brush in gardens and forests
   For light chopping and splitting of firewood



# Features & benefits

- Lightweight boron steel hook with a toothed inlay grips logs with ease
- Ergonomic handle with SoftGrip™.
   Engages all the fingers of the hand comfortably.
- 3. Wiregate clip for safe storage on a belt loop
- 4. Comes with a sturdy holster for easy storage and transport on a tool belt













# **WoodXpert<sup>™</sup> Log Tools**

WoodXpert	<sup>™</sup> Log Hook				Art. no.	1003624	z	6"411501" 260215"
Height: 4 cm	Length: 31 cm	Width: 21 cm	Weight: 0.41 kg	Retail box: 4	Old art. no.	126021		6 4 1 1 5 0 1 2 6 0 2 1 5









- Ideal for lifting, transporting, handling and arranging logs, as well as assisting during tree felling
- Includes plastic sheath for easy transport on a tool belt

WoodXpert	<sup>™</sup> Log Tongs				Art. no. <b>1003625</b>	8 4 1 1 5 0 1 2 6 0 3 1 4
Height: 4 cm	Length: 38.3 cm	Width: 18 cm	Weight: 0.69 kg	Retail box: 4	Old art. no. <b>126031</b>	6 4 1 1 5 0 1 2 6 0 3 1 4







- Ideal for lifting, transporting, handling and arranging logs Includes plastic sheath for easy transport on a tool belt

WoodXpert	<sup>™</sup> Tool Belt				Art. no.	1003626	8 4 1 1 5 0 1 2 6 0 0 9 3
Height: 4.5 cm	Length: 57 cm	Width: 9 cm	Weight: 0.24 kg	Retail box: 4	Old art. no.	126009	6 4 1 1 5 0 1 2 6 0 0 9 3



- Tool belt for attaching log hooks and tongs
   Ergonomic support for the back
   Firm double tightening

# FISKARS XA220

# WoodXpert<sup>™</sup> Sappies

Fiskars WoodXpert™ sappies are ideal for ergonomic, backfriendly handling of logs, e.g., lifting, transporting, arranging and turning logs during wood preparation. Developed with professional lumberjacks in mind, these

professional lumberjacks in mind, these tools feature an emphasis on lightweight performance, excellent grip and superior tool blade development, making them ideal for working longer with heavier logs.



# Features & benefits

- Hooked steel beak with a toothed inlay ensures solid grip
- Ultralight and durable FiberComp™ shaft minimises fatigue and makes the shaft virtually unbreakable
- Hooked handle with SoftGrip<sup>™</sup> for comfortable, non-slip grip








# **WoodXpert<sup>™</sup> Sappies**









- For lifting and transporting larger logs
- $\bullet$  For handling and arranging wood piles
- For turning of large logs

# Saws

To make sawing as easy as possible, you need a reliable saw that is up to the task. We have a variety of saws ranging from saws that cut stems and thicker branches to saws with curved noses for cutting in hard-to-reach or difficult positions.

#### Xtract<sup>™</sup> Saws

Fiskars Xtract™ saws feature a unique, retractable mechanism and include an integrated belt clip for safe and easy transport and storage. Hardened steel blades ensure a long lifetime of sharpness, while a SoftGrip™ handle with finger guard ensures a safe grip.



#### Fixed blade saws

Fiskars fixed blade saws feature a highly efficient tooth profile for fast, accurate sawing. Impulse-hardened blades stay sharper longer, while a SoftGrip™ ergonomic curved handle with finger guard ensures a safe and comfortable grip.



#### **Bow Saws**

Fiskars bow saws are excellent for sawing stems and thicker branches. A curved nose enables cutting in hard-to-reach or difficult positions. Bow saws also cut on both the push and pull stroke for efficient sawing.



### Saws

Fiskars saws have teeth designed especially for wood. They allow you to prune branches and clear foliage in difficult positions safely with a lightweight saw. Fiskars Xtract™ range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store.



See high reach telescopic saws on page 35 (Tree pruners) & page 89 (QuikFit telescopic saw)

## Xtract<sup>™</sup> Saws

Xtract <sup>™</sup> L Garden Saw (SW75)					Art. no.	1000614	z	6 4 1 1 5 0 1 2 3 8 8 0 1
Height: 4cm	Length: 39 cm	Width: 9cm	Weight: 0.23 kg	Retail box: 4	Old art. no.	. 123880		6 4 1 1 5 0 1 2 3 8 8 0 1





- Efficiently saws fresh wood
- Blade length 255 mm
- Large cut capacity up to 220 mm

Xtract <sup>™</sup> S Garden Saw (SW73)					Art. no. 1000613	4 1 1 5 0 1 2 3 8 7 0 2 4 6 4 1 1 5 0 1 2 3 8 7 0 2 4 6 4 1 1 5 0 1 2 3 8 7 0 2 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Height: 3.5 cm	Length: 27.5 cm	Width: 9cm	Weight: 0.12 kg	Retail box: 4	Old art. no. <b>123870</b>	6 4 1 1 5 0 1 2 3 8 7 0 2





- Efficiently saws fresh wood
- Blade length 160 mm
- Cut capacity 120 mm

Xtract <sup>™</sup> Builder's Saw (SW72)					Art. no. <b>1000612</b>	6 411501 238603
Height: 3.5 cm	Length: 27.5 cm	Width: 9cm	Weight: 0.12 kg	Retail box: 4	Old art. no. <b>123860</b>	6 411501 238603





- Fine teeth for dry wood, boards and wood strips
- Blade length 160 mm
- Cut capacity 120 mm

## **Fixed Blade Saws**

#### Professional Pruning Saw (SW-330) Art. no. 1020199 Height: 4.9 cm Length: 59 cm Width: **16.4 cm** Weight: 0.23 kg Retail box: 4 Old art. no. **123330** • Lightweight 230 g • Professional quality carbon steel blades, SK5



- Blades for every task
- Balanced weight distribution
- Hollow grinded blade
- Integrated sawdust removal teeth
- Sturdy grip with Softgrip<sup>™</sup>
- Easy maintainability All parts are replaceable

Professional Pruning Saw (SW-240)					Art. no. 1020200		6 4 1 1 5 0 1 2 3 2 4 0 3	
Height: 4.9 cm	Length: 59 cm	Width: <b>16.4 cm</b>	Weight: 0.20 kg	Retail box: 4	Old art. no.	123240		6 4 1 1 5 0 1 2 3 2 4 0 3



- Lightweight 200 g
- Professional quality carbon steel blades, SK5
   Blades for every task
   Balanced weight distribution

- Balanced weight distribution
   Hollow grinded blade
   Integrated sawdust removal teeth
   Sturdy grip with Softgrip™
   Easy maintainability All parts are replaceable

Fixed Blade	Saw (SW84)				Art. no. <b>1001620</b>	6 411501 238405
Height: 2.5 cm	Length: 50 cm	Width: 9.5 cm	Weight: 0.34 kg	Retail box: 4	Old art. no. <b>123840</b>	6 411501 238405



- Blade length 320 mm
- Cut capacity 150 mm

# **Bow Saws**

21" Bow Saw (SW30)					Art. no. 1001621	S 702264 141004
Height: 1.9 cm	Length: 62.5 cm	Width: <b>21.5 cm</b>	Weight: 0.47 kg	Retail box: 4	Old art. no. <b>124800</b>	5 702264 141004




24" Bow Sav	w (SW31)				Art. no. 1000615	5702264 141011
Height: 1.9 cm	Length: 70 cm	Width: 21.5 cm	Weight: 0.60 kg	Retail box: 4	Old art. no. 124810	5 702264 141011



• Excellent for sawing >20 cm stems and thicker branches

## **Knives**

Fiskars designs knives for a range of smaller gardening applications. Their hard-wearing blades are made from stainless steel to ensure years of trouble-free operation.



Retail box: 4

Weight: 0.05 kg



Length: 17 cm

Width: 2.3 cm

Height: 1.2 cm

- Art. no. 1001623

  Old art. no. 125880

  8 0 0 8 2 2 0 0 2 0 4 7 3
- For taking cuttings, picking flowers and vegetables and cutting laterals
- Handle of recycled plastic attached with a brass rivet
- Stainless steel blade

Grafting Per	n Knife (K60)				Art. no. 1001625	8 008220 020497
Height: 1.2 cm	Length: 16.8 cm	Width: 2.3 cm	Weight: 0.05 kg	Retail box: 4	Old art. no. <b>125900</b>	8 008220 020497



- Ideal for grafting and making wooden canes for holding small plants and bushes
- Handle of recycled plastic attached with a brass rivet
- Stainless steel blade







# Patio & Yard Brooms

Fiskars offers a range of brooms that make light work of outdoor yard and garden clearing, including front doors, sidewalks, driveways, garages, stairs, wooden decks and more.

Our broom's ingeniously-designed heads combine attractive design with functionality and durability.

### **Features & benefits**

#### Easy storage

Functional grip knob offers a comfortable grip & easy storage solution

#### 2 Durable materials & construction

Perfect selection of durable, weather tolerant materials suitable for outdoor use

#### 3 Efficient & effortless to use

Optimal combination of bristles for efficient sweeping of different surfaces. The light weight aluminium handles ensures that sweeping can be undertaken without fatigue or back ache.


#### Modern functional design

Purposefully designed broom heads that reach & sweep even the tightest spots. The brooms have an aesthetic design that is pleasant to have by your front door.

## **Light Broom**

Light Patio Broom					Art. no. <b>1025927</b>	z
Height: 12.5 cm	Length: 162 cm	Width: 43.5 cm	Weight: 0.63 kg	Retail box: 4	Old art. no	6 411501 310392
		_	_		wooden decks, balcon  Perfect for cleaning of Offers a clean sweep  The ends of the broon gathering and sweeping	f smaller particles of all garden leaves and debris n curve inwards, making it ideal for clean g garden leaves and debris a comfortable, secure grip ved ergonomics


# Solid<sup>™</sup> All Purpose Yard Brooms




# Kids Tools




# **My First Fiskars Kids Tools**





# The right tool for each task



#### Gardening – general



Made in Finland



Weather proof



Frost resistant



Frost resistant up to -30° C



From S-M sized hands



From S-L sized hands



From M-L sized hands



Left -& righthanded use



Righthanded use only



Pocket



Locking system



Double locking system



Cutting diameter



Product

#### Gardening – general materials & technologies



SoftGrip™



TruGrip™



Non-slip grip



Lightweight



SmartFit™



Steel (New icon)



Steel



Stainless steel



Boron steel



Steel parts





Fiber Comp™ (2x more durable)



Aluminium



Dura frame®



Cotton fabric



EaseCut™



Power Step™



3 X MORE POWER



Power Gear™







Power Lever™

#### Gardening - plant care maintenance



Maintenance: Wash with water & brush







Maintenance: Oiling connections



Maintenance: Sharpening direction & Fiskars sharpening tool

#### Spare parts



Spare parts symbol



0

#### **Plant Care**



Bypass blades -Promotes growth



Bypass blades function



Anvil blades -Stunts growth



Anvil blades function



Optimised cutting power



Optimised cutting power



Optimised power tip



Non-Stick blade coating



FingerLoop



CrMov blade coating



Ultrablade® coating



TruEdge™ blade



PTFE coating



Coated blade, general





Blade toothing & Sawing direction



Hollow grind blade (branch saw)



Universal snip



For flowers



Telescopic length



Telescopic max. reach



PowerReel mechanism

#### **Yard Care**



Power Clean™



Power Clean™ usage





Power Clean™ details

#### **Lawn Care**



180° angle (grass shears)



360° cutting angle (grass shears)



Anti-jamming (grass shears)



Weed puller usage: Press into ground



Weed puller usage: Tilt



Weed puller usage: Release



Telescopic length



Pop-up bags sizes



Tear-resistant (Pop-up bags)



Water-resistant (Pop-up bags)

#### **Soil Care**



Hardness 52 HRC (hay fork)



Hardness 52 HRC (manure fork)



QuikDrill S, usage 1



QuikDrill S, usage 2



QuikDrill M, usage 1



QuikDrill M, usage 2



QuikDrill L, usage 1



QuikDrill L, usage 2



Aerator rake spike



Flexible prongs (rakes)



Hardness 52 HRC (shovels)



Hardness 52 HRC (spades)



Boron steel (shovels)



Boron steel (pointed

spades)



Boron steel (rounded spades)



Step board (spades)



Drop shape shaft (spades)



Construction spade



Double hand usage



Aeration (rakes)

#### QuikFit™



QuikFit



Universal adapter, connection diameter



Universal adapter, universal connection



Telescopic reach



Spiker (Sharp blade)

#### **Wood Preparation**



Sharp blade (axes)



Chopping axe



Chopping axe for branches



Felling axe



Splitting axe



Splitting log size (axes)



Balanced



Ceramic (axe & knife sharpener)



Push & pull (axe & knife sharpener)



Sharp steel blade (knives)



Blade length



**Product** length



Sharp blade (brush hooks)



Reinforced (Wood Xpert)



Belt clip (knives)

Grafting

(knives)



Dishwasher safe (knives)



Finger



guard (knives)



Universal usage



Wood carving (knives)



Sappie XA22



Felling lever usage



Log size (log splitter)



Log thongs usage (LT6)



Sappie XA2



Finger guard (bow saws)



Finger guard, D-handle (saws)



Finger guard (saws)



Belt clip (saws)



Pull blade,

usage

(saws)



Pull blade (saws)



Maintenance saws: Oiling



Maintenance saws: Wipe with cloth



Push & pull blade (bow saw)



Drop forged



Helicoidal (splitting



Sliding blade (saws)



Special rubber (sledge hammers)



(splitting wedge)



wedge)



Safety warning (axes)



Safety gear



Safety glasses



Safety gloves



Safety instructions (wood prep)



Safe area wedge

# **Notes**

# **Notes**

# **Notes**













Fiskars has been shaping the world since 1649. Our scissors have cut millions of meters of fabrics. Our axes have chopped millions of trunks. Our knives have cut millions of slices of bread. Our pans have fried millions of carefully marinated steaks – all leading to 100% Happiness.

COOKING | GARDENING | CRAFTING | SEWING | SCHOOL & OFFICE

