



Over 365 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.

The gardening catalogue




















Contents

4 New products & innovations

10 Wood Preparation

Axes · Wood handling tools · Saws · Other tools · Knives

26 Soil Care

Shovels, spades & forks

Xact[™] · Ergonomic[™] · SmartFit[™] · White · Solid[™]

QuikDrilI™

Classic

Soil care tools

 $\mathsf{Xact}^{\scriptscriptstyle{\mathsf{TM}}} \cdot \mathsf{Ergonomic}^{\scriptscriptstyle{\mathsf{TM}}} \cdot \mathsf{White} \cdot \mathsf{Solid}^{\scriptscriptstyle{\mathsf{TM}}}$

Nursery tools

Xact[™] · Premium Planters[™] · Ergo[™] ·

White \cdot Solid[™]

50 Lawn Care

Rakes

Grass shears

 $\begin{array}{l} \mathsf{PowerLever}^{^{\mathsf{TM}}} \cdot \mathsf{White} \cdot \mathsf{Servo-} \\ \mathsf{System}^{^{\mathsf{TM}}} \cdot \mathsf{SmartFit}^{^{\mathsf{TM}}} \cdot \mathsf{Solid}^{^{\mathsf{TM}}} \end{array}$

Weed pullers

 $\mathsf{Xact}^{\scriptscriptstyle\mathsf{TM}}\cdot\mathsf{SmartFit}^{\scriptscriptstyle\mathsf{TM}}\cdot\mathsf{White}\cdot\mathsf{Solid}^{\scriptscriptstyle\mathsf{TM}}$

Classic & Solid[™] yard tools

Ergo[™]

Reel Mowers StaySharp™

68 Plant Care

Classic scissors

Pruners PowerGear[™]X · Quantum[™]

- · Pro Pruners · White · PowerLever $^{\text{\tiny TM}}$
- $\cdot \, \mathsf{PowerStep}^{\scriptscriptstyle{\mathsf{TM}}} \cdot \mathsf{SmartFit}^{\scriptscriptstyle{\mathsf{TM}}}$
- $\cdot \ \mathsf{Fingerloop} \cdot \mathsf{SingleStep}^{\scriptscriptstyle{\mathsf{TM}}}$
- Inspiration[™]

Loppers PowerGear[™]X ·

PowerGear[™] · Quantum[™] ·

 $\mathsf{PowerStep}^{^{\mathsf{TM}}} \cdot \mathsf{White} \cdot \mathsf{SmartFit}^{^{\mathsf{TM}}} \cdot \\ \mathsf{SingleStep}^{^{\mathsf{TM}}}$

 $\textbf{Hedge shears} \; \mathsf{PowerGear}^{\mathsf{TM}} X \; \cdot \\$

PowerGear[™] · PowerLever[™] · White · Quantum[™] · SmartFit[™] · SingleStep[™]

Tree pruners PowerGearTMX · White · SolidTM

4 Fiskars QuikFit[™]

Click & Reach · Click & Clean · Click & Grow

107 Fiskars Car tools

SnowXpert[™] · Solid[™]

110 Fiskars Snow tools

 $\mathsf{SnowXpert}^{\scriptscriptstyle{\mathsf{TM}}} \cdot \mathsf{Snow} \ \mathsf{Light}$

116 Yard Cleaning

 $\mathsf{White} \cdot \mathsf{Solid}^{\scriptscriptstyle{\mathsf{TM}}}$

121 Accessories

122 Children's Tools

124 Watering

153 Maintenance & Spare Parts


Please note! All the measurements portrayed in the catalogue are products in packaging measurements.

New products





XactTM Collection



the feeling of expertise and will make the gardening process more precise with less strain. With Xact gardening will become even more rewarding. Soil rakes & Cultivators New Xact gardening tools bring more accuracy and control to the gardening process. The superior design of the stainless steel soil rake and cultivator tool heads are efficient and exact at the same time. Gardeners will also achieve even greater precision in their soil work, by using the tools' sharpened teeth and rims. **Small tools** The handle design allows multiple handle positions during use. The longer handle brings extra power when needed (lever). Perfectly finished stainless steel heads with sharpened rims & prongs provide ultimate precision and control. Leaf rakes The extremely durable 3D leaf rake tines are perfectly designed for gathering leaves efficiently, while the wide rake head covers large area. New shaft profile provides multiple hand positions, which enables gardeners to complete precise tasks with ease.

BEST IN CLASS TOOLS WITH SUPERIOR PERFORMANCE AND

The Xact Gardening range gives

ERGONOMICS

Fiskars White







FISKARS IN WHITE 2019

We have now added both the main cutting items and planters to our popular white gardening tool collection.

Cutting tools


We can now offer cutting tools for all major cutting tasks also in white. The light colour makes these tools stand out in the garden. The new tools are light and easy to use making cutting anything from bushes and branches to grass and hedges feel effortless.

Planters

These nursery tools are ideal for planting, transplanting and weeding. They are lightweight and durable with a hanging hole for easy storage.








X-Series axes

Fiskars next generation splitting axes are a true evolution of craftsmanship –purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

KEY BENEFITS 35 degree convex cutting bevel angle for splitting axes - the convex shape strengthens the edge to make it less sensitive to fracture Perfect balance between head and shaft for the most safe, comfortable and efficient swing Ultralight and durable FiberComp™ shaft minimizes fatigue and makes the axe virtually unbreakable Optimal anti-shock surface structure ensures a comfortable, firm grip Hooked end of the handle prevents the axe from slipping out of the hand Comes with a plastic sheath for easy carrying and storage

CHOPPING AXES

SPLITTING AXES



Chopping vs. splitting

Chopping axes

Fiskars next generation chopping axes serve all manner of woodwork, chopping, carpentry and pruning. The range delivers a wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand.


The Universal Chopping Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.

Splitting axes

Fiskars next generation splitting axes are a true evolution of craftsmanship –purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.

Splitting axes




Chopping axes











- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 28 x 231 x 130 mm



Width: 194 mm

Fiskars Chopping Axe XS_X7						1015618	4 1 1 5 0 1 2 1 4 2 3 2
Height: 34 mm	Length: 399 mm	Width: 172 mm	Weight: 700 g	Retail box: 4	Old art. no.	121423	6 4 1 1 5 0 1 2 1 4 2 3 2



Height: 34 mm









- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 33 x 354 x 130 mm

Fiskars Chopping Axe S_X10	Art. no.	1015619	_

Weight: 1100 g





Length: 473 mm





Retail box: 4



- For carpentry and small wood work
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 33 x 445 x 152 mm

Old art. no. 121443

Xsharp [™] Axe and Knife Sharpener						1000601	4 1 1 5 0 1 2 0 7 4 0 1 6 4 1 1 5 0 1 2 0 7 4 0 1
Height: 40 mm	Length: 165 mm	Width: 35 mm	Weight: 90 g	Retail box: 4	Old art. no.	120740	6 4 1 1 5 0 1 2 0 7 4 0 1







- For regular maintenance of your Fiskars axes and knives, 2
- Ceramic grind stone has clearly indicated cutting grooves for
- Optimised sharpening angle for Fiskars blades with easy-touse mechanism.
- Convenient portability.

Choose the right size for you





1. LENGTH TEST


Grab the axe on the shaft below the blade. Turn the shaft towards your armpit and if the end of the shaft reaches the armpit the axe is too long

2. WEIGHT TEST

Grab the axe at the end of the shaft and let the head rest towards the ground. Lift the head up with a wrist turn close to your body as pivotal point (axe is vertically in your hand at the end of the movement). If you can't lift the axe this way, the axe is too heavy.

Wood preparation workflow

Fiskars has a broad range of tools covering the wood handling and preparation tasks from felling the tree to lighting up the fire.



WoodXpert[™] wood handling tools

Fiskars WoodXpert[™] wood handling tools are designed for axe owners. These new tools support tasks related to firewood preparation. The design emphasis in these new tools has been placed on lightweight performance, excellent grip and superior tool blade development.









- For cutting smaller branches from trees.
- For clearing weeds and brush in gardens and forest.
- For stripping bark from logs.

WoodXpe	ert™ XA23 E	Brush hook	Art. no. 1003621	4 1 1 5 0 1 2 6 0 0 5 5 5 6 4 1 1 5 0 1 2 6 0 0 5 5						
Height: 943 mm	Length: 950 mm	Width: 132 mm	Weight: 990 g	Retail box: 2	Old art. no. 126005					
	PERSONE LIES		VPA Goptifile Scherhelt	reddot design award	For cutting larger branchFor clearing saplings andFor light chopping and specified	d brush in gardens and forest.				







- For handling and arranging wood piles.
- For turning of small logs.

WoodXpe	ert™ XA22 S	Sappie			Art. no. 1003623	z
Height: 35 mm	Length: 785 mm	Width: 230 mm	Weight: 880 g	Retail box: 2	Old art. no. 126007	6" 4 1 1 5 0 1" 2 6 0 0 7 9"
0.00			VPA 🗨		For lifting and transporting	larger logs.







- For handling and arranging wood piles.
- For turning of large logs.

WoodXpert™ Log Hook Height: 40 mm

Length: 303 mm

Width: 193 mm Weight: 610 g

Retail box: 4

Old art. no. 126021

Art. no.











For lifting and transporting logs.

1003624

- For handling and arranging logs.
- For assisting tree felling.
- \bullet With plastic sheath for easy carrying with Tool Belt.

WoodXpert[™] Log Tongs

Height: 40 mm Length: 303 mm

Width: 180 mm

Weight: 780 g

Retail box: 4

Old art. no. 126031

Art. no.

Art. no.











- For llifting and transporting logs.
- For handling and arranging logs.

1003625

• With plastic sheath for easy carrying with Tool Belt.

WoodXpert[™] Tool Belt

Height: 45 mm

Length: 570 mm

Width: 90 mm

Weight: 320 g

Retail box: 4

1003626

Old art. no. 126009



- Tool belt to attach Log hook and Log tongs.
- Ergonomic support for the back.
- Firm double tightening.

Height: 86 mm

Length: 700 mm

Width: 86 mm

Weight: **2160** g

Retail box: 4

1015438 Old art. no. 126051

Art no









- For steering the medium size tree felling.
- Additionally functions as support for sawing and carrying
- Blade drop forged hardened steel.
- Shaft sturdy, but light weight special steel.
- Fast lock interface for log hook and tongs interoperation.

WoodXpert™ Felling lever - L

Height: 86 mm

Length: 1150 mm Width: 86 mm

Weight: 2867 g

Retail box: 2

Old art. no. 126052

Art. no.









• For steering the large size tree felling.

1015439

- Additionally functions as support for sawing and carrying
- Blade drop forged hardened steel.
- Shaft sturdy, but light weight special steel.
- \bullet Fast lock interface for log hook and tongs interoperation.

Fiskars saws

To make sawing as easy as possible you need a reliable saw suitable for the task. That is why we have developed a variety of saws. We have saws for cutting stems and thicker branches and saws with curved noses which enable cutting in hard to reach or difficult positions.

Xtract[™] Saws

Fiskars Xtract™ range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store. The blades made of hardened steel ensures long lifetime and sharpness for the saw. SoftGrip™ handle with finger guard ensures a safe grip.



Fixed blade saws

Fiskars fixed blade saws feature highly efficient tooth profile enabling fast and accurate sawing. The impulse hardened blades stays sharper for longer. SoftGrip™ ergonomic curved handle with finger guard ensures a safe & comfortable grip.



Bow Saws

Fiskars bow saws are excellent for sawing stems and thicker branches. Curved nose enables cutting in hard to reach or difficult positions. Cuts on both the push and pull stroke.




Saws

Fiskars saws have teeth designed especially for wood. They allow you to prune branches and clear foliage in difficult positions safely with a lightweight saw. Fiskars $\mathsf{Xtract}^\mathsf{T}$ range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store.



See high reach telescopic saws on page 80 (Tree pruners) & page 85 (QuikFit telescopic saw)

Xtract saws







- Efficiently saws fresh wood.
- Blade length 255 mm.
- Large cutting capacity up to 220 mm.

Xtract™ Garden Saw (S) SW73					Art. no. 1000613	8 4 1 1 5 0 1 2 3 8 7 0 2
Height: 275 mm	Length: 223 mm	Width: 50 mm	Weight: 130 g	Retail box: 4	Old art. no. 123870	6 411501 238702
				45	• Efficiently across freely wood	



Xtract™ Builder's Saw SW72						1000612	Z	6411501 238603
Height: 35 mm	Length: 223 mm	Width: 50 mm	Weight: 130 g	Retail box: 4	Old art. no.	123860		6 4 1 1 5 0 1 2 3 8 6 0 3





- Fine teeth for dry wood, boards and wood strips.
- Blade length 160 mm.
- Cutting capacity 120 mm.

Fixed blade saws





- Lightweight 230 g
- Profesional quality carbon steel blades, SK5
- Blades for every task
- Balanced weight distribution.
- Hollow grinded blade.
- Integrated sawdust removal teeth.
- Sturdy grip with Softgrip™
- Easy maintainability. All parts are replaceable.

Profesional Pruning Saw, SW-240						1020200	6"411501" 232403"
Height: 98 mm	Length: 400 mm	Width: 164 mm	Weight: 200 g	Retail box: 4	Old art. no.	123240	6 4 1 1 5 0 1 2 3 2 4 0 3



- Lightweight 200 g
- Profesional quality carbon steel blades, SK5
 Blades for every task
 Balanced weight distribution.
 Hollow grinded blade.
 Integrated sawdust removal teeth.
 Sturdy grip with Softgrip™
 Farey maintainshilth. All parts are replaceable.

- Easy maintainability. All parts are replaceable.

Fixed Blade Saw SW84						1001620	6"411501"238405
Height: 25 mm	Length: 500 mm	Width: 95 mm	Weight: 300 g	Retail box: 4	Old art. no.	123840	6 4 1 1 5 0 1 2 3 8 4 0 5



- Blade length 320 mm.
- Cutting capacity 150 mm.



Bow saws

21" Bow Saw SW30						1001621	z
Height: 19 mm	Length: 625 mm	Width: 215 mm	Weight: 500 g	Retail box: 4	Old art. no.	124800	5 702264 141004



• Excellent for sawing 10-20 cm stems and branches.

24" Bow Saw SW31					Art. no. 1000615	5702264 141011
Height: 19 mm	Length: 700 mm	Width: 215 mm	Weight: 650 g	Retail box: 4	Old art. no. 124810	5 702264 141011



• Excellent for sawing >20 cm stems and thicker branches.

Splitting tools, sledge hammers & wedges

Log Splitt	er		Art. no. 1001617	z		
Height: 70 mm	Length: 980 mm	Width: 70 mm	Weight: 6120 g	Retail box: 2	Old art. no. 121100	6 4 1 1 5 0 1 2 1 1 0 0 2
	(7				Variable weight - remov	s perfectly straight and therefore less

Sledge Ha	ammer L				Art. no.	1001619	
Height: 56 mm	Length: 750 mm	Width: 140 mm	Weight: 3900 g	Retail box: 2	Old art. no.	120040	6411501 200402
-			•		edges on th	ne striking surface.	of chipping due to rounded

Sledge Ha	mmer XL				Art. no. 1001431	z
Height: 60 mm	Length: 900 mm	Width: 150 mm	Weight: 5180 g	Retail box: 2	Old art. no. 120030	6 411501 200303



• Greater resistance and comfort due to fiberglass core and elastomeric anti-slip as well as anti-vibration handle.

- Delayed burring and less risk of chipping due to rounded edges on the striking surface. • Less jarring from miss hits due to rubber miss-hit guard.
- \bullet Greater resistance and comfort due to fiberglass core and elastomeric anti-slip as well as anti-vibration handle.

Height: 70 mm	Length: 900 mm	Width: 165 mm	Weight: 6130 g	Retail box: 2
		PISH	ARS	



- Delayed burring and less risk of chipping due to rounded edges on the striking surface.
- Less jarring from miss hits due to rubber miss-hit guard.
- Greater resistance and comfort due to fiberglass core and elastomeric anti-slip as well as anti-vibration handle.

Helicoidal	Splitting W	edge SAFE	Art. no.	1001615	N			
Height: 65 mm	Length: 240 mm	Width: 65 mm	Weight: 2400 g	Retail box: 4	Old art. no.	120021	6 411501	200211



Sledge Hammer XXL



- No need to use several wedges as the helicoidal shape
- makes the wood burst more easily.

 Highly resistant polyamide striking surface and metal ring.

 Reduced risk of flying particles therefore no need to maintain the striking surface to remove burring.

Spare Stri	king Surfac	се			Art. no.	1001616	z
Height: 65 mm	Length: 65 mm	Width: 65 mm	Weight: 300 g	Retail box: 1	Old art. no.	122151	3 157331 221516
				PDs.			





• Replaceable striking surface for Helicoidal Splitting Wedge SAFE-T (article No. 1001615).

Height: 52 mm Length: 153 mm Width: 45 mm Weight: 700 g Retail box: 4 Old art. no. 120010	Splitting	Wedge Drop	Forged			Art. no.	1001614	EAN	
	-leight: 52 mr	Length: 153 mm	Width: 45 mm	Weight: 700 g	Retail box: 4	Old art. no.		Ä	6 411503 164603



- For splitting difficult logs.
- Forged steel.
- Light weight.


Splitting Wedge Helicoidal						1000600	z
Height: 60 mm	Length: 200 mm	Width: 40 mm	Weight: 2200 g	Retail box: 4	Old art. no.	120020	6 411501 200204



- No need to use several wedges as the helicoidal shape makes the wood burst more easily.
- No material fragmentation due to rounded head.
- Anti-return slot.
- Forged steel.

Knives

Fiskars designs knives for a range of smaller gardening applications. Their hard-wearing blades are made from stainless steel to ensure years of trouble-free operation.



Retail box: 4

Weight: 50 g



Length: 170 mm

Width: 23 mm

Height: 12 mm

- Old art. no. 125880 8 0 0 8 2 2 0 0 2 0 4 7 3
- For taking cuttings, picking flowers and vegetables and cutting laterals.
 Handle of recycled plastic attached with a brass rivet.
- Blade of stainless steel.

Grafting F	Pen Knife K	60			Art. no.	1001625	z
Height: 12 mm	Length: 168 mm	Width: 23 mm	Weight: 50 g	Retail box: 4	Old art. no.	125900	8 008220 020497
F154.000					• Ideal for	grafting and makin	g wooden canes for holding



- small plants and bushes.
- \bullet Handle of recycled plastic attached with a brass rivet.
- Blade of stainless steel.

Mineral W	ool Knife K	20			Art. no.	1001626	EAN
Height: 18 mm	Length: 420 mm	Width: 38 mm	Weight: 160 g	Retail box: 4	Old art. no.		6 4 1 1 5 0 2 8 7 9 0 2 7



- For cutting mineral wool.
- Ergonomically designed handle with finger guard.
- Blade of stainless steel.







Fiskars digging

To make digging as easy as possible you need a reliable spade suitable for the task. That is why we have developed a variety of spades and shovels. We have spades for digging in hard soil, for edging and planting. We also have light spades for soft soil. We have shovels for ideal for moving sand, soil and snow. In short, we have a shedload of shovels and spades.



XACTTh

Gardening is a demanding pastime. Fiskars Xact™ digging tools will give you that extra push to take your gardening to a whole new level and make digging a truly pleasurable experience. Fiskars Xact digging tools fit you – combining the right length with lightweight material and durability.

SMARTFIT™

This range of telescopic tools have an adjustable shaft length which extends from 1050 mm to 1250 mm. The spades, shovels and forks can be comfortably used at a range of heights. The welded connection between the blade and the shaft ensures rigid durability and longevity while its boron steel construction adds extra strength.

ERGONOMIC™


Beautifully designed and realised, Fiskars Ergonomic™ is a perfect selection of tools for digging, shoveling and composting – all for the most discerning gardener. The spades, shovels and forks have angled shafts and handles for reduced strain on back, hand and wrist. The plastic coating on the shafts maximise grip and comfort.

WHITE


The new beautiful White range offers you a selection of light-weight tools for planting, cultivating, raking and other gardening tasks. Fiskars versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows for planting seeds and bulbs and even harvesting root crops.

Xact[™] spades & shovels










Xact™ Sh	ovel Large				Art. no. 1003688	EA
Height: 167 mm	Length: 1300 mm	Width: 224 mm	Weight: 2100 g	Retail box: 4	Old art. no. 132480	6"411501"324801
				reddot design award best of the best 2014	The shovel with broad sc bulk materials, such as soil Easier shovelling due to u	*


Xact[™] forks








- For lifting, turning and spreading loose material like grass, hay, weeds, leafs, compost and other garden waste.
- The thin and sharp tines that are more widely spaced and curved than in a garden fork can be pushed easily into the compost and chunky material doesn't get stuck in the tines.
- Upright shaft helps the composting task.
- Suitable for all heights of users.



Ergonomic[™] spades & forks







- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

Ergonomi	c™ Shovel						Art. no.	1001579	Z	5 9 0 5 5 6 8 0 2 0 0 3 1
Height: 200 mm	Length: 1320 mm	Width: 23	35 mm \	Weight:	2100 g	Retail box: 4	Old art. no.	132400	Ā	5 9 0 5 5 6 8 0 2 0 0 3 1
					1	211		g sand, gravel and		er bulky materials.





- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

Ergonomi	c™ Garden	Fork	Art. no. 10	001413			
Height: 95 mm	Length: 1210 mm	Width: 210 mm	Weight: 2200 g	Retail box: 4	Old art. no. 13	33400	5 905568 902108
			-0	il	• Use also for a		compacted soil. or rake out stones and weeds.



- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.


Ergonomic™ Compo	st Fork	Art. no.	1001695	z		
Height: 1350 mm Length: 1370 mm	Width: 220 mm	Weight: 1850 g	Retail box: 4	Old art. no.	133430	5 905568 902504





- For lifting, turning and spreading loose material like grass, hay, weeds, leaves, compost and other garden waste.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

SmartFit[™] spades & forks







SmartFit ¹	™ Fork		Art. no. 1000630	z		
Height: 90 mm	Length: 1165 mm	Width: 193 mm	Weight: 1530 g	Retail box: 4	Old art. no. 133320	6 4 1 1 5 0 3 3 5 2 5 5 0
				reddot design award winner 2003	 Use also for aerating the 	ng over compacted soil. s when bordering or planting. e lawn or rake out stones and weeds. djusted between 1165-1256 mm.



White spades & forks






Shovel, white						1019602	
Height: 20 mm	Length: 1230 mm	Width: 24 mm	Weight: 1220 g	Retail box: 4	Old art. no.	132503	6" 4 1 1 5 0 1" 3 2 5 0 3 7"
		· Canada	-0			ovel with broad scoop moving soil, mulch or s	is an easy to handle tool for snow.

Digging Fo	ork, white		Art. no. 10196	9603			
Height: 100 mm	Length: 1130 mm	Width: 180 mm	Weight: 1230 g	Retail box: 4	Old art. no. 13350	503	6 4 1 1 5 0 1 3 3 5 0 3 6
		FERANS	-(Light fork for loc composting.	oosening and turnir	ng over soil, harvesting and



Solid[™] spades & shovels





• All-purpose digging spade with pointed and sharpened cutting edge.

Solid™ Spade Rounded						1003456	6 411501 314031
Height: 140 mm	Length: 1170 mm	Width: 180 mm	Weight: 1890 g	Retail box: 4	Old art. no.	131403	6 4 1 1 5 0 1 3 1 4 0 3 1



 \bullet Straight and sharpened cutting edge for cutting grass and moving and mixing soil.

Solid™ Shovel						1003457	4 1 1 5 0 1 3 2 4 0 3 0
Height: 187 mm	Length: 1270 mm	Width: 235 mm	Weight: 2150 g	Retail box: 4	Old art. no.		6 4 1 1 5 0 1 3 2 4 0 3 0



• For moving sand, gravel and other bulky materials.

Solid™ Fo	ork		Art. no. 10	1003458	z		
Height: 85 mm	Length: 1220 mm	Width: 170 mm	Weight: 2100 g	Retail box: 4	Old art. no.		6 4 1 1 5 0 1 3 3 4 2 3 7
\Rightarrow		Procu					ver compacted soil. vn or raking out stones and


Solid™ Co	ompost For	k			Art. no.	1003459	
Height: 100 mm	Length: 1270 mm	Width: 820 mm	Weight: 1800 g	Retail box: 4	Old art. no.	133433	6"411501"334336
					• For lifting	, turning and spreadir	ng loose material like grass,



• For lifting, turning and spreading loose material like grass hay, weeds, leafs, compost and other garden waste.

QuikDrill™


Fiskars QuikDrill™ makes many garden tasks simpler, easier and more precise. It is a handy tool for many uses when planting flowers or bushes or when aerating and fertilizing the ground.



Classic soil tools

Fiskars Classic tools are originals with timeless design and attention to detail. They get better with time and adapt to your way of working. After a few years you start wondering how long you've had them, because it feels like they have always been there.







Pointed gardener spade for digging in hard soilEasy penetration through soil layers and roots.

Classic Gardener Spade						1003691	
Height: 80 mm	Length: 1060 mm	Width: 195 mm	Weight: 1900 g	Retail box: 4	Old art. no.	131790	6 4 1 1 5 0 1 3 1 7 9 0 2
		PENAPER Chia			ground. • Perfect f		il with grass layer and soft nting holes, edging beds and

Classic Shovel					Art. no.	1003694	z	
Height: 165 mm	Length: 1268 mm	Width: 230 mm	Weight: 1900 g	Retail box: 4	Old art. no.	132730		6 411501 327307



• Shovel has a broad scoop which facilitates moving bulk materials, such as soil, sand or mulch.

Height: 95 mm Length: 1105 mm Width: 205 mm Weight: 1800 g

Classic Digging Fork

Classic Potato Fork



- Best tool for loosening and turning over compacted soil in planting beds or vegetable garden.
- Move easily tuft of grass when bordering or planting and use also for aerating the lawn or rake out stones and weeds.
- The tines can be pushed easily into the ground not stopped by stones, weed or roots.

Height: 185 mm	Length: 1260 r	mm Width:	320 mm	Weight:	2800 g
	∄				
			FERNANS These		
	=				

- Old art. no. 133830 6 4 1 1 5 0 1 3 3 8 3 0 3 Optimal when harvesting potatoes or other vegetables or
- turning over soil in vegetable garden.
 The tines are rounded to protect the vegetables from damaging.

Classic Cultiweeder	Classic Cultiweeder							
Height: 170 mm Length: 1690 mm	Width: 125 mm	Weight: 900 g	Retail box: 4	Old art. no.	136700			
•								





• Dual tool for cultivating, breaking up soil deep down and removing weeds before planting.

Classic H	oe		Art. no. 1003704	EAN		
Height: 90 mm	Length: 1610 mm	Width: 165 mm	Weight: 700 g	Retail box: 4	Old art. no. 136780	6 411501 367808
-	Microsoft Thus		Optimal for removing w breaking up the soil surfa-	veeds between rows of plants or ace.		

Retail box: 4

Retail box: 2

Art. no.

1003693


Classic Po	tato Hoe				Art. no.	1003709	z
Height: 35 mm	Length: 1200 mm	Width: 124 mm	Weight: 1200 g	Retail box: 4	Old art. no.		6 411501 367501
	PRINARY C						



• Dig up potatoes and other vegetable without harming the vegetables.

Fiskars Cultivating tools


Fiskars cultivating tools are designed for comfortable planting, cultivating, weeding and seeding. The three different ranges offer a wide selection of tools from weeders to rose rakes.



Xact[™] Soil care tools



Ergonomic[™] soil care tools




Ergonomi	tor	Art. no.	1001301	z	7" 3 1 7 7 9 1" 1 1 6 6 6 1			
Height: 125 mm	Length: 1630 mm	Width: 125 mm	Weight: 640 g	Retail box: 4	Old art. no.	136510	EA	7 3 1 7 7 9 1 1 1 6 6 6 1



• Cultivator for loosening and tiling the soil before planting.

Ergonomic™ Hoe							Art. no.	1000675	7 3 1 7 7 9 1 1 1 2 6 0 1	
Height: 90 mm	Length: 1550 mm	Width: 185	35 mm	Weight:	530 g	Retail box:	4	Old art. no.	136500	7 3 1 7 7 9 1 1 1 2 6 0 1
\		_			614363	0			emoving weeds be for cultivation.	etween rows of plants or breaking



White soil care tools

This beautiful range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks.

Weeding k	knife, white		Art. no.	1019604	6 4 1 1 5 0 1 3 6 5 4 3 9		
Height: 25 mm	Length: 1600 mm	Width: 80 mm	Weight: 490 g	Retail box: 4	Old art. no.	136543	6 411501 365439
1	Pill .			_		eding knife for remo egetable or flower l	oving weeds from patio or tight oed.

• Steel head in knife shape to fit in thigh places.

Weeder, w	hite		Art. no. 1019610	6 4 1 1 5 0 1 3 6 5 6 3 7		
Height: 55 mm	Length: 1720 mm	Width: 150 mm	Weight: 680 g	Retail box: 4	Old art. no. 136563	6 4 1 1 5 0 1 3 6 5 6 3 7
					Light weeder for remove larger areas.Sharp steel blade to remove the steel blad	ng weeds from vegetable bed and nove weeds.

Cultivator,	, white		Art. no. 1019611	8 6 4 1 1 5 0 1 3 6 5 7 3 6		
Height: 110 mm	Length: 1640 mm	Width: 90 mm	Weight: 625 g	Retail box: 4	Old art. no. 136573	6 4 1 1 5 0 1 3 6 5 7 3 6
150	NO.		_	_	 Light cultivator for loose Sharp hardened steel p cultivating. 	ening compacted soil. rrongs to penetrate soil easily when

Hoe, white)		Art. no. 1019609	EAN		
Height: 95 mm	Length: 1580 mm	Width: 185 mm	Weight: 490 g	Retail box: 4	Old art. no. 136553	6 411501 365538
-					bed and under plants.	weeds and loosening soil in vegetable edges to reach under plants.

Solid[™] soil care tools

Solid™ Cu		Art. no.	1016034	Z				
Height: 120 mm	Length: 1640 mm	Width: 117 mm	Weight: 660 g	Retail box: 4	Old art. no.	135714	Ë	6 4 1 1 5 0 1 3 5 7 1 4 4



- Easy to use tool for loosening and tiling the soil before planting.
- Hardened carbon steel blade.
- Aluminium handle.

Solid™ Ho	e		Art. no.	1016035	4 1 1 5 0 1 3 5 7 1 3 7 6 4 1 1 5 0 1 3 5 7 1 3 7		
Height: 140 mm	Length: 1550 mm	Width: 185 mm	Weight: 620 g	Retail box: 4	Old art. no.	135713	6 4 1 1 5 0 1 3 5 7 1 3 7



- Efficient tool for removing weeds between rows of plants or breaking up the soil for cultivation.
 Hardened carbon steel blade.

Solid™ So	il Rake		Art. no. 1016036	8 411501 357151		
Height: 70 mm	Length: 1540 mm	Width: 358 mm	Weight: 670 g	Retail box: 4	Old art. no. 135715	6 411501 357151



- All purpose soil rake for preparing planting beds, smoothing down soil and other general gardening tasks like aking branches or spreading mulch.
 Hardened carbon steel blade.
- Aluminium handle.

Fiskars Nursery tools

Fiskars nursery tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.





XACT™ PLANTERS
Perfect tools covering
all nursing tasks with
ultimate performance



PLANTERS
Ergonomically
designed for
comfortable planting



ERGO™ PLANTERS
Robust nursery
tools for demanding
cultivating tasks



WHITE PLANTERS
Lightweight and
rust-free
nursery tools



SOLID™ Lightweight and rust-free nursery tools

Xact[™] hand tools





- Perfect trowel for digging when planting, taking up plant and turning up the soil.
- Large stainless steel head with sharpened edges moves more soil faster and cuts through tough turf.
- Comfortable handle design with Softgrip™ allows multiple handle positions during use, longer handle brings perfect balance and extra power when needed (lever).
- Convenient hanging hole on handle for easy storage.

Xact™ Ha	nd rake		Art. no.	1027044	6 4 1 1 5 0 1 3 5 1 0 1 2		
Height: 40 mm	Length: 443 mm	Width: 125 mm	Weight: 200 g	Retail box: 4	Old art. no.	-	6 411501 351012



- Fan shaped hand rake is the perfect tool for raking up leaves, weeds and grass cuttings in small flowerbeds and hard-to-reach areas
- Perfectly finished stainless steel head with 7 prongs provide ultimate precision and control.
- Comfortable handle design with Softgrip™ allows multiple handle positions during use, longer handle brings perfect balance and extra power when needed (lever).
- Convenient hanging hole on handle for easy storage.

Xact™ Sm	nall weeding	Art. no.	1027045	2			
Height: 94 mm	Length: 338 mm	Width: 30 mm	Weight: 270 g	Retail box: 4	Old art. no.	-	6 4 1 1 5 0
	_						





- Dual blade weeding knife for removing weeds and moss between paving stones and patios.
- Precisely finished stainless steel blades provide ultimate performance and control.
- Comfortable handle design with Softgrip™ allows multiple handle positions during use, longer handle brings perfect balance and extra power when needed (lever).
- Convenient hanging hole on handle for easy storage.

Xact™ Ex	tractor		Art. no.	1027046	3			
Height: 36 mm	Length: 396 mm	Width: 43 mm	Weight: 260 g	Retail box: 4	Old art. no.	-		411501"351036"



- Effective hand extractor for removing deep rooted weeds with minimal soil adhesion.
- Sharp and long stainless steel blade provide precision and efficiency.
- Comfortable handle design with Softgrip™ allows multiple handle positions during use, longer handle brings perfect balance and extra power when needed (lever).
- Convenient hanging hole on handle for easy storage.

Xact™ Cu	ltivator		Art. no.	1027047	z		
Height: 62 mm	Length: 323 mm	Width: 92 mm	Weight: 260 g	Retail box: 4	Old art. no.		6 4 1 1 5 0 1 3 5 1 0 4 3



- Durable and functional cultivator for loosening soil, removing weeds and aerating soil.
- Large and sharp stainless steel tines provide maximum soil contact to speed work.
- Comfortable handle design with Softgrip™ allows multiple handle positions during use, longer handle brings perfect balance and extra power when needed (lever).
- Convenient hanging hole on handle for easy storage.

Premium Planters[™] nursery tools

Fiskars nursery tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.







• For planting and transplanting in hard ground.

Premium	Planters™	Transplant	er		Art. no. 1000727	6 4 1 1 5 0 1 3 7 2 1 0 9					
Height: 40 mm	Length: 334 mm	Width: 70 mm	Weight: 120 g	Retail box: 4	4 Old art. no. 137210 6 4 1 1 5 0 1 3						
	-	•		reddot design award	For planting and weedirPerfect for use in narrow	ng in hard ground. v bed layouts and on balconies.					

Premium Planters™ Cultivator							Art. no.	1000728	z					
Height: 50 mm	Length: 300 mm	Width:	80 mm	Weight:	140 g	Retail box:	Ibox: 4 Oldart.no. 137220 6 4 1 1 5 0 1							
								• For aerat	ing and loose	ening soil i	n hard ground.			
$\overline{}$		•				red <mark>dot</mark> design a winner 2011	ward							

Premium	Planters™ \	Weed Fork			Art. no. 1000729	z
Height: 49 mm	Length: 304 mm	Width: 78 mm	Weight: 130 g	Retail box: 4	Old art. no. 137230	6"411501"372307
					For planting and weeding	whilst protecting roots.





Ergo™ hand tools





- Ideal for digging in tough soil and breaking up hardened dirt
- Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- Steel head won't break while digging in dense soil.
- Handle hang hole offers easy storage.

Ergo Transplanter								Art. no.	1027018	z			
Height: 29 i	mm	Length:	305 mm	Width:	55 mm	Weight:	140 g	Retail box:	4	Old art. no.	-	Ä	6 4 1 1 5 0 1 3 5 0 7 2 5



- Ideal for transplanting small plants and flowers.
- Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- Steel head won't break while digging in dense soil.
- Gradation marks on the blade make it easy to measure depth for perfect transplants.

Ergo Culti	vator		Art. no. 1027019	EAN		
Height: 50 mm	Length: 310 mm	Width: 90 mm	Weight: 240 g	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 5 0 7 3 2



- Ideal for digging in tough soil and breaking up hardened dirt
- \bullet Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- Steel head won't break while digging in dense soil.
- \bullet Large tines provide maximum soil contact to speed up work.


Ergo Cultivator Hoe									Art. no.	1027030	z	
Height: 72 mm	Length: 3	13 mm	Width:	180 mm	Weight:	250 g	Retail box:	4	Old art. no.	-	Ä	6 4 1 1 5 0 1 3 5 0 7 4 9
Men									Lightweig your handSharpendLarge cul speed wor	ght, ergonomi and helps red ed hoe blade b Itivator tines p	cally shap uce fatigu oreaks up rovide ma	hard soil easily. aximum soil contact to

Ergo Wee	ding knife		Art. no. 1027031			
Height: 30 mm	Length: 315 mm	Width: 26 mm	Weight: 129 g	Retail box: 4	Old art. no	6 411501 350756




- Ideal for removing dandelions, thistles and other invasive plants.
- Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- Steel head won't break while digging in dense soil.
 Sharpened forked tip helps you remove weeds by the roots.

White nursery tools






Fork, white								Art. no.	1027034	EAN	
Height: 35 mm	Length: 263 mm	Width:	78 mm	Weight:	89 g	Retail box:	16	Old art. no.	-	Ā	6 4 1 1 5 0 1 3 5 0 7 8 7
New	3		FISHARS					LightweightRust-pro	ght and durable F of. hole for easy sto	iberC	vhilst protecting roots. comp™ material.



Solid[™] nursery tools







- Ideal for planting and transplanting.
- Lightweight and durable FiberComp™ material.
- Hanging hole for easy storage.
- Can lift up to 35 kg.

Solid™ Pla	anters Tran	splanter			Art. no.	1000695	4 1 1 5 0 3 4 6 0 2 0 0
Height: 42 mm	Length: 291 mm	Width: 70 mm	Weight: 82 g	Retail box: 16	Old art. no.	137010	6 4 1 1 5 0 3 4 6 0 2 0 0





- Ideal for planting and weeding.
- Perfect for use in narrow bed layouts and on balconies.
- \bullet Lightweight and durable FiberComp $^{\text{TM}}$ material.
- Rust-proof.
- Hanging hole for easy storage.
- Can lift up to 35 kg.

Solid™ Pl	anters Culti	ivator			Art. no.	1001600	EAN	
Height: 50 mm	Length: 276 mm	Width: 76 mm	Weight: 89 g	Retail box: 16	Old art. no.	137020	М	6 411503 460309
				212		erating and loose		





- Rust-proof.
- Hanging hole for easy storage.
- Can lift up to 35 kg.

Solid™ Pl	anters Wee	d Fork	Art. no. 1000696	z		
Height: 40 mm	Length: 263 mm	Width: 78 mm	Weight: 89 g	Retail box: 16	Old art. no. 137030	6 411502 460409
				211	Ideal for planting and we	eeding whilst protecting roots.





- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.
 Can lift up to 35 kg.

Solid™ Pla	anters Hoe				Art. no.	1001601	z
Height: 75 mm	Length: 322 mm	Width: 199 mm	Weight: 168 g	Retail box: 16	Old art. no.	137040	6 411502 460508





- Ideal for multiple planting and weeding tasks.
- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.
- Can lift up to 35 kg.







Fiskars Rakes

Fiskars rakes are designed for comfortable raking, cleaning and gathering. The four different ranges offer a wide selection of rakes from leaf rakes to soil rakes.



XACT™

Premium quality materials and ergonomic aluminium shafts for ultimate performance.

ERGONOMIC™

Special teardrop shaped shaft and wide head for effective raking.


WHITE

Beautiful, white rakes, perfect for your garden.

SOLID™

A versitale selection of rakes from lawn to soil care.

Xact[™] Rakes



Ergonomic[™] rakes

Ergonomi	c™ Rake fo	r lawn and	leaves		Art. no.	1000660	z	5 9 0 5 5 6 1 3 3 5 7 0 5
Height: 45 mm	Length: 1810 mm	Width: 585 mm	Weight: 800 g	Retail box: 4	Old art. no.	135570		5 9 0 5 5 6 1 3 3 5 7 0 5



- Wide rake for working on large lawn areas.
- Sturdy flexible tines with specific geometry prevents twigs and leaves from getting caught.

Classic rakes

Classic Le	af Rake XL				Art. no.	1001584	Z	57331"355914
Height: 42 mm	Length: 1735 mm	Width: 646 mm	Weight: 1000 g	Retail box: 5	Old art. no.	135591	3 1	57331 355914



- \bullet Extra wide head (65 cm) and wooden shaft.
- Flat, rigid and curved plastic tines prevent leaves from sliding up and blocking the head.
- Rounded edges make it suitable for all types of terrain.

Classic Le	af Rake				Art. no.	1003708	z	6'411501"358202
Height: 90 mm	Length: 1980 mm	Width: 470 mm	Weight: 1300 g	Retail box: 4	Old art. no.	135820		6 4 1 1 5 0 1 3 5 8 2 0 2



 \bullet For all raking tasks in the garden from raking leaves to removing grass cuttings from the lawn.

Classic Sc	oil Rake				Art. no.	1003705	<u> </u>
Height: 65 mm	Length: 1680 mm	Width: 360 mm	Weight: 1000 g	Retail box: 4	Old art. no.	135760	6 411501 357601



• Optimal for loosening up soil in planting beds and other general gardening tasks like raking branches or spreading mulch.


White rakes


Leaf Rake, white Height: 52 mm Length: 1720 mm Width: 51 mm Weight: 590 g Retail box: 4 Old art. no. 1019606 Light leaf and lawn rake for cleaning the lawn and yard. Sturdy and flexible tines prevent twice and leaves from




• Sturdy and flexible tines prevent twigs and leaves from getting caught.

Soil Rake,	white				Art. no. 1019608	z.
Height: 75 mm	Length: 1570 mm	Width: 360 mm	Weight: 680 g	Retail box: 4	Old art. no. 135523	6"411501" 355232"
110,000		_		-	cleaning and spreading.	ing planting bends, levelling soil, with 14 prongs for raking in larger






Solid[™] rakes






- Extra wide head (65cm) allows to rapidly rake large areas.
- Easier raking due to new durable aluminium shaft.
- 27 flat, rigid and curved plastic tines prevent leaves from sliding up and blocking the head.

Solid™ Le	af Rake L				Art. no.	1003465	4 1 1 5 0 1 3 5 0 1 6 9
Height: 50 mm	Length: 1710 mm V	Width: 520 mm	Weight: 580 g	Retail box: 5	Old art. no.	135016	6 4 1 1 5 0 1 3 5 0 1 6 9




- Wide rake for working on large lawn areas.
- \bullet Sturdy and flexible tines with specific geometry prevent twigs and leaves from getting caught.
- Lightweight but durable aluminium handle.

Solid™ Le	af Rake M				Art. no.	1003464	6 411501 350268
Height: 35 mm	Length: 1700 mm	Width: 415 mm	Weight: 560 g	Retail box: 5	Old art. no.	135026	6 4 1 1 5 0 1 3 5 0 2 6 8



- Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes.
- Sturdy tines work well on rooty and uneven surfaces.
- · Lightweight but durable aluminium handle.



SOLID XL

 Featuring an integral aluminum shaft and a 65 cm broad yet lightweight strong plastic head with flexible tines is deal for raking larger lawns and yards.

- Wide rake for working on large lawn areas.
- Sturdy and flexible tines prevent twigs and leaves from getting caught.

SOLID M

- Medium-sized allpurpose rake for working around trees or under bushes.
- Sturdy tines work well on rooty and uneven surfaces.

SOLID UNIVERSAL


- For raking loose grass and branches.
- Great for preparing planting beds.
- Lightweight durable aluminium handle.

Solid™ Universal Garden Rake					Art. no. 1003466	8 6 4 1 1 5 0 1 3 5 0 6 6 4
Height: 110 mm	Length: 1640 mm	Width: 410 mm	Weight: 600 g	Retail box: 5	Old art. no. 135066	6 4 1 1 5 0 1 3 5 0 6 6 4



- For raking long, loose grass or branches and for preparing planting beds.
- Levelling function to even the soil bed.
- Lightweight but durable aluminium handle.

Solid™ Sh	aft		Art. no. 1014913	6 411501 350015		
Height: 30 mm	Length: 1600 mm	Width: 28 mm	Weight: 350 g	Retail box: 10	Old art. no. 135001	6 411501 350015



- Compatible with Solid rakes heads (article No. 1014914, 1014915 & 1014917).
- Spare part for rakes (article No. 1003465, 1003464 & 1003466).

Solid™ Leaf Rake Head L						1014915	4 1 1 5 0 1 3 5 0 1 4 5 6 4 1 1 5 0 1 3 5 0 1 4 5
Height: 54 mm	Length: 228 mm	Width: 520 mm	Weight: 230 g	Retail box: 10	Old art. no.	135014	6 411501 350145



- \bullet Wide rake for working on large lawn areas.
- Sturdy and flexible tines with specific geometry prevent twigs and leaves from getting caught.
- Complementary to Solid Shaft (article No. 1014913).
- Spare part for rake (article No. 1003465).

Solid™ Le	af Rake He	ad M	Art. no. 1014914	z		
Height: 64 mm	Length: 212 mm	Width: 415 mm	Weight: 196 g	Retail box: 10	Old art. no. 135024	6 411501 350244



- Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes.
- Sturdy tines work well on rooty and uneven surfaces.
- Complementary to Solid Shaft (article No. 1014913).
- Spare part for rake (article No. 1003464).

Solid™ Universal Garden Rake					Art. no.	1014917	Z	
Height: 114 mm	Length: 152 mm	Width: 410 mm	Weight: 250 g	Retail box: 10	Old art. no.	135064		6 4 1 1 5 0 1 3 5 0 6 4 0





- For raking long, loose grass or branches and for preparing planting beds.
- Levelling function to even the soil bed.
- Complementary to Solid Shaft (article No. 1014913).
- Spare part for rake (article No. 1003466).

Fiskars Grass shears



Grass shears

PowerLever™ Grass and hedge shear GS53 Art. no. 1001565 Height: 155 mm Length: 899 mm Width: 201 mm Weight: **1380** g Retail box: 4 Old art. no. 113710







- For cutting grass, hedges and small bushes.
- Cuts up to 10 mm at the base of the blade and reaches up to 2,5 m.
- Cutting head adjusts up to 270°.



Grass she	ar GS41, wl	nite	Art. no. 1026917	6"411501" 150288"		
Height: 100 mm	Length: 355 mm	Width: 35 mm	Weight: 334 g	Retail box: 5	Old art. no	6"411501"150288



- For trimming lawn edges and hedges.
- \bullet White colour that makes the grass shear more visible.
- Cutting angle adjustable 180°.
- Ergonomic handle with finger protection.

Servo-Sys	Servo-System™ Grass shear, Long GS46					z		
Height: 80 mm	Length: 1035 mm	Width: 240 mm	Weight: 600 g	Retail box: 4	Old art. no. 113690	6 411501 966902		
k.					For trimming lawn edges st	tanding un		





reddot design award

- Cutting angle adjustable 360°.Ergonomic handle with finger protection.
- Servo-System™ technology prevents the blades from

Servo-System™ Grass shear GS42					Art. no. 1000589	8 4 1 1 5 0 1 9 6 6 8 0 3
Height: 180 mm	Length: 344 mm	Width: 42 mm	Weight: 260 g	Retail box: 4	Old art. no. 113680	6 4 1 1 5 0 1 9 6 6 8 0 3







- For trimming lawn edges and hedges.Cutting angle adjustable 360°.

- Ergonomic handle with finger protection.
 Servo-System™ technology prevents the blades from jamming.

SmartFit™ Grass shear GS40					Art. no. 1023632	Z	
Height: 100 mm	Length: 355 mm	Width: 35 mm	Weight: 334 g	Retail box: 5	Old art. no		6 411501 120106





- For trimming lawn edges and hedges.
- Cutting angle adjustable 180°.
- Ergonomic handle with finger protection.

Solid™ Grass shear GS21					Art. no. 1026826	3
Height: 108 mm	Length: 310 mm	Width: 45 mm	Weight: 377 g	Retail box: 4	Old art. no	6 411501 150264



- For trimming lawn edges and hedges.Soft-touch handles for comfortable grip.

Grass shear S50					Art. no. 1000557	N N
Height: 10 mm	Length: 260 mm	Width: 70 mm	Weight: 100 g	Retail box: 3	Old art. no. 111090	6 411501 110909



- For trimming lawn edges and hedges.
 SoftGrip™ cover in upper handle for increased comfort.
 Precise and easy cutting thanks to adjustable blade tension and power-saving spring mechanism.

The improved weed pullers

Fiskars has three weed puller models to choose from. The sturdy Xact[™] with ergonomic handle design, SmartFit[™] that fits different size users due to it's adjustable shaft, beautifully designed White and Solid[™] weedpullers with ease of use and light aluminium construction.



Weedpullers





- For removing any root weeds effortlessly.
- Ergonomically designed handle.

SmartFit™ Weed pull	ler	Art. no. 1020125	4 1 1 5 0 1 3 9 9 6 0 1		
Height: 990-1190 millorength: 100 mm	Width: 300 mm	Weight: 1250 g	Retail box: 4	Old art. no. 139960	6 4 1 1 5 0 1 3 9 9 6 0 1



- For removing any root weeds ergonomically and effortlessly.
- Telescopic aluminium shaft can be adjusted between 990-1190 mm
- Large D-shaped hadle fits to all hands sizes.

Weed pull	er, white				Art. no. 1020	20127	6'41501'399403
Height: 900 mm	Length: 100 mm	Width: 300 mm	Weight: 900 g	Retail box: 4	Old art. no. 1399	9940	6 4 1 1 5 0 1 3 9 9 4 0 3



 Light weed puller for removing any root weeds ergonomically and effortlessly.

Solid™ We	eed puller		Art. no. 1026652	Z		
Height: 900 mm	Length: 100 mm	Width: 300 mm	Weight: 900 g	Retail box: 4	Old art. no	6 411501 310484



 Weed puller for removing any root weeds ergonomically and effortlessly.

Push the weed puller blades around the weed. Press the pedal with your foot to the ground. Then remove your foot and pull the shaft. Pull the weeder up and eject. Let the weeds fly.

Classic & Solid[™] lawn care tools

Classic Lawn Edger Height: 40 mm Length: 1042 mm Width: 237 mm Weight: 1100 g Retail box: 4 Old art. no. 136860 Continuel for cutting straight adges on planting hade and



- Optimal for cutting straight edges on planting beds and lawn.
- After cutting straight line with lawn edger, remove the weeds or blocks of soil with help of spade, fork or cultiweeder.

Solid™ La	wn Edger				Art. no. 1011617	Z 3 17797 035003
Height: 30 mm	Length: 1090 mm	Width: 230 mm	Weight: 1850 g	Retail box: 3	Old art. no. 5371	7 317797 035003
			•			



- Durable all steel.
- Optimal for cutting straight edges on lawn and planting beds.

Solid™ Gr	ipper		Art. no. 1015681	6 411501 485229		
Height: 50 mm	Length: 870 mm	Width: 240 mm	Weight: 400 g	Retail box: 5	Old art. no. 148522	6 411501 485229



- Easy to collect debris from the ground in an ergonomic standing position.
- Rubber pads grip easilly on to paper, leaves, stick and other debris.
- Steel shaft.

Height: 460 mm Length: 400 mm Width: 400 mm Weight: 600 g Retail box: 6 Old art. no		6 411501	Z	1028371		Art. no.						3L	ag S, 7	up ba	go Pop-	E
	600189	6 4 1 1 5 0 1). -	no.	Old art. n	6	Retail box	600 g	Weight:	400 mm	Width:	400 mm	Length:	ght: 460 mm	Не



- Ideal for collecting wet yard and garden waste like damp leaves, weeds or grass clipping, weeds or even toys.
- Folds to 3 cm for space-saving storage.
- Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.
- Height closed: 30 mm, Height open: 460 mm.

Ergo Pop-	up bag M, 1	175L	Art. no. 1028372	8 4 11501 600196		
Height: 700 mm	Length: 500 mm	Width: 500 mm	Weight: 800 g	Retail box: 6	Old art. no	6 411501 600196



- Ideal for collecting wet yard and garden waste like damp leaves, weeds or grass clipping, weeds or even toys.
- Folds to 3 cm for space-saving storage.
- Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.
- Height closed: 30 mm, Height open: 700 mm.

Ergo Pop-	up bag L, 2	19L			Art. no. 1028373	6"411501"600202
Height: 700 mm	Length: 560 mm	Width: 560 mm	Weight: 1100 g	Retail box: 6	Old art. no	6 411501 600202



- Ideal for collecting wet yard and garden waste like damp leaves, weeds or grass clipping, weeds or even toys.
 Folds to 3 cm for space-saving storage.
- Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.

 • Height closed: 30 mm, Height open: 700 mm.

Solid™ Po	pUp Garden Ba	g 56 l			Art. no.	1015646	6 4 1 1 5 0 1 3 5 0 4 1 1
Height: 30 mm	Length: Ø 400 mm Width:	Ø 400 mm Weight:	600 g	Retail box: 6	Old art. no.	135041	6 4 1 1 5 0 1 3 5 0 4 1 1



- Ideal for collecting wet yard and garden waste like damp leaves or grass clipping.
- Height closed: 15 mm, Height open: 460 mm.

Solid™ Po	pUp Garden Ba	g 172 l			Art. no.	1015647	z	6 4 1 1 5 0 1 3 5 0 4 2 8
Height: 30 mm	Length: Ø 560 mm Width:	Ø 560 mm Weight:	1250 g	Retail box: 6	Old art. no.	135042		6 4 1 1 5 0 1 3 5 0 4 2 8



- Ideal for collecting weeds, grass clippings, other types of yard waste or even toys or laundry off the clothesline.
- Folds to 10 cm for space-saving storage.Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.

 • Height closed: 20 mm, Height open: 700 mm.



Fiskars StaySharp™

The Fiskars StaySharp™ Max reel mower promotes greener, healthier lawns by cutting each blade of grass cleanly with a scissor-like action.

This minimizes the lawn's moisture loss and reduces exposure to disease.



StaySharp[™] Reel Mower

StaySharp	[™] Max Ree	el Mower			Art. no.	1000591	z	6 4 1 1 5 0 1 1 3 8 8 0 4
Height: 600 mm	Length: 1220 mm	Width: 610 mm	Weight: 23,50 kg	Retail box: 1	Old art. no.	113880	Ä	6 4 1 1 5 0 1 1 3 8 8 0 4



- 2x more cutting power compared to standard reel mowers.
- 60% easier to push than other reel mowers.
- Cut height adjustable between 2 -10 cm.
- Compatible with grass catcher.

StaySharp	™ Plus Re	el Mower	Art. no. 1015649	6"411501" 138729		
Height: 345 mm	Length: 1220 mm	Width: 610 mm	Weight: 18,60 kg	Retail box: 1	Old art. no. 113872	6 411501 138729



- 75% more cutting power compared to standard reel mow-
- 40% easier to push than other reel mowers.
 Cut height adjustable between 4 -10 cm.

StaySharp	™ Grass C	atcher	Art. no. 1000592	A 6 4 1 1 5 0 1 1 3 8 8 3 5		
Height: 545 mm	Length: 550 mm	Width: 540 mm	Weight: 1900 g	Retail box: 1	Old art. no. 113883	6 411501 138835



- \bullet Simple tool-free assembly to Fiskars StaySharp $^{\text{TM}}$ Max
- Mower.
 Effective capacity of approximately 18 litres.
 UV and mildew resistant polyester screen and heavy duty steel frame for long lasting performance.





The icon

The iconic Classic scissors are a symbol of Fiskars and of our Finnish design heritage



Sharp blades

Specially developed blade grinding ensures high-precision cutting and keeps the blades sharp longer.

2 Easy cleaning

Handles are injection molded onto the blades insuring easy and hygenical cleaning.

3 Supreme ergonomics

Handles are designed under strong consideration of the natural movement of the hand resulting in enhanced comfort and cutting control.

Best materials

Made of the best quality materials, Classic scissors offer outstanding comfort, performance and durability.

Guality control

Each product is manually tested before leaving the factory ensuring you get only the first class scissors.



Classic[™] garden scissors

Fiskars orange handled scissors are design classics that have been popular for more than four decades. Our selection of garden scissors are excellent for precise cutting and trimming tasks. The carbon steel blades easily cut through materials from fine wire to flower stems.

Universal Garden Scissors 25 cm S94					Art. no. 1001538	BA N
Height: 22 mm	Length: 340 mm	Width: 110 mm	Weight: 140 g	Retail box: 5	Old art. no. 111050	6 411501 110503



- For cutting flowers and plants.
- \bullet Handles made from impact-resistant PBT.

Height: 21 mm Length: 212 mm Width: 80 mm Weight: 80 g Retail box: 5 Old art. no. 111040A	Universal Garden Scissors 21 cm S90					Art. no. 100	001539	6 4 1 1 5 0 1 1 1 0 4 0 4
	Height: 21 mm	Length: 212 mm	Width: 80 mm	Weight: 80 g	Retail box: 5	Old art. no. 111	1040A	6 411501 110404



- For cutting flowers and plants.
- \bullet Handles made from impact-resistant PBT.

Universal Garden Scissors 18 cm S92					Art. no.	1000555	- Z
Height: 25 mm	Length: 185 mm	Width: 80 mm	Weight: 70 g	Retail box: 5	Old art. no.	111030	6 411501 110305



- For cutting flowers and plants.
- Handles made from impact-resistant PBT.
- Serrated lower blade for better control, preventing the flower or plant from slipping forwards.

Scissors

Floral Scissors S28					Art. no. 1001544	8 6 4 1 1 5 0 1 9 3 2 0 0 6
Height: 20 mm	Length: 192 mm	Width: 75 mm	Weight: 60 g	Retail box: 5	Old art. no. 111010	6"411501"932006



- For cutting flowers and sprouts.
 Serrated lower blade for better control, preventing the flower or plant from slipping forwards.

Pick the right pruner









POWERGEAR™X

- Patented PowerGear[™] mechanism makes cutting 3,5 times easier compared to standard mechanisms.
- Blades made from extra hard, corrosion resistant steel (CrMoV) ensures that they stay sharper longer.
- Unique rotating handle movement ensures that all fingers are used simultaneously and exert an equal but reduced pressure for maximum power and less effort on every cut.

POWERSTEP™

- Allows to cut thin and thick branches with the same tool, without compromising on the performance.
- Thin branches are cut in one easy snip – thicker branches in 2 or 3 gradual steps to reduce the force needed per stroke.
- Mechanism automatically sets the applicable amount of strokes.

SMARTFIT™

- Optimal reach thanks to adjustable length of the handles
- Lightweight product, comfortable to use.
- Ergonomic design
- Optimally shaped to fit the hand.
- Fits your need multi-purpose usage with adjustability of cutting capacity.
- Fits small to large hands.

POWERLEVER



- Lightweight FiberComp[™] handles designed for small and medium-sized hands.
- Reduced cutting effort and ability to use all fingers simultaneously thanks to patented PowerLever[™] mechanism.
- Easier cutting and cleaning due to non-stick PTFE PowerLever Pruners coating on the upper blade to reduce friction.
- Ambidextrous locking mechanism.



011101 =0=

- Lightweight and strong FiberComp™ handles with SoftGrip™ for added comfort and safety.
- Fingers are protected by the loop in the lower handle.
- Corrosion resistant, stainless steel blades.

FINGERLOOP



SINGLESTEP™

- Lightweight and durable handles made from polypropylene
- Comfortable grip due to sturdy handles.
- Steady cutting action due to well-balanced design.



QUANTUM™

- High-quality aluminium body balanced by comfortable cork TruGrip™ handles.
- Clean, accurate cutting thanks to TruEdge™ blade technology including precision ground hardened steel and anti-friction coating.



PRO PRUNERS

- Professional quality CrMoV
- Easy to maintain, all parts replaceable.
- Lightweight with sturdy Softgrip[™] and shock absorber.
- Handles and lock fit both left and right hand.

PowerGear[™]X pruners

Fiskars PowerGear[™] is a versatile family of tools that include pruners, loppers and hedge shears to cover most of the cutting needs in the garden. The ingenious gear mechanism which boosts the power of the cut is complemented by sharp, quality steel blades and lightweight, durable FiberComp™ handles.









Retail box: 4

- For cutting of fresh branches up to Ø 20 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp constuction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance
- Conformed SoftGrip™ handles for optimum comfort and balance
- Optimized for small and medium hand sizes.

PowerGea	Art. no. 1023629				
Height: 40 mm	Length: 215 mm	Width: 75 mm	Weight: 260 g	Retail box: 4	Old art. no
				att.	-

Weight: 230 g







- For heavy cutting of hard branches up to Ø 26 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp constuction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance.
- Conformed SoftGrip™ handles for optimum comfort and
- Optimized for medium and large hand sizes.

PowerGear™X Pruner L Bypass PX94					Art. no. 1023628	6 4 1 1 5 0 1 1 1 0 1 2 1
Height: 40 mm	Length: 215 mm	Width: 75 mm	Weight: 250 g	Retail box: 4	Old art. no	6 411501 110121





- For heavy cutting of fresh branches up to Ø 26 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp constuction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance.
- Conformed SoftGrip[™] handles for optimum comfort and
- · Optimized for medium and large hand sizes.

Anvil or bypass?



Both blade and counter blade press into the wood to make a clean cut with less compression damage (cutting blade bypasses counter blade in a scissors-like action). Possible to cut close to the stem. Best suitable for fresh wood.



Upper blade is forced through the wood with greater pressure as the anvil blade supports the branch and spreads the pressure until the cut is complete. Best suitable for dry or dead wood.

Quantum[™] pruner

Quantum™ Pruner Bypass P100 Height: 20 mm Length: 215 mm Width: 75 mm Weight: 280 g Retail box: 4 Old art. no. 111970 • Optimised for cutting fresh twigs and branches up to Ø 26 mm. • Optimised for cutting fresh twigs and branches up to Ø 26 mm. • The blade adjustment mechanism prevents the blades from loosening thus lengthening the lifetime of the pruner. • Natural cork handles for ultimate comfort.

Professional pruners

The Pruning Shears have been developed with professionals and are made of the the best materials. In addition, all parts are replaceable. The Pro Pruner has been designed according to the traditional form and has some special features like a wire cutter.

Pruning sl	hears, Larç	ge (PB-8)	Art. no. 1020203		
Height: 210 mm	Length: 62 mm	Width: 85 mm	Weight: 196 g	Retail box: 4	Art. no. 1020203 Old art. no. 111870 Old art. no. 111870
0					 Professional quality CrMoV blades Lightweight, durable, all weather grivory handles with sturgrip Left/right hand lock Greased cone bolt Sap groove

Pruning sl	nears, Med	ium (PB-8)	Art. no. 1020204	z		
Height: 201 mm	Length: 62 mm	Width: 84 mm	Weight: 186 g	Retail box: 4	Old art. no. 111850	6"411501"118509
0					Professional quality Lightweight, durable grip Left/right hand lock Greased cone bolt Sap groove	CrMoV blades e, all weather grivory handles with sturdy

Pro Pruner P90					Art. no.	1001530	EAN
Height: 20 mm	Length: 230 mm	Width: 70 mm	Weight: 270 g	Retail box: 4	Old art. no		8 008220 029629



- Blades are side supported to ensure that they stay in line when cutting thick branches up to Ø 26 mm.
- Includes a wire cutter to spare the blades.
- Adjustable tightening with nut locking ring to help ensure constantly precise cutting.

White pruner

Pruner bypass P57, white					Art. no. 1026916	6 411501 150189
Height: 75 mm	Length: 180 mm	Width: 23 mm	Weight: 140 g	Retail box: 4	Old art. no	6 411501 150189




- For easy cutting twigs and branches up to Ø 20 mm.
- White colour that makes the pruenr more visible.
- Ultra light weight and operation due to the FiberComp™ construction and the PowerLever™ mechanism.
- Fits especially smaller hand sizes.
- · Ambidextrous locking mechanism.

PowerLever[™] pruners

There are a multitude of different plants and tasks in the modern gardens and consequently also gardeners with day-to-day varying needs. Fiskars PowerLeverTM range of two pruners and one hedge shear offers a neat ergonomic package of cutting power. Lightweight FiberCompTM bodies are complemented by sharp cutting blades.

Pruner by	pass P56		Art. no. 1026918	z				
Height: 75 mm	Length: 180 mm	Width: 23 mm	Weight: 140 g	Retail box: 4	Old art. no 6 4 1 1 5 0 1 1			
0			PDATED DESIGN			hand sizes.		






- For easy cutting twigs and branches up to Ø 20 mm.
- Ultra light weight and operation due to the FiberComp™ construction and the PowerLever™ mechanism.
- Fits especially smaller hand sizes.
- Increased durability due to anvil configuration.
- Ambidextrous locking mechanism.

Other Fiskars pruners

The PowerStep[™] pruner adjusts to optimal power assistance level for cutting of both thin and thick branches, and the SmartFit[™] pruner optimizes the combination of cutting speed and branch thickness.



Fingerloop pruners

Fiskars Fingerloop range of two pruners and one snip offer a neat and ergonomic way to prune branches and perform basic cutting tasks without excessive hand strain. The signature loop handle engages the power of all fingers in the cut while the SoftGrip $^{\text{TM}}$ inlays give an extra level of comfort for extended work in the garden when pruning.

Fingerloop Universal Snip SP45					Art. no.	1001533	Z	
Height: 24 mm	Length: 218 mm	Width: 76 mm	Weight: 160 g	Retail box: 4	Old art. no	111450	Ē	6" 4 1 1 5 0 1" 9 6 4 5 0 2"
					Designer	d for multiple cuttir	ıq tas	sks like cutting steel, plastics,



- \bullet Designed for multiple cutting tasks like cutting steel, plastics, tubes, ropes or hoses up to \varnothing 20 mm.
- The Fingerloop protects fingers and keeps the pruner in hand comfortably.

NOTE! Not for cutting branches in garden.

Fingerloop Pruner Bypass P44					Art. no. 1001534	8 6 4 1 1 5 0 1 9 6 4 4 0 3
Height: 24 mm	Length: 201 mm	Width: 76 mm	Weight: 150 g	Retail box: 4	Old art. no. 111440	6 411501 964403



- For cutting fresh wood up to Ø 20 mm.
- The Fingerloop protects fingers and keeps the pruner in hand comfortably.
- Easier cutting and cleaning due to non-stick coating on the

Fingerloop Pruner Anvil P43					Art. no. 1001535	6 4 1 1 5 0 1 9 6 4 3 0 4
Height: 24 mm	Length: 188 mm	Width: 76 mm	Weight: 150 g	Retail box: 4	Old art. no. 111430	6 411501 964304



- For cutting dry and hard wood up to Ø 20 mm.
- The Fingerloop protects fingers and keeps the pruner in hand comfortably.
- Increased durability and stable cut due to anvil blade configuration.

Inspiration[™] pruners

Inspiration		Art. no. 1027495	Z	411501 150332			
Height: 20 mm	Length: 208 mm	Width: 70 mm	Weight: 200 g	Retail box: 4	Old art. no		411501 150332



- \bullet For cutting fresh wood up to Ø 20 mm.
- Easier cutting and cleaning due to non-stick coating on the upper blade.
 Carbon steel blades.

Inspiration pruner					Art. no. 1027494	4 1 1 5 0 1 1 5 0 3 2 5
Height: 20 mm	Length: 208 mm	Width: 70 mm	Weight: 200 g	Retail box: 4	Old art. no	6 411501 150325



- For cutting fresh wood up to Ø 20 mm.
- Easier cutting and cleaning due to non-stick coating on the upper blade.
- Carbon steel blades.

SingleStep[™] & Solid[™] pruners

SingleStep™ Pruner Bypass P26 Art. no. 1000567 Length: 208 mm Width: 70 mm Weight: 200 g Retail box: 4 Height: 20 mm Old art. no. 111260 • For cutting fresh wood up to Ø 20 mm. • Easier cutting and cleaning due to non-stick coating on the reddot design award winner 2011 upper blade. • Carbon steel blades.

Weight: 180 g



SingleStep™ Pruner Anvil P25







Retail box: 4

- For cutting dry and hard wood up to Ø 20 mm.
- Increased durability and stable cut due to anvil blade con-
- Easier cutting and cleaning due to non-stick coating on the upper blade.
- Carbon steel blades.

SingleSte	p™ Univers	al Snip SP	Art. no. 1000571			
Height: 20 mm	Length: 208 mm	Width: 70 mm	Weight: 200 g	Retail box: 4	Old art. no. 111280	6 411501 112804
				reddot design award winner 2011	tubes, ropes or hoses up to Carbon steel blades.	tting tasks like cutting steel, plastics, to Ø 20 mm.

SingleSte	o™ Snip SP	27	Art. no. 1000570	EAN		
Height: 20 mm	Length: 210 mm	Width: 76 mm	Weight: 200 g	Retail box: 4	Old art. no. 111270	6 411501 112705





- Designed for multiple cutting tasks like cutting steel, plastics, tubes, ropes or hoses up to \varnothing 20 mm.
- Narrow blades for better reach and precise cutting

NOTE! Not recommended for pruning.

NOTE! Not recommended for pruning.

Solid™ Snip Pruner Bypass P32					Art. no. 1020191	ş
Height: 19 mm	Length: 197 mm	Width: 55 mm	Weight: 182 g	Retail box: 4	Old art. no. 111180	6 411501 111807



- \bullet Optimised for quick snipping of plants and thinner branches.
- Ultra durable construction.
- Comfortable SoftGrip™ handles.

Choose the right lopper

Fiskars loppers are suitable for all kinds of garden cutting tasks with a capacity of up to \emptyset 55 mm. Fiskars loppers are designed to be lightweight, efficient and comfortable to use.



Different heads for different purposes

Bypass head

The bypass head is for frequent cutting of fresh wood.

2 Anvil head

The anvil head is for cutting dry and/or hard wood.

3 Hook head

The hook head is best suited for heavy cutting of fresh wood.

Scissor head

The scissor head is perfect for precision cutting.

PowerGear[™] X loppers

PowerGear™ X Lopper Bypass S LX92 Art. no. 1020186 Height: 250 mm Length: 570 mm Width: 230 mm Weight: 832 g Retail box: 4 Old art. no. 112260



- For frequent cutting of fresh wood up to Ø 38 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable $SoftGrip^{TM}$ handle.

PowerGear™ X Lopper Bypass M LX94					Art. no. 1020187	6 411501 123909
Height: 250 mm	Length: 640 mm	Width: 230 mm	Weight: 1190 g	Retail box: 4	Old art. no. 112390	6 411501 123909



- For frequent cutting of fresh wood up to Ø 50 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

PowerGear™ X Lopper Bypass L LX98					Art. no. 1020188	z	6411501 124906
Height: 250 mm	Length: 800 mm	Width: 255 mm	Weight: 1342 g	Retail box: 4	Old art. no. 112490		6 411501 124906





- For heavy cutting of fresh wood up to ∅ 50 mm.
 Bypass blades for easy catching of branches and clean cuts.
 Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

PowerGear™ X Lopper Anvil L LX99					Art. no. 1020189	Z	6 4 1 1 5 0 1 1 2 4 4 0 1
Height: 250 mm	Length: 800 mm	Width: 255 mm	Weight: 1357 g	Retail box: 4	Old art. no. 112440	E/	6 4 1 1 5 0 1 1 2 4 4 0 1



- For heavy cutting of hard and dry wood up to Ø 55 mm.
- Anvil blade configuration for added durability and effective
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

PowerGear[™] loppers

PowerGear™ Steel Lopper Anvil (M) L93 Art. no.

Height: 22 mm Length: 640 mm Width: 208 mm Weight: 1130 g Retail box: 4

1001550 Old art. no. 112380







- \bullet For heavy cutting of hard, dry wood up to Ø 55 mm.
- Anvil blade configuration for added durability and effectiveness of cut.
- Durable and light to handle due to aluminium shafts.



PowerGear™	Lopper	Bypass,	Hook He	ad (L) L78

Length: 692 mm Weight: 1060 g Width: 180 mm Retail box: 4 Old art. no. 112590 Height: 28 mm





1000584

1000583

Art. no.

Art. no.

- For heavy cutting of fresh wood up to Ø 50 mm.
 Very light weight due to FiberComp™ construction.
- Bypass blades for easy catching of branches and a clean cuts.

PowerGear[™] Lopper Anvil (L) L77

Weight: 1050 g Old art. no. 112580 Height: 32 mm Length: 686 mm Width: 257 mm Retail box: 4





- For heavy cutting of hard and dry wood up to Ø 50 mm.
- Very light weight due to FiberComp™ construction.
- Anvil blade configuration for added durability and effective cuts.

PowerGear [™] Lopper Bypass, Scissor Head (M) L76					Art. no. 1001553	z	6 411501 123008
Height: 25 mm	Lenath: 557 mm	Width: 184 mm	Weight: 540 a	Retail box: 4	Old art. no. 112300	7	6 4 1 1 5 0 1 1 2 3 0 0 8



- For cutting of fresh wood up to Ø 28 mm.
- Very light weight due to FiberComp™ construction.
- Scissor head blades optimised for precision cutting.

PowerGear [™] Lopper Bypass, Hook Head (M) L74					Art. no. 1000582	Z	
Height: 25 mm	Length: 545 mm	Width: 183 mm	Weight: 550 g	Retail box: 4	Old art. no. 112290		6 411501 122902



- For cutting of fresh wood up to Ø 38 mm.
- Very light weight due to FiberComp™ construction.
- Bypass blades for easy catching of branches and a clean

PowerGear [™] Lopper Bypass, Scissor Head (S) L72					Art. no. 1001555	- A 6 4 1 1 5 0 1 1 2 2 0 0 1
Height: 25 mm	Length: 460 mm	Width: 152 mm	Weight: 470 g	Retail box: 4	Old art. no. 112200	6 4 1 1 5 0 1 1 2 2 0 0 1





• Scissor head blades optimised for precision cutting.

PowerGear™ Lopper Anvil (S) L71						1001556	8 6 4 1 1 5 0 1 1 2 1 8 0 6
Height: 25 mm	Length: 450 mm	Width: 162 mm	Weight: 470 g	Retail box: 4	Old art. no.	112180	6 411501 121806



For cutting of hard, dry wood up to Ø 35 mm.
 Very light weight due to FiberComp™ construction.

PowerGear [™] Lopper Bypass, Hook Head (S) L70					Art. no. 1002104	- A 6 4 1 1 5 0 1 1 2 1 9 0 5
Height: 25 mm	Length: 460 mm	Width: 152 mm	Weight: 470 g	Retail box: 4	Old art. no. 112190	6 411501 121905



LOI	rrequent	cutting of	iresii wood	2 up 10 10 36 mm.	
1/00	uliaht wa	iaht dua t	a EibarCan	anTM construction	

 Very light weight due to FiberComp[™] construction.
 Hooked bypass blades for easy catching of branches and a clean cuts.

PowerGea	ar™ Loppei	Anvil (S) L	31		Art. no.	1000581	8 6 4 1 1 5 0 3 9 6 1 7 0 7
Height: 25 mm	Length: 387 mm	Width: 180 mm	Weight: 380 g	Retail box: 4	Old art. no.	112170	6 411503 961707



- For cutting of hard, dry wood up to Ø 35 mm.
- Very light weight due to FiberComp™ construction.

Quantum[™] loppers

Fiskars Quantum[™] exemplifies natural beauty and design. The red dot best of the best awarded range exhibits light but strong aluminium bodies, precision ground blades and unique cork padded handles for both comfort and style.





HONORARY MENTION

fenniaprize HONORARY MENTION

Other loppers



PowerSte	p™ Lopper	Anvil L85		Art. no. 1000585	
Height: 38 mm	Length: 570 mm	Width: 185 mm	Weight: 630 g	Retail box: 4	Old art. no. 112850
	TOWNS CHE		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	reddot design award best of the best 2009 fennia prize good design grows global HONORARY MENTION	 For cutting both thinner and thicker branches up to Ø 40 mm, reduces peak efforts. Anvil blade both stabilises and facilitates cutting of hard, dry wood.

Lopper L3	2, white		Art. no. 1026930	6 4 1 1 5 0 1 1 5 0 1 9 6		
Height: 25 mm	Length: 387 mm	Width: 180 mm	Weight: 380 g	Retail box: 4	Old art. no	6 4 1 1 5 0 1 9 6



- For cutting of hard, dry wood up to Ø 35 mm.
- White colour that makes the lopper more visible.
- Very light weight due to FiberComp™ construction.

SingleStep[™] loppers

SingleStep™ Lopper Bypass Hook head (S) L28 Art. no. 1001432 Height: 25 mm Length: 495 mm Width: 185 mm Weight: 950 g Retail box: 4 Old art. no. 112160



- For cutting fresh wood.
 Cutting capacity: Ø 35 mm.
 Blade material: hardened steel, non-stick coating.

SingleStep	o™ Lopper	Bypass Ho	Art. no. 1001426	6 4 1 1 5 0 1 1 2 4 6 0 9		
Height: 25 mm	Length: 816 mm	Width: 346 mm	Weight: 1170 g	Retail box: 4	Old art. no. 112460	6 4 1 1 5 0 1 1 2 4 6 0 9



- For heavy cutting of fresh wood.
- Cutting capacity: Ø 40 mm.
 Blade material: hardened steel, non-stick coating.

SingleStep	o™ Lopper	Anvil Hook	Art. no. 1001430	8 4 1 1 5 0 1 1 2 4 5 0 0		
Height: 25 mm	Length: 816 mm	Width: 346 mm	Weight: 1200 g	Retail box: 4	Old art. no. 112450	6 411501 124500



- For heavy cutting of dry and hard wood.
- Cutting capacity: Ø 40 mm.
 Blade material: upper blade of hardened steel with non-stick

 Output

 Outp coating, anvil blade of aluminium.

Hedge shears

Fiskars has a full range of shears whether your interest is topiary, annual growth control, or simply a nice straight line in your hedge. From robust SingleStep action hedge shears to adjustable telescopic shears. For the toughest jobs, we have shears featuring our unique PowerGear™ technology, which can triple your cutting power right up to the tip.



PowerGear[™] hedge shears

PowerGear™ X Hedge Shear HSX92 Art. no. 1023631 Height: 30 mm Length: 630 mm Width: 165 mm Weight: 808 g Retail box: 4 Old art. no. -



- For effortless trimming of hedges and bushes.
 Unique PowerGear™ mechanism makes cutting up to 3 times easier vs standard mechanisms.
- Light-weight and durable with PTFE coated precision ground blades.
- \bullet Optimum comfort and balance with SoftGrip $^{\text{TM}}$ handle construction.

PowerGear [™] Hedge Shear HS72						1000596	z	6"411501" 147905"
Height: 45 mm	Length: 570 mm	Width: 165 mm	Weight: 630 g	Retail box: 4	Old art. no.	114790	Ä	6 4 1 1 5 0 1 1 4 7 9 0 5



- For easy trimming of hedges and bushes.
- Saving effort up to 3x with PowerGear™ cutting mechanism.
- Very light weight due to FiberComp™ shaft.

Quantum[™] hedge shears

Quantum™ Hedge Shear HS102					Art. no.	1001449	z	
Height: 40 mm	Length: 631 mm	Width: 170 mm	Weight: 960 g	Retail box: 4	Old art. no.	114820		6"411501"148209"





- For easy trimming of hedges and bushes.
- Saving effort up to 3x with PowerGear™ cutting mechanism.
- Ultimate usage comfort with natural cork handles and padded stoppers.

Other hedge shears

SmartFit[™] Hedge Shear HS86 Art. no. 1013565 Height: 45 mm Length: 675 mm Width: 215 mm Weight: **1250 g** Retail box: 4 Old art. no. 114800 • For trimming of hedges and bushes both far and near. • Optimal working position due to adjustable shaft length between 680 - 930 mm.





 \bullet Comfortable, non-slip SoftGrip $^{\text{TM}}$ handles.

PowerLev	⁄er™ Hedge	Shear HS	Art. no. 1001564	z		
Height: 20 mm	Length: 544 mm	Width: 148 mm	Weight: 610 g	Retail box: 4	Old art. no. 114750	6 411501 967503
POLAN				reddot design award winner 2002 Ennia prize good design grows global ONORARY MENTION	 For easy trimming of hec Saving effort up to 2x wit nism. Light weight due to Fiber 	th PowerLever™ cutting mecha-

Hedge sh	ear HS53, w	vhite		Art. no. 1026931	4 11501 150202	
Height: 20 mm Length: 544 mm Width: 148 mm Weight: 610 g Retail box: 4 Old art. no						
New					For easy trimming of hedWhite colour that makes	lges and bushes. the grass shear more visible.



- Saving effort up to 2x with PowerLever™ cutting mechanism.
- \bullet Light weight due to FiberComp $^{\text{TM}}$ shaft.

SingleSte	SingleStep™ Hedge Shear Wavy Blade HS22						z		
Height: 45 mm	Length: 580 mm	Width: 190 mm	Weight: 840 g	Retail box: 4	Old art. no.	114730	- A		
• 7=						ning hedges and		es. s of classfibre reinforced	



• Sturdy and comfortable handles of glassfibre reinforced	d
polypropene (PPGF).	
 Hardanad stool blades with non-stick coating 	

Solid™ Hedge shear HS21					Art. no. 1026827	Z	
Height: 98 mm	Length: 555 mm	Width: 190 mm	Weight: 815 g	Retail box: 4	Old art. no	Ţ	6 411501 150271



- For trimming hedges and bushes.
- Sturdy and comfortable handles with soft-touch grip.
- Hardened steel blades.


New PowerGear™X tree pruners



Soft-grip strengthened for better grip

PowerGear™X tree pruners

Fiskars Tree pruners are multi-use tools that allow access to tree crowns and dense bushes, enabling the gardener to trim overhead without needing a ladder, or at ground level without bending or kneeling.





• Sturdy fastening mechanism to shaft, fits UPX82 & UPX86.

Other tree pruners & accessories

Pruning Snip UP69, white Height: 70 mm Length: 1460 mm Width: 110 mm Weight: 900 g Retail box: 4 Old art. no.

- For trimming branches high and low, Ø 12 mm.
- Cutting reach approx. 4,5 m.
- Adjustable handle 270° for easy handling.



Tree Prune	er Bypass L	ong UP84	Art. no. 1001557	6 4 1 1 5 0 1 9 6 3 9 0 1		
Height: 70 mm	Length: 2322 mm	Width: 118 mm	Weight: 1050 g	Retail box: 2	Old art. no. 115390	6 411501 963901





- Bypass cutting action for up to Ø 32 mm thick branches.
- Cutting reach of approximately 4,5 meters.
- Adjustable cutting angle up to 230°.
- Can be used with extension pole (art. No 1001560) and fruit picker (art. No 1001562).



Tree Pruner Anvil UP53					Art. no. 1000597	8 411501 963505
Height: 70 mm	Length: 1610 mm	Width: 118 mm	Weight: 740 g	Retail box: 4	Old art. no. 115350	6 411501 963505

- \bullet Anvil cutting action especially for dry and hard wood up to \varnothing 32 mm thickness.
- Cutting reach vertically about 3,5 meters.
- Adjustable cutting angle up to 260°.
- Can be used with fruit picker (art. No 1001562).



Extension Pole UP80 Plus Part					Art. no. 1001560	z
Height: 30 mm	Length: 1453 mm	Width: 60 mm	Weight: 450 g	Retail box: 4	Old art. no. 110460	6 411502 964631

- Can be used with Tree pruner bypass UP84 (art. No 1001557).
- Can extend cutting heights with 1,5 meters.



Fruit Picker UP80 Plus Part					Art. no.	1001562	Z	
Height: 205 mm	Length: 290 mm	Width: 155 mm	Weight: 210 g	Retail box: 4	Old art. no.	110970		6 4 1 1 5 0 1 9 6 9 7 0 5



- Can be used with article No. 1001557, 1000598, 1023624 and 1023625
- Bag of durable cotton fabric and frame of FiberComp™.

Solid™ Tree Pruner					Art. no. 1023627	4 11501 150158
Height: 60 mm	Length: 2050 mm	Width: 250 mm	Weight: 1880 g	Retail box: 5	Old art. no	6 411501 150158

- For cutting branches up to Ø 25 mm.
 Reach up to 3.5 meters.
 Stainless steel blades that stay sharp and do not rust.







Smart and safe solution



Fiskars QuikFit[™] is a range of garden products with interchangeable heads and handles for a variety of garden tasks. In particular, Fiskars QuikFit[™] offers safe and smart solutions for those high reach jobs, enables effective lawn and yard cleaning and offers neat and transportable solutions for cultivating work.



↑ 6m reach

Shaft M + saw

↑ **3.5**m







Click & Reach

Within the Click&Reach range, QuikFit™ offers easy solutions for those hard-to-reach tasks, paying the due attention to safety. Forget the ladder when sawing high branches or cleaning gutters – let QuikFit™ do the job from the ground up.

Click & Clean

Within the Click&Clean range QuikFit™ Fiskars offers easy solutions for cleaning your lawn and yard with special attention paid to functionality and storage efficiency. With their unique and smart design QuikFit™ rakes and brooms allow you to perform the garden tidy-up with minimum effort, while keeping your shed neat and free from clutter when not in use.

Click & Grow

Within the Click&Grow range, QuikFit[™] offers easy and mobile solutions for cultivating vegetable and flowers in your garden, summer cottage or city allotment. The unique space-saving system, where one shaft can be used with several tool heads, makes transportation and storage easy.

QuikFit™ click & reach



reddot design award winner 2010

QuikFit™	Tree Cutter	•	Art. no. 1001410	EAN		
Height: 70 mm	Length: 400 mm	Width: 110 mm	Weight: 480 g	Retail box: 6	Old art. no. 136525	6 4 1 1 5 0 1 3 6 5 2 5 5





- Enhanced cutting power (x12) with PowerReel™ mecha-
- No external ropes on the cutting head allows to easily reach any branch.
- Anvil cutting action for dry and hard wood.
- Cutting capacity: Ø 32 mm.

Recommended Shaft: Telescopic Shaft L and Telescopic

QuikFit™	Curved Sav	v	Art. no. 1000691	5 9 0 5 5 6 8 3 6 5 2 7 9		
Height: 35 mm	Length: 560 mm	Width: 70 mm	Weight: 390 g	Retail box: 6	Old art. no. 136527	5 905568 365279



- Pull saw with hardened steel blade with a length of 360 mm.
- Top-hook ensures non-slip stediness while pulling.
- Bottom knife ensures a clean and precise finishing cut from below the branch.

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

QuikFit™ Fruit Picker					Art. no. 1000693	N N N N N N N N N N N N N N N N N N N
Height: 85 mm	Length: 320 mm	Width: 168 mm	Weight: 250 g	Retail box: 6	Old art. no. 136950	5 905568 369505



- For easy pulling from the branch due to broad opening, optimal design which directs the fruit to the end of the tips.
- Cotton bag, which can be removed for washing.
 Added durability due to FiberComp™ lightweight design. Recommended Shaft: Telescopic Shaft L, Telescopic Shaft M and Shaft L.

QuikFit™	Gutter Clea	ner	Art. no. 1001414	5 9 0 5 5 6 8 3 5 5 4 2 3		
Height: 150 mm	Length: 310 mm	Width: 45 mm	Weight: 330 g	Retail box: 6	Old art. no. 135542	5 905568 355423



- Combination of brush and scraper offers full complement gutter cleaning capabilities.
- Adjustable angle ensures optimal positioning of tool safely from the ground.

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

QuikFit™ Telescopic Shaft M					Art. no.	1000666	Z	
Height: 37 mm	Length: 1400 mm	Width: 65 mm	Weight: 1000 g	Retail box: 6	Old art. no	. 136042		5 9 0 5 5 6 8 3 6 0 4 2 7



- Especially designed for hard to reach tasks in the garden with a reach of up to 4 metres, it fits conveniently into most cars.
- Dual locking system for maximum safety.
- · Lightweight aluminium.
- Adjustable shaft length from 1400 2400 mm.

QuikFit[™] click & reach



QuikFit™ Telescopic Shaft L					Art. no. 1000665		Z	5 9 0 5 5 6 8 3 6 0 3 2 8
Height: 40 mm	Length: 2280 mm	Width: 90 mm	Weight: 1600 g	Retail box: 4	Old art. no.		1	5 9 0 5 5 6 8 3 6 0 3 2 8

- Especially designed for hard to reach tasks in the garden with a reach of up to 6 m.
- Dual locking system for maximum safety.
- Lightweight aluminium.
- Adjustable shaft length from 2280 4000 mm.



QuikFit™ click & clean



reddot design award winner 2010

QuikFit™ Leaf Rake L					Art. no. 1	1000642	4 1 1 5 0 1 3 5 0 1 3 8
Height: 53 mm	Length: 320 mm	Width: 520 mm	Weight: 290 g	Retail box: 6	Old art. no. 1	135013	6 411501 350138



- Wide rake for gathering fallen leaves and grass cuttings.
- More comfort with less effort due to tines working in a pulling
- 25 soft and flexible tines of high-quality PBT plastic that withstand bending. Recommended Shaft: Shaft L

QuikFit™	Leaf Rake N	Metal	Art. no. 1000644	6 4 1 1 5 0 1 3 5 2 0 1 9		
Height: 70 mm	Length: 470 mm	Width: 430 mm	Weight: 445 g	Retail box: 6	Old art. no. 135201	6 411501 352019



- For removing loose moss and grass cuttings from the lawn.
- 22 flexible steel prongs. Recommended Shaft: Shaft L

QuikFit™	Gather Rak	Ke			Art. no. 1000656	N
Height: 125 mm	Length: 175 mm	Width: 580 mm	Weight: 1017 g	Retail box: 2	Old art. no. 135514	5 905568 540331
paramanan mananan mana					Wide rake for gathering learning l	eaves and cutting waste from lawn



- Hardened carbon steel head. Recommended Shaft: Shaft L

QuikFit™	Aerator Ral	ke	Art. no. 1000655	5905568 540324		
Height: 75 mm	Length: 270 mm	Width: 365 mm	Weight: 961 g	Retail box: 2	Old art. no. 135513	5 905568 540324



- For removing moss and thatch from lawn areas. Hardened carbon steel head.
- Recommended Shaft: Shaft L

QuikFit™ I	Leaf Rake S	3	Art. no. 1000659	A 4 1 1 5 0 1 3 5 5 5 1 5		
Height: 42 mm	Length: 320 mm	Width: 220 mm	Weight: 170 g	Retail box: 6	Old art. no. 135551	6 411501 355515



- Convenient small leaf rake for clearing around narrow beds and borders.
- More comfort with less effort due to tines working in a pulling
- 11 soft and flexible tines of high-quality PBT plastic that withstand bending.

Recommended shaft: Shaft M and L

QuikFit™ click & clean



reddot design award winner 2010

QuikFit™ l	Flower Rak	е	Art. no. 1001412	8 4 1 1 5 0 1 3 5 5 5 2 2		
Height: 41 mm	Length: 384 mm	Width: 124 mm	Weight: 210 g	Retail box: 6	Old art. no. 135552	6 4 1 1 5 0 1 3 5 5 5 2 2



- \bullet Durable FiberComp $^{\text{TM}}$ frame and 7 steel tines construction.
- 13 cm working width ideal for nursery spaces and narrow plant beds.

Recommended shaft: Handle S and Shaft M

QuikFit™ l	Lawn Edge	r	Art. no. 1000690	S 905568 540454		
Height: 28 mm	Length: 260 mm	Width: 195 mm	Weight: 398 g	Retail box: 6	Old art. no. 136526	5 905568 540454



- For clearing the space between the lawn and hard surfaces by stepping on the blade and driving it deep into the lawn.
- For edging the borders.Hardened boron steel head with flat top.

Recommended shaft: Shaft M and L

QuikFit™ Yard Broom						1001417	Z	5 9 0 5 5 6 8 3 5 5 3 2 4
Height: 195 mm	Length: 290 mm	Width: 70 mm	Weight: 340 g	Retail box: 6	Old art. no.	135532	EA	5 9 0 5 5 6 8 3 5 5 3 2 4





- All-purpose yard broom.
- Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping.

Recommended shaft: Shaft M and L

QuikFit™ Patio Broom						01416	5 9 0 5 5 6 8 3 5 5 3 3 1
Height: 185 mm	Length: 380 mm	Width: 75 mm	Weight: 370 g	Retail box: 6	Old art. no. 135	5533	5 905568 355331



- For sweeping smooth surfaces like patios, wooden decks and polished concrete floors.
- Fast efficient sweeping due to the wide brush head and soft

Recommended shaft: Shaft M and L

QuikFit™ Sweeping Broom					Art. no. 1001	01415	
Height: 290 mm	Length: 260 mm	Width: 70 mm	Weight: 375 g	Retail box: 6	Old art. no. 1355	5534	5 9 0 5 5 6 8 3 5 5 3 4 8



- A modern take on the traditional sweeping broom.
- Robust construction and long bristles ideal for coarser debris, leaves etc..

Recommended shaft: Shaft M and L

QuikFit™ click & clean



red<mark>dot</mark> design award winner 2010

QuikFit™ Paving Brush					Art. no. 1000657	E 5 9 0 5 5 6 8 3 5 5 2 2 5
Height: 37 mm	Length: 185 mm	Width: 152 mm	Weight: 160 g	Retail box: 6	Old art. no. 135522	5 9 0 5 5 6 8 3 5 5 2 2 5



- For removing moss and weeds from between paving slabs.
- Hardened steel front blade for stubborn moss and dirt.
- Steel bristles to scrub paving and slabs.
- More durable and resistant to moisture due to lightweight $\mathsf{FiberComp^{\mathsf{TM}}}\, \mathsf{construction}.$

Recommended shaft: Shaft M and L

QuikFit™ I	Patio Knife		Art. no. 1000687	E A N		
Height: 28 mm	Length: 250 mm	Width: 70 mm	Weight: 136 g	Retail box: 6	Old art. no. 136521	5 905568 540393



- Ideal tool for removing grass, moss and weeds from between slabs, block paving, wall corners and steps.
- Blade of hardened boron steel. Recommended shaft: Shaft M and L

QuikFit™ \$	Straight Sa	w	Art. no. 1000692	Y 5 9 0 5 5 6 8 3 6 5 2 8 6		
Height: 50 mm	Length: 620 mm	Width: 50 mm	Weight: 200 g	Retail box: 6	Old art. no. 136528	5 905568 365286



- For sawing tasks in the garden.
 FiberComp™ slider and adaptor.
 Hardened steel blade with a length of 345 mm. Recommended shaft: Shaft M and L



red<mark>dot</mark> design award winner 2010

QuikFit™ Soil Rake 14 prongs					Art. no. 1000653	5 9 0 5 5 6 8 5 4 0 3 0 0
Height: 70 mm	Length: 205 mm	Width: 360 mm	Weight: 428 g	Retail box: 6	Old art. no. 135511	5 905568 540300



- For raking, levelling or smoothing seed beds that cover a
- 14 spikes of hardened carbon steel. Recommended shaft: Shaft L

QuikFit™ \$	Soil Rake 1	6 prongs	Art. no. 1000654	3 905568 540317		
Height: 70 mm	Length: 205 mm	Width: 400 mm	Weight: 493 g	Retail box: 6	Old art. no. 135512	5 905568 540317



- For raking, levelling or smoothing seed beds that cover a wider area.
- 16 tines of hardened carbon steel. Recommended shaft: Shaft L

QuikFit™ Universal Rake						1000643	4 1 1 5 0 1 3 5 0 5 1 0
Height: 110 mm	Length: 152 mm	Width: 410 mm	Weight: 260 g	Retail box: 6	Old art. no.	135051	6 411501 350510





- For raking and clearing long loose grass.
 Also for making planting beds by levelling the ground and sand and packing down the soil.
 12 FiberComp™ tines designed at a specific angle to help
- with ergonomic posture.

 Levelling function to even the soil bed.
 Recommended shaft: Shaft L

QuikFit™ Rose Rake						1000651	5 9 0 5 5 6 8 5 4 0 3 5 5
Height: 45 mm	Length: 225 mm	Width: 245 mm	Weight: 233 g	Retail box: 6	Old art. no.	135501	5 905568 540355



- Unique head shape allows the gardener to work between plants and stems without damaging the plants.
- Ideal for narrow bed layouts.
- 10 teeth of hardened boron steel.

Recommended shaft: Shaft L and M

QuikFit™ Cultivator					Art. no.	1000680	EAN	5 9 0 5 5 6 8 5 4 0 4 2 3
Height: 115 mm	Length: 305 mm	Width: 125 mm	Weight: 417 g	Retail box: 6	Old art. no.			5 905568 540423



- For cultivating, scarifying, aerating and breaking up soil.
- Suitable for seed bed preparation and maintenance.
- Blade of hardened carbon steel.

Recommended shaft: Shaft L



red<mark>dot design award</mark> winner 2010

QuikFit™ (Cultiweede	er	Art. no. 1000681	E P P		
Height: 175 mm	Length: 305 mm	Width: 125 mm	Weight: 507 g	Retail box: 6	Old art. no. 136512	5 905568 540416



- For cultivating, scarifying, aerating and breaking up soil.
- Suitable for seed bed preparation and maintenance.
- Blade of hardened carbon steel. Recommended shaft: Shaft L

QuikFit™	Grubber		Art. no. 1000685	E P		
Height: 90 mm	Length: 330 mm	Width: 100 mm	Weight: 340 g	Retail box: 6	Old art. no. 136517	5 905568 365170



- For cultivating and aerating garden flower beds.
- Blade of hardened carbon steel.

 Recommended shaft: Shaft M and L

QuikFit™	Hoe		Art. no. 1000677	E AN		
Height: 90 mm	Length: 250 mm	Width: 185 mm	Weight: 254 g	Retail box: 6	Old art. no. 136503	5 905568 540379



- Efficient tool for removing weeds between rows of plants or breaking up the soil.
- Blade of stainless steel. Recommended shaft: Shaft L

QuikFit™ I	Push-Pull V	Veeder	Art. no. 1000738	z		
Height: 35 mm	Length: 250 mm	Width: 155 mm	Weight: 358 g	Retail box: 6	Old art. no. 139970	5 905568 540409



- Useful for weeding as it loosens the soil simply by pushing and pulling back and forth.
- Hardened boron steel head. Recommended shaft: Shaft L

QuikFit [™] Hoe 3 functions					Art. no. 1000682	z
Height: 40 mm	Length: 315 mm	Width: 130 mm	Weight: 241 g	Retail box: 6	Old art. no. 136513	5 905568 540430



- For working around stems and in narrow spaces.
 Blade is sharpened on 3 sides to assist cultivating at different angles.
- Blade of hardened boron steel. Recommended shaft: Shaft L



red<mark>dot</mark> design award winner 2010

QuikFit™ Dutch Hoe					Art. no. 10	000676	NEW 5 905568 540362
Height: 28 mm	Length: 295 mm	Width: 125 mm	Weight: 241 g	Retail box: 6	Old art. no. 13	36502	5 905568 540362



- Sharp, ground weeding blade for removing weeds, breaking up soil, creating seed rows or removing moss from patios.
- Blade of hardened boron steel. Recommended shaft: Shaft L

QuikFit™	Spiker		Art. no. 1000689	6 411501 365248		
Height: 100 mm	Length: 305 mm	Width: 205 mm	Weight: 512 g	Retail box: 2	Old art. no. 136524	6 4 1 1 5 0 1 3 6 5 2 4 8



- Used for aerating smaller, narrower plots.
- Allows nutrients to penetrate the surface and helps seed, fertiliser, water, air and light to reach the roots.
- Hardened steel blades.
- Recommended shaft: Shaft L

QuikFit™ Cultivator Angled					Art. no.	1000683	z	5 9 0 5 5 6 8 3 6 5 1 5 6
Height: 70 mm	Length: 305 mm	Width: 90 mm	Weight: 235 g	Retail box: 6	Old art. no.		EA	5 9 0 5 5 6 8 3 6 5 1 5 6



- For loosening and aerating plant beds to optimise nutrient distribution.
- Tool design protects plants roots.
- Carbon steel head.

Recommended shaft: Handle S and Shaft M

QuikFit™ Double Scraper Hoe					Art. no.	1000734	z
Height: 143 mm	Length: 187 mm	Width: 53 mm	Weight: 220 g	Retail box: 6	Old art. no.	137562	5 9 0 5 5 6 8 3 7 5 6 2 9



- Versatile use on patios and for removing grass, moss and weeds from between tiles and slabs.
- Can also be used to cultivate plant beds.
- Boron steel blades with carbon steel thong.

Recommended shaft: Handle S and Shaft M

QuikFit™ Double Hoe					Art. no.	1000735	EAN	5 9 0 5 5 6 8 3 7 5 7 2 8
Height: 143 mm	Length: 187 mm	Width: 53 mm	Weight: 205 g	Retail box: 6	Old art. no.			



- Versatile use with dual functionality.
- For breaking up soil, cultivating plant beds and weeding.
- Boron steel blades with carbon steel thong.

Recommended shaft: Handle S and Shaft M



red<mark>dot design award</mark> winner 2010

QuikFit™ Weed Fork					Art. no. 1000733	EAN
Height: 35 mm	Length: 273 mm	Width: 77 mm	Weight: 215 g	Retail box: 6	Old art. no. 137552	5 905568 375520



- For transplanting, cultivating and weeding.
- Boron steel head.

Recommended shaft: Handle S and Shaft M

QuikFit™	Trowel		Art. no. 1000730	5 9 0 5 5 6 8 3 7 5 1 2 4		
Height: 63 mm	Length: 318 mm	Width: 73 mm	Weight: 260 g	Retail box: 6	Old art. no. 137512	5 905568 375124



- For planting and transplanting.
- Boron steel head.

Recommended shaft: Handle S and Shaft M

QuikFit™ Weed Extractor					Art. no.	1000731	z	
Height: 45 mm	Length: 328 mm	Width: 35 mm	Weight: 225 g	Retail box: 6	Old art. no	. 137522	B	



- For planting and transplanting.Boron steel head.

Recommended shaft: Handle S and Shaft M

QuikFit™ Shaft L					Art. no. 1000661	EAN
Height: 35 mm	Length: 1560 mm	Width: 75 mm	Weight: 475 g	Retail box: 6	Old art. no. 136001	5 9 0 5 5 6 8 5 4 0 4 6 1

- Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip™ handle.
- Hanging hole for easy storage.
 Shaft for allround use in garden.
- A unique automatic lock makes the tool ready for use in seconds.

QuikFit™ Shaft M					Art. no. 1000664	z	
Height: 35 mm	Length: 845 mm	Width: 30 mm	Weight: 290 g	Retail box: 6	Old art. no. 136022		5 905568 360229



- Medium-length shaft which can be used with nursery tools, cultivators and hoes.
- Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip™ handle.
- A unique automatic lock makes the tool ready for use in
- Hanging hole for easy storage.

QuikFit™



QuikFit™ Handle S					Art. no.	1000663	5905568 360120
Height: 35 mm	Length: 234 mm	Width: 32 mm	Weight: 95 g	Retail box: 6	Old art. no.	136012	5 905568 360120




- Small handle ideal for use with nursery tools.
- Optimum comfort due to aluminium teardrop-shaped frame with FiberComp™ and a SoftGrip™ handle.
- Hanging hole for easy storage.

QuikFit™ Universal Adapter						1000617	6 4 1 1 5 0 1 3 0 0 0 0 3
Height: 43 mm	Length: 171 mm	Width: 30 mm	Weight: 71 g	Retail box: 6	Old art. no.	130000	6 4 1 1 5 0 1 3 0 0 0 0 3



- For connecting a variety of interchangable heads produced by other manufacturers.
- Lightweight FiberComp™ construction.





Car & camping tools

SnowXpert™ Car Shovel Art. no. 1019347 Height: 105 mm Length: 630 mm Width: 220 mm Weight: 520 g Retail box: 6 Old art. no. 143072



- Stainless steel blade for increased durability.
- Durable composite structure.
- Lightweight and handy size.

SnowXpert™ Brush & Ice Scraper						9352	6 4 1 1 5 0 1 4 3 0 6 2 5
Height: 92 mm	Length: 670 mm	Width: 95 mm	Weight: 221 g	Retail box: 6	Old art. no. 1430	062	6 4 1 1 5 0 1 4 3 0 6 2 5





- 2-sided non scratching elastic bristles.
- Double bladed scraper.Easy to store detachable structure.

~	4					
Foldable Spade					Art. no. 1000621	NA MININA
Height: 65 mm	Length: 249 mm	Width: 153 mm	Weight: 1016 g	Retail box: 4	Old art. no. 131320	6 411503 275019
				il	Easy foldable spade, wh practical for camping, spo Capyas sheath for safe s	





- Durable spade of hardened boron steel, hardened aluminium and plastic.
- Unfolded the spade is 590 mm in length.

Snow Light Car Shovel					Art. no. 1000740	Z 3 17 7 9 4 3 1000 4
Height: 120 mm	Length: 715 mm	Width: 255 mm	Weight: 750 g	Retail box: 3	Old art. no. 141020	7 3 1 7 7 9 4 3 1 0 0 0 4



- Aluminium shaft with ergonomic plastic coating.
- Ergonomically designed handled.
- Hardened aluminium blade.

Safety Camping & Car Spade					Art. no. 1001574	z
Height: 130 mm	Length: 700 mm	Width: 207 mm	Weight: 479 g	Retail box: 6	Old art. no. 131520	6 411503 270007



- Lightweight spade which floats in water, for camping and
- Plastic (PP) handle is resistant to low temperatures.
- Durable aluminium scoop for rigidity and high tensile
- Hexagonal shaft for extra grip.


Solid™ Ca	r Spade		Art. no. 1014809	8 4 1 1 5 0 1 3 1 4 1 7 8		
Height: 105 mm	Length: 800 mm	Width: 195 mm	Weight: 1350 g	Retail box: 4	Old art. no. 131417	6 411501 314178



- All-purpose digging spade for small tasks in all seasons.
 Pointed and sharpened cutting edge.
 Easy to transport and carry.

Solid™ Ca	r Shovel				Art. no. 1019353	6"411501"430731
Height: 105 mm	Length: 630 mm	Width: 220 mm	Weight: 500 g	Retail box: 6	Old art. no. 143073	6 4 1 1 5 0 1 4 3 0 7 3 1









- Functional tool for removing ice from the car windows.
 Sturdy and durable structure.





SnowXpert[™] snow tools

Fiskars snow tools range offers a wide selection of snow tools including sledges, snow shovels, pushers and rollers for both home and professional use. Fiskars SnowXpert™ range of tools has distinctive orange handle details and a patented blade edge lasting up to three times longer than traditional snow tool edges. Fiskars SnowXpert™ tools have a patented blade design that lasts up to three times longer than traditional blade solutions. The steel edge on traditional snow tools flexs and wears out. Fiskars SnowXpert™ tools' new patented blade design incorporates a stiff steel bar. The design increases blade rigidity and improves blade durability.



SnowXpert[™] snow tools

SnowXpert[™] Shovel Art. no. 1003468 Length: 1310 mm Width: 350 mm Height: 1310 mm Weight: **1400** g Retail box: 3 Old art. no. 141001





- Reinforced polypropylene plastic scoop.
- For clearing snow from small areas e.g. porch and around

SnowXpert™ Pusher						1003469	<u> </u>
Height: 90 mm	Length: 1520 mm	Width: 533 mm	Weight: 1600 g	Retail box: 3	Old art. no.		6 411501 430014
•	_	 0				ed polypropylene pla ing snow from pathv	astic scoop. vays and around the house

SnowXpert™ Roller						1003471	
Height: 117 mm	Length: 1759 mm	Width: 533 mm	Weight: 1700 g	Retail box: 2	Old art. no.	143011	6 411501 430113
			7			ed scoop of polyprop	layer of approximately 5 cm. lylene plastic rolls the snow in

SnowXpe	rt™ Sledge					Art. no.	1003470	z	
Height: 275 mm	Length: 1495 mm	Width:	720 mm	Weight: 4050 g	Retail box: 6	Old art. no.	143021	EA	6 4 1 1 5 0 1 4 3 0 2 1 2
1			7			Lightwei and parkir		larç	ger snow clearance, e.g. yard



- Long sturdy tubular steel handle for easy use.
 Injection moulded scoop for high stability and lightness.
- Orange reflector for visibility in the dark.

Professional snow tools

Professional Snow Sledge Art. no. 1001631 Height: 330 mm Length: 1480 mm Width: 830 mm Weight: 7000 g Retail box: 6 Old art. no. 143040





- Tubular steel handle.
- Tough zinc coated steel edge.Safety reflectors on handles.
- Orange reflector for visibility in the dark.

Classic snow tools

Ice Iron			Art. no. 1001639	Z B B B B B B B B B B B B B B B B B B B		
Height: 40 mm	Length: 1475 mm	Width: 175 mm	Weight: 1400 g	Retail box: 4	Old art. no. 140000	6 411503 239905
	-		-		Purpose-made tool for beSolid painted blade of heWooden shaft.	oreaking, chipping and clearing ice. ardened boron steel.

Snow and Grain Shovel						Art. no.	1001637		
Height: 200 mm Length: 1268 mm Width: 310 mm Weight: 1400 g Retail box: 4 Old art. no. 142000							6" 4 1 1 5 0 3" 2 3 5 2 8 0		
		3						od shaft. bylene grip. ality aluminium blade.	

Snow Ligi	ht Snow Pus	sher - Alun	Art. no. 100	001636			
Height: 125 mm	Length: 1622 mm	Width: 532 mm	Weight: 1700 g	Retail box: 4	Old art. no. 14	43060	5 905568 800435
1			O	iF	 Ergonomica 	shaft with plastic coa ally designed handle aluminium blade.	







New patio & yard brooms

Fiskars offers a range of brooms that make a light work of outdoor yard & garden cleaning. For cleaning from the front door, sidewalks, driveways, garages, stairs & wooden decks

The broom's ingeniously designed heads combines attractive design with functionality & durability.

Features & benefits

Easy storage

Functional grip knob offers a comfortable grip & easy storage solution.

2 Durable materials & construction

Perfect selection of durable, weather tolerant materials suitable for outdoor use.

3 Efficient & effortless to use

Optimal combination of bristles for efficient sweeping of different surfaces. The light weight aluminium handles ensures that sweeping can be undertaken without fatigue or back ache.


Modern functional design

Purposefully designed broom heads that reach & sweep even the tightest spots. The brooms have an aesthetic design that is pleasant to have by your front door.

Light broom



Fiskars All purpose yard brooms





- other yard areas.
- Offers a clean sweep of all garden leaves and debris.
- The ends of the broom curve inwards, making it ideal for gathering debris.
- Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping.
- Modern functional design.
- Complementary to Solid shaft (1014913).
- Spare part for Fiskars All Purpose Broom M (1025921)

Height: 480 mm Length: 470 mm Width: 105 mm Weight: 565 g Retail box: 4

Solid™ All Purpose Yard Broom Head L



- All-purpose yard broom for cleaning pavements, patios and other yard areas.
- Perfect for large areas e.g driveways & garages.Offers a clean sweep of all garden leaves and debris.
- Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping.
- Modern functional design.
- Complementary to Solid shaft (1014913).
- Spare part to Fiskars All Purpose Yard Broom L (1025926)

Solid™ Sh	aft				Art. no.	1014913	6 4 1 1 5 0 1 3 5 0 0 1 5
Height: 30 mm	Length: 1600 mm	Width: 28 mm	Weight: 350 g	Retail box: 10	Old art. no.		6 4 1 1 5 0 1 3 5 0 0 1 5

- Lightweight and durable aluminium construction.
- \bullet Compatible with Solid $^{\rm TM}$ Broom heads (article No. 1025930 & 1025931).

Accessories

Work Glov	es - SIZE 10	0			Art. no. 1003477	6 4 1 1 5 0 1 6 0 0 0 4 2
Height: 15 mm	Length: 325 mm	Width: 120 mm	Weight: 80 g	Retail box: 10	Old art. no. 160004	6 411501 600042



•	Non-slip	grip	with	axes	and	stick tools	s.
---	----------	------	------	------	-----	-------------	----

• Reinforced for rough manual work.

Work Glov	es - SIZE 8				Art. no. 1003478	4 1 1 5 0 1 6 0 0 0 5 9
Height: 15 mm	Length: 315 mm	Width: 115 mm	Weight: 75 g	Retail box: 10	Old art. no. 160005	6 411501 600059



• Non-slip grip with axes and stick tools.

• Reinforced for rough manual work.

Winter Gloves					Art. no. 1015447	6'411501'600073'
Height: 325 mm	Length: 120 mm	Width: 90 mm	Weight: 80 g	Retail box: -	Old art. no. 160007	6 411501 600073



- Non-slip grip with axes and stick tools.
 Reinforced for rough manual work.
 Soft shell polyuretane resists wet and ensures a good grip.



My First Fiskars kids tools








HONORARY MENTION

HONORARY MENTION








• Capacity of 2 litres.







Waterwheels








Width: 39,8 cm

Width: 39,8 cm





- A compact all inclusive set.
- Light weight design <3,5kg.
- Total reach 15 m, durable 9mm 3/8" hose.
- Horizontal design for easy watering around the garden.



Waterwheel M with 20m hose

Waterwheel L with 30m hose





Weight: **5,605 kg**





Retail box: 1

· All inclusive set with high quality

1023643

• 13mm 1/2" garden hose.

Art. no.

Art no

Old art. no. -

Old art. no. -

- Convenient reel cart for easy movement.
- Total reach up to 21,5 meters.

1023644

• Horizontal design for easy watering around the garden.



Waterwheel XL





Weight: **6,755 kg**





Retail box: 1

- All inclusive set with high quality.
- 13mm 1/2" garden hose.
- · Convenient reel cart for easy movement.
- Total reach up to 31,5 meters.

1025932

• Horizontal design for easy watering around the garden.





50,2 cm

Width:





Weight: 9,47 kg





Retail box: 1

• All inclusive set.

Old art. no. -

Art. no.

- Free placement & 360 rotaion for extra wide wide watering area.
- Automatic reel-in.
- Horizontal design for easy watering around the garden.
- Wall-mounting opportunity (wall-mount sold separately).

Waterwheel XL with wheels					Art. no.	1025933	Z	
Height: 60,2 cm	Length: 26,7 cm	Width: 50,7 cm	Weight: 10,98 kg	Retail box: 1	Old art. no.	-		6"411501"510617"















- Horizontal design for easy watering around the garden.
- Wheels for easy movement.





Watering hoses

Fiskars offers a high quality range of watering hoses for garden sizes ranging from small to x-large. Our hoses are twist resistant, durable and UV resistant. Select right quality hose for your garden.

Hose lenght and diameter can be found by the hose name.

Packaging measurements included in the table.













- UV protected.
- Phthalate free.
- Colour coding for easy hose & connector matching.

Watering hose 13 mm (1/2"), 20m Q4					Art. no. 1027104	z
Height: 37 cm	Length: 8,5 cm	Width: 37 cm	Weight: 2,82 kg	Retail box: 2	Old art. no	6'411501'511294
		****			Easy to handle, twist resistTwist resistancy level 4.	ant hose.











- UV protected.
- Phthalate free.
- · Colour coding for easy hose & connector matching.

Watering hose 13 mm (1/2"), 20m Q5					Art. no. 1027107	z
Height: 37 cm	Length: 8,5 cm	Width: 37 cm	Weight: 3,77 kg	Retail box: 2	Old art. no	6 411501 511324















- Easy to handle, twist resistant hose.
- Twist resistancy level 5.
- UV protected.
- Phthalate free.
- Colour coding for easy hose & connector matching.

















Universal fit.
Fits with other brands.





- UV protected.
- Phthalate free.
- Colour coding for easy hose & connector matching.

Watering hose 15 mm (5/8"), 25m Q3

Length: 9,5 cm

Weight: 3,55 kg Retail box: 2 Old art. no. -

Art. no.





Height: 39,5 cm



Width: **39,5 cm**





Universal fit. Fits with other brands.



• Easy to handle, twist resistant hose.

1027097

- Twist resistancy level 3.
- UV protected.
- Phthalate free.
- Colour coding for easy hose & connector matching.

Watering hose 15 mm (5/8"), 25m Q4

Length: 9,5 cm Height: 39,5 cm

Width: **39,5 cm**

Weight: 3,75 kg

Retail box: 2 Old art. no. -













- Easy to handle, twist resistant hose.
- Twist resistancy level 4.

1027098

• UV protected.

Art. no.

- Phthalate free.
- Colour coding for easy hose & connector matching.

Watering hose 15 mm (5/8"), 50m Q4

Height: 39,5 cm

Length: 27,5 cm

Width: **39,5 cm**

Weight: 8 kg

Retail box: 2

Old art. no. -

Art. no.















- Easy to handle, twist resistant hose.
- Twist resistancy level 4.

1027099

- UV protected.
- · Phthalate free.
- Colour coding for easy hose & connector matching.

Watering hose 19 mm (3/4"), 20m Q3

Height: 39,5 cm

Length: 10 cm

Width: **39,5 cm**

Weight: 4,37 kg

Retail box: 2

Old art. no. -

Art. no.

















• Easy to handle, twist resistant hose.

1027109

- Twist resistancy level 3.
- UV protected.
- Phthalate free
- Colour coding for easy hose & connector matching.

Watering hose 19 mm (3/4"), 20m Q4

Height: 39,5 cm

Length: 10 cm

Width: 39,5 cm

Weight: 7,02 kg

Retail box: 2

Old art. no. -

Art. no.













• Easy to handle, twist resistant hose.

1027110

- Twist resistancy level 4.
- UV protected.
- Phthalate free.
- Colour coding for easy hose & connector matching.

Height: 39,5 cm

Watering hose 19 mm (3/4"), 25m Q3

Width: **39,5 cm** Weight: 5 kg

Retail box: 2

Old art. no. -

Art. no.









Universal fit.
Fits with other brands.





- Easy to handle, twist resistant hose.
- Twist resistancy level 3.
- UV protected.

1027100

- Phthalate free.
- Colour coding for easy hose & connector matching.

Watering hose 19 mm (3/4"), 50m Q4

Height: 39,5 cm

Length: 27,5 cm

Length: 12 cm

Width: **39,5 cm**

Weight: **11,77 kg**

Retail box: 2

Old art. no. -

Art. no.















• Easy to handle, twist resistant hose.

1027111

- Twist resistancy level 4.
- UV protected.
- Phthalate free.
- Colour coding for easy hose & connector matching.

Soaker Hose, 15m					Art. no. 1025935	8 4 1 1 5 0 1 5 1 0 6 3 1
Height: 6,5 cm	Length: 37 cm	Width: 37 cm	Weight: 1,44 kg	Retail box: 2	Old art. no	6 4 1 1 5 0 1 5 1 0 6 3 1















- Easy to handle soaker hose 15m, that can be cut to any required length.
- UV protected.
- Pack includes 5 metal clamps for effortless mounting.

Easy to select The right quality hose for your garden

High quality 3-layer hose with cross enforcement. High pressure tested, twist- & UV-resistant.



The right size hose to fit your connector





Universal fit

If you already own watering products by other brands, they will fit together with Fiskars watering products.



Sprinklers

Fiskars sprinklers are easy to use and they cover garden sizes from small to XL, with a wide variety of easily adjustable spray areas.

Easy to select spray patterns





Oscillating sprinkler, On/Off







Art. no.

Old art. no. -







Retail box: 6

Weight: 0,6 kg

- Easy to adjust sprinkler with On/Off mechanism Stop getting soaked!
- Easy to adjust control knobs.

1027028

• Hanging loop for easy storage.

Pulsating	sprinkler s	pike base, 0	Art. no. 1027029	z		
Height: 11,2 cm	Length: 35,5,cm	Width: 18,5 cm	Weight: 0,65 kg	Retail box: 4	Old art. no	6"411501"510747
New			XL	>500m²	Easy to adjust sprinkler w getting soaked!Easy to adjust control knoDurable metal foot.	ith On/Off mechanism - Stop obs.





Pulsating	Pulsating sprinkler tripod base, On/Off					6'411501'510754
Height: 9,2 cm	Length: 23,7 cm	Width: 24,5 cm	Weight: 0,7 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 5 1 0 7 5 4
.1					• Facy to adjust pulsation	a enrinklar with On/Off machanism &






- Easy to adjust pulsationg sprinkler with On/Off mechanism &handy tripod leg.
- Stop getting soaked!
- Easy to store.

Whirling sprinkler, metal with wheels					Art. no. 1023657	6" 4 1 1 5 0 1" 5 1 0 2 9 7"
Height: 25,5 cm	Length: 8 cm	Width: 23,5 cm	Weight: 0,972 kg	Retail box: 6	Old art. no	6 411501 510297





- Durable metal head.
- Wheels allow easy movement.

Stationary sprinkler round

Length: 4,2 cm Width: 11,5 cm Weight: 0,482 kg

Retail box: 6

Old art. no. -

1023663





Height: 17,5 cm



•	Metal	body	/

Art. no.

• Rust resistant.

Stationary sprinkler square

Height: 4,21 cm Length: 11,5 cm

Width: **17,5 cm**

Weight: 0,494 kg

Retail box: 6

Art. no. 1023664

Old art. no. -









• Rust resistant.

Oscillating	sprinkler
--------------------	-----------

Height: 18,3 cm

Length: 8,5 cm

Width: **48,5 cm**

Weight: 0,452 kg


Retail box: 6

Art. no. 1023659

Old art. no. -








- Easily adjustable spraying direction.
- 17 precision spray jets.
- Cleaning plug.

Water saving sprinkler					Art. no. 1023662	8 4 1 1 5 0 1 5 1 0 3 4 1
Height: 18,3 cm	Length: 8,5 cm	Width: 50,7 cm	Weight: 0,66 kg	Retail box: 6	Old art. no	6 411501 510341






- Ecological, watersaving.
- Easy to control.
- Easily adjustable spraying direction.
- Metal filter.

Oscillating sprinkler, metal base					Art. no.	1023660	Z	6 411501 510327
Height: 18,3 cm	Length: 8,5 cm	Width: 52,7 cm	Weight: 0,806 kg	Retail box: 6	Old art. no.	-		6 4 1 1 5 0 1 5 1 0 3 2 7





- Easily adjustable spraying direction.
- 19 precision spray jets.
- Durable metal base.
- Cleaning plug.

Water saving sprinkler, metal base Art. no. 1023661 Height: 18,3 cm Length: 8,5 cm Width: 52,7 cm Weight: 1,564 kg Retail box: 6 Old art. no. -





- Durable metal base.
- Ecological, watersaving.
- Easily adjustable spraying direction.
- Metal filter.

Impulse sprinkler, metal with wheels					Art. no. 1023656	8 6 4 1 1 5 0 1 5 1 0 2 8 0
Height: 25,5 cm	Length: 8 cm	Width: 23,5 cm	Weight: 1,075 kg	Retail box: 6	Old art. no	6 411501 510280





- Easily adjustable distance.
- Adjustable rotation to control watering area.
- Adjustable water spray.
- Durable metal head.
- Wheels allow easy movement.

Impulse sprinkler, metal						1023658	& 6 4 1 1 5 0 1 5 1 0 3 0 3 1	
Height: 36 cm	Length: 6,6 cm	Width: 19,5 cm	Weight: 0,52 kg	Retail box: 6	Old art. no 6"411501"51			
				>500m²	 Adjustab 	ustable distance. le rotation to contro	l watering area.	





- Adjustable waterspray.
- Durable metal head and foot.

Choose the right product

for your garden size


- 1 Measure your garden size online: www.fiskars.eu/easywatering
- 2 See the packaging symbols for your garden size















Spray nozzles

Fiskars spray guns feature an ergonomic design, with soft-grip handles providing added stability for any watering task. They are easy to use and offer a variety of different spray patterns, with infinitely adjustable flow. All our spray guns have a universal fit, and can be used with watering products by other brands.







Spray gun multi					Art. no. 1023665	A 6 4 1 1 5 0 1 5 1 0 3 7 2
Height: 24 cm	Length: 5,5 cm	Width: 22 cm	Weight: 0,215 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 5 1 0 3 7 2





- Infinitely adjustable spray pattern and flow.
- Comfortable Softgrip[™] handle and convenient hook for easy handling.
- Thumb control for easy flow adjustment.
- Universal fit Fits with other brands.



Connectors

Fibercomp Tap connector, Multi Art. no. 1027056 Height: 11,6 cm Length: 6,8 cm Width: 4,2 cm Weight: 0,03 kg Retail box: 8 Old art. no. -







- \bullet Extra durable FiberComp $^{\text{TM}}$ material.
- Includes 3 thread sizes 1/2", 3/4", 1".
- Universal fit Fits with other brands.

Fibercomp Tap connector G1/2" (21mm)					Art. no. 1027053	6 4 1 1 5 0 1 5 1 0 7 8 5
Height: 11,6 cm	Length: 6,8 cm	Width: 3cm	Weight: 0,01 kg	Retail box: 12	Old art. no	6 411501 510785







- Extra durable FiberComp™ material.
- Universal fit Fits with other brands.

Fibercomp Tap connector G3/4" (26.5mm)					Art. no. 1027054	Z	6 4 1 1 5 0 1 5 1 0 7 9 2
Height: 11,6 cm	Length: 6,8 cm	Width: 3,5 cm	Weight: 0,01 kg	Retail box: 10	Old art. no	Ä	6 411501 510792







- Extra durable FiberComp™ material.
 Universal fit Fits with other brands.

Fibercomp Tap connector G1" (33.3mm)					Art. no. 1027055	ş
Height: 11,6 cm	Length: 6,8 cm	Width: 4,2 cm	Weight: 0,012 kg	Retail box: 8	Old art. no	6"411501" 510808







- Extra durable FiberComp™ material.
- Universal fit Fits with other brands.

Tap Connector, Multi					Art. no. 1027051	8 6 4 1 1 5 0 1 5 1 0 7 6 1
Height: 11,6 cm	Length: 6,8 cm	Width: 4,2 cm	Weight: 0,027 kg	Retail box: 8	Old art. no	6"411501"510761





- Tap Connector with 3 different thread sizes: 1/2", 3/4", 1".
- Universal fit Fits with other brands.

Tap connector, Male thread G1/2" (21mm)					Art. no. 1027060	6"411501" 510853
Height: 11,6 cm	Length: 6,8 cm	Width: 2,1 cm	Weight: 0,008 kg	Retail box: 12	Old art. no	6 4 1 1 5 0 1 5 1 0 8 5 3





- Tap connector with male thread.Universal fit Fits with other brands.

Twin tap connector, Multi					Art. no. 1027061	6 411501 510860
Height: 4,5 cm	Length: 11,8 cm	Width: 15,8 cm	Weight: 0,085 kg	Retail box: 8	Old art. no	6 411501 510860





- Tap connector with 2 ON/OFF valves. Includes 3 thread sizes 1/2", 3/4", 1". Universal fit Fits with other brands.

Tap connector, indoor M22x1/M24x1					Art. no. 1027062	8 411501 510877
Height: 13,6 cm	Length: 6,8 cm	Width: 4cm	Weight: 0,05 kg	Retail box: 8	Old art. no	6 411501 510877







- Indoor tap connector for 2 tap thread sizes.
 Durable locking mechanism.
 Universal fit Fits with other brands.

Extension connector					Art. no. 1027068	8 4 1 1 5 0 1 5 1 0 9 3 8
Height: 11,6 cm	Length: 6,8 cm	Width: 3,2 cm	Weight: 0,016 kg	Retail box: 10	Old art. no	6 411501 510938



• Universal fit - Fits with other brands.

3-way connector					Art. no. 1027070	6'411501" 510952
Height: 11,6 cm	Length: 6,8 cm	Width: 2 cm	Weight: 0,018 kg	Retail box: 12	Old art. no	6 4 1 1 5 0 1 5 1 0 9 5 2



• Universal fit - Fits with other brands.

Hose Repairer 9mm (3/8")					Art. no. 1027063	3 8 6 4 1 1 5 0 1 5 1 0 8 8 4
Height: 11,6 cm	Length: 6,8 cm	Width: 2,9 cm	Weight: 0,015 kg	Retail box: 12	Old art. no	6 4 1 1 5 0 1 5 1 0 8 8 4





- SoftGrip & ergonomic design.Colour coding for easy hose & connector matching.
- Universal fit Fits with other brands.

Hose Repairer 13–15mm (1/2–5/8")					Art. no. 1027064	8 4 1 1 5 0 1 5 1 0 8 9 1
Height: 11,6 cm	Length: 6,8 cm	Width: 3,6 cm	Weight: 0,017 kg	Retail box: 10	Old art. no	6 4 1 1 5 0 1 5 1 0 8 9 1





- SoftGrip & ergonomic design.
 Colour coding for easy hose & connector matching.
 Universal fit Fits with other brands.

Hose Repairer 19mm (3/4")					Art. no. 1027066	8 4 1 1 5 0 1 5 1 0 9 1 4
Height: 11,6 cm	Length: 6,8 cm	Width: 4,5 cm	Weight: 0,03 kg	Retail box: 8	Old art. no	6 4 1 1 5 0 1 5 1 0 9 1 4





- SoftGrip & ergonomic design.
 Colour coding for easy hose & connector matching.
 Universal fit Fits with other brands.

Hose connector 9mm (3/8")					Art. no. 1027071	ş
Height: 11,6 cm	Length: 6,8 cm	Width: 3,9 cm	Weight: 0,027 kg	Retail box: 8	Old art. no	6"411501" 510969





- SoftGrip & ergonomic design.
 Colour coding for easy hose & connector matching.
 Universal fit Fits with other brands.

Hose connector 13–15mm (1/2–5/8")					Art. no.	1027072	z
Height: 11,6 cm	Length: 6,8 cm	Width: 3,9 cm	Weight: 0,03 kg	Retail box: 8	Old art. no.	-	6 4 1 1 5 0 1 5 1 0 9 7 6





- SoftGrip & ergonomic design.
- Colour coding for easy hose & connector matching.
- Universal fit Fits with other brands.

Hose connector 19mm (3/4")					Art. no. 1027074	6 411501 510990
Height: 11,6 cm	Length: 6,8 cm	Width: 4,6 cm	Weight: 0,04 kg	Retail box: 8	Old art. no	6 411501 510990





- SoftGrip & ergonomic design.
- Colour coding for easy hose & connector matching.
- Universal fit Fits with other brands.

Hose connector, Stop 9mm (3/8")					Art. no. 1027078	6"411501"511034
Height: 11,6 cm	Length: 6,8 cm	Width: 3,9 cm	Weight: 0,028 kg	Retail box: 8	Old art. no	6 4 1 1 5 0 1 0 5 1 1 0 3 4





- SoftGrip & ergonomic design.
- Colour coding for easy hose & connector matching.
 Universal fit Fits with other brands.

Hose connector, Stop 13–15mm (1/2–5/8")					Art. no. 1027079	8 4 1 1 5 0 1 5 1 1 0 4 1
Height: 11,6 cm	Length: 6,8 cm	Width: 3,9 cm	Weight: 0,032 kg	Retail box: 8	Old art. no	6 4 1 1 5 0 1 5 1 1 0 4 1





- SoftGrip & ergonomic design.
 Colour coding for easy hose & connector matching.
 Universal fit Fits with other brands.

Hose connector, Stop 19mm (3/4")					Art. no. 1027081	8 4 1 1 5 0 1 5 1 1 0 6 5
Height: 11,6 cm	Length: 6,8 cm	Width: 4,6 cm	Weight: 0,042 kg	Retail box: 8	Old art. no	6 411501 511065





- SoftGrip & ergonomic design.
 Colour coding for easy hose & connector matching.
 Universal fit Fits with other brands.

Hose connector, On/Off 9mm (3/8")					Art. no.	1027085	Z	6 4 1 1 5 0 1 5 1 1 1 0 2
Height: 15,8 cm	Length: 6,8 cm	Width: 4,4 cm	Weight: 0,06 kg	Retail box: 8	Old art. no.	-		6 411501 511102





- SoftGrip & ergonomic design.Colour coding for easy hose & connector matching.
- Universal fit Fits with other brands.

Hose connector, On/Off 13-15mm (1/2-5/8")

Art. no. 1027086

Height: 15,8 cm

Height: 15,8 cm

Length: 6,8 cm

Width: 4,4 cm

Weight: 0,065 kg

Retail box: 8

Old art. no. -







- SoftGrip & ergonomic design.
- Colour coding for easy hose & connector matching.
- Universal fit Fits with other brands.

Length: 6,8 cm Width: 4,6 cm

Weight: 0,08 kg

Retail box: 8

Art. no. Old art. no. -







• SoftGrip & ergonomic design.

1027087

- Colour coding for easy hose & connector matching.
- Universal fit Fits with other brands.

Tap connector	Multi I	B (min 30)
Tup commodicing	IVIGICIE	

Height: 4,5 cm

Length: 4,2 cm

Width: 4,2 cm

Weight: 0,027 kg

Retail box: LB

Old art. no. -

Art. no.







- Ergonomic design.
- Includes 3 thread sizes 1/2", 3/4", 1".

1027052

• Universal fit - Fits with other brands.

Tap connector G1/2" (21mm) LB (min 30)					Art. no. 1027057	Z	6 4 1 1 5 0 1 5 1 0 8 2 2
Height: 4cm	Length: 3cm	Width: 3cm	Weight: 0,01 kg	Retail box: LB	Old art. no	Ĭ	6 411501 510822







- Ergonomic design.Universal fit Fits with other brands.

Tap connector G3/4" (26.5mm) LB (min 30)					Art. no.	1027058	Z	6 4 1 1 5 0 1 5 1 0 8 3 9
Height: 4cm	Length: 3,5 cm	Width: 3,5 cm	Weight: 0,01 kg	Retail box: LB	Old art. no			6 411501 510839







- Ergonomic design.
- Universal fit Fits with other brands.

Height: 4cm

Tap connector G1" (33.3mm) LB (min 30)

Width: 4,2 cm

Art. no. Retail box: LB Old art. no. -





Length: 4,2 cm



- Ergonomic design.
- Universal fit Fits with other brands.

1027059

Height: 5,3 cm Length: 3,6 cm Width: 3,6cm

Weight: 0,017 kg

Weight: 0,012 kg

Retail box: LB

1027065 Art. no.







• Ergonomic design.

Old art. no. -

- Colour coding for easy hose & connector matching.
- Universal fit Fits with other brands.

Hose repairer 19mm (3/4") LB (min 30)

Height: 5,9 cm Length: 4,5 cm Width: 4,5 cm

Weight: 0,03 kg

Retail box: LB

Old art. no. -

Art no

Art. no.









- Ergonomic design.
- \bullet Colour coding for easy hose & connector matching.
- Universal fit Fits with other brands.

1027067



Height: 5,2 cm

Length: 3,2 cm

Width: 3,2 cm

Weight: 0,016 kg

Retail box: LB Old art. no. -







- Ergonomic design.
- Colour coding for easy hose & connector matching.
- Universal fit Fits with other brands.

1027073

1027069

Hose connector 13-15mm	(1/2_5/8"	IR	min 30
11036 COHHECTOL 13-13111111	(1/2-3/6)		

Height: 6,4 cm Length: 3,9 cm

Width: 3,9 cm

Weight: 0,03 kg

Retail box: LB

Art. no. Old art. no. -









- Ergonomic design.
- Colour coding for easy hose & connector matching.
- Universal fit Fits with other brands.

Hose connector 19mm (3/4") LB (min 30)

Art. no. 1027075

Height: 6,8 cm

Length: 4,6 cm

Width: 4,6 cm

Weight: 0,04 kg

Retail box: LB

Old art. no. -

• Ergonomic design.

Colour coding for easy hose & connector matching.
Universal fit - Fits with other brands.





Hose connector 13-15mm (1/2-5/8") LB (min 30) 1027076 Art. no. Retail box: LB

Old art. no. -



Height: 6,8 cm



Width: 3,9 cm

Weight: 0,03 kg



13–15 mn (1/2–5/8"

Ergonomic design.

Universal fit - Fits with other brands.



Hose connector 19mm (3/4") LB (min 30)

Length: 4,6 cm Width: 4,6 cm Weight: 0,04 kg Retail box: LB Old art. no. -









• Ergonomic design.

Art. no.

• Universal fit - Fits with other brands.

1027077





1027080 Art. no.



Height: 6,4 cm

Length: 4,6 cm

Width: 3,9 cm

Weight: 0,032 kg

Retail box: LB Old art. no. -

• Ergonomic design.

• Colour coding for easy hose & connector matching.

• Universal fit - Fits with other brands.











Height: 6,8 cm Length: 4,6 cm Width: 4,6cm Weight: 0,042 kg

Retail box: LB

Old art. no. -

1027082









• Ergonomic design.

Art. no.

- Colour coding for easy hose & connector matching.
- Universal fit Fits with other brands.

Hose connector, Stop 13–15mm (1/2–5/8") LB (min 30) Art. no. 1027083 Height: 6,4 cm Length: 3,9 cm Width: 3,9 cm Weight: 0,031 kg Retail box: LB Old art. no. -





- Ergonomic design.Universal fit Fits with other brands.

Hose connector, Stop 19mm (3/4") LB (min 30)					Art. no. 1027084	z	6 411501 511096
Height: 6,8 cm	Length: 4,6 cm	Width: 4,6 cm	Weight: 0,041 kg	Retail box: LB	Old art. no	Ä	6 411501 511096





- Ergonomic design.Universal fit Fits with other brands.

Accessories

Complement your watering set with our easy-to-use accessories, for added convenience in storing and spraying.

Sprinkler Adapter						1027089	6"411501"511140
Height: 11,4 cm	Length: 3,8 cm	Width: 7,4 cm	Weight: 0,015 kg	Retail box: 6	Old art. no.	-	6 4 1 1 5 0 1 5 1 1 1 4 0



• Fits with all Fiskars sprinklers.

O-rings for sprinklers, 4 pcs					Art. no. 1024091	6"411501"510471
Height: 11,4 cm	Length: 1,6 cm	Width: 7,4 cm	Weight: 0,015 kg	Retail box: 6	Old art. no	6 411501 510471



 \bullet Fits all Fiskars sprinklers with or without adapter.

Filter for sp	orinklers, 2	pcs	Art. no. 1024092	6"411501"510488		
Height: 11,5 cm	Length: 1,6 cm	Width: 7,4 cm	Weight: 0,022 kg	Retail box: 6	Old art. no	6 411501 510488



 If needed to clean the water.
• Fits with all Fiskars sprinklers.

O-rings for connectors, 4 pcs					Art. no.	1024093	6"411501" 510495
Height: 11,6 cm	Length: 1,6 cm	Width: 7,4 cm	Weight: 0,015 kg	Retail box: 6	Old art. no.	-	6 411501 510495



• Fits with all Fiskars watering spray guns and connectors.

Pressure s	sprayer 5 L				Art. no. 1025934	6 4 1 1 5 0 1 5 1 0 6 2 4
Height: 18 cm	Length: 18 cm	Width: 50,5 cm	Weight: 1,5 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 5 1 0 6 2 4



• Easy to use pressure sprayer with easy to adjust spray.

Shoulder strap.

• Safety valve.

• Integrated filter inside the handle.

Pressure s	sprayer 1.8	L			Art. no. 1027379	6"411501"511379
Height: 31 cm	Length: 12,5 cm	Width: 22 cm	Weight: 0,3 kg	Retail box: 6	Old art. no	6 4 1 1 5 0 1 5 1 1 3 7 9



• Light to use pressure sprayer with transparent water container - thumb control.

• Safety valve.

Wallmoun	t for Water	wheel S			Art. no. 1020448	8 4 1 1 5 0 1 5 1 0 1 2 9 6 4 1 1 5 0 1 4 9 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Height: 25 cm	Length: 3 cm	Width: 9,5 cm	Weight: 0,65 kg	Retail box: 4	Old art. no	6 411501 510129



- A convenient metal wall mount with a quick and easy installing mechanism.
 • Includes screws.
- For easy wall mounting.

Wallmoun	t for Water	wheel XL			Art. no. 1027095	8 411501 511201
Height: 27,5 cm	Length: 13 cm	Width: 19,5cm	Weight: 1,6 kg	Retail box: 1	Old art. no	6 411501 511201



- Wallmount, durable fiber comp & metal construction.Screws included.
- For easy wall mounting.

Set packagings, pallets & displays

Waterwheel S & Wallmount set Art. no. 1026376 Height: 44,4 cm Length: 39 cm Width: 16,1 cm Weight: 4 kg Retail box: 4 Old art. no. -





- Promo set with metal wall mount.
- Includes screws.



Hose nozz	zle, basic S	et			z	411501"511157"	
Height: 22 cm	Length: 4,3 cm	Width: 4,3 cm	Weight: 0,15 kg	Retail box: 4	Old art. no		4 1 1 5 0 1









- Hose nozzle
- 1/2" tap connector
- 2 hose connectors

Hose Nozzle, basic Set					Art. no. 1027091	z	6 4 1 1 5 0 1 5 1 1 1 6 4
Height: 22 cm	Length: 9,8 cm	Width: 4,9 cm	Weight: 0,15 kg	Retail box: 4	Old art. no		6 4 1 1 5 0 1 5 1 1 1 6 4









- Hose Nozzle
- Tap connector for 3 thread sizes
- 2 hose connectors with Softgrip™.
- Colour coding for easy hose & connector matching.

Waterwhe	eel S, 1/2 pa	llet, 16pcs			Art. no. 1020453	8 6 4 1 1 5 0 1 7 0 0 1 5 5
Height: 86 cm	Length: 60 cm	Width: 80 cm	Weight: 59 kg	Retail box: 16	Old art. no	6 411501 700155





Convenient in-store execution: • Waterwheel S, 1/2 pallet, 16pcs

Waterwhe	el M, EUR _I	pallet, 16pc	es .		Art. no. 1023673	z	
Height: 115 cm	Length: 80 cm	Width: 120 cm	Weight: 111,02 kg	Retail box: 16	Old art. no		6" 4 1 1 5 0 1" 5 1 0 4 5 7"







Convenient in-store execution:

• Waterwheel M, EUR pallet, 16pcs

Waterwheel in-store

Waterwheel M, Half Pallet DSP, 8pcs Art. no. 1026372 Height: 115 cm Length: 60 cm Width: 80 cm Weight: 55 kg Retail box: 8 Old art. no.








Convenient in-store execution:

• Waterwheel M, Half Pallet Display, 8pcs









Convenient in-store execution:

• Waterwheel L, Half Pallet Display, 8pcs

Waterwhe	el S & Wall	mount set,	16pcs Disp	lay	Art. no. 1026374	Z	6 4 1 1 5 0 1 5 1 0 6 9 3
Height: 86 cm	Length: 80 cm	Width: 60 cm	Weight: 71 kg	Retail box: 16	Old art. no		6 4 1 1 5 0 1 5 1 0 6 9 3








Convenient in-store execution:

Waterwheel S & Wallmount set, 16pcs Display



Maintenance & spare parts

Maintenance Kit					Art. no.	1001640	6 4 1 1 5 0 1 9 6 9 9 0 3
Height: 33 mm	Length: 104 mm	Width: 197 mm	Weight: 135 g	Retail box: 4	Old art. no.	110990	6 4 1 1 5 0 1 9 6 9 9 0 3



- For regular maintenance chores of our Fiskars garden tools.
- Includes a maintenance guidebook, diamond file and oil.
- Instructions on sharpening, oiling, washing, storage etc. is detailed in pictures and symbols.

Handle kit for Pruning Saw SW240 & SW330						1020202	6 4 1 1 5 0 1 2 3 3 3 2 5
Height: 22 mm	Length: 220 mm	Width: 110 mm	Weight: 205 g	Retail box: 4	Old art. no.	123332	6 4 1 1 5 0 1 2 3 3 3 2 5



- SW-330 (article No. 1020199) and
- SW-240 (article No. 1020200)
- \bullet Sturdy grip with Softgrip $^{\text{TM}}$
- Screw and nut

Scabbard	kit for Prur	ning Saw S\	Art. no.	1020201	z		
Height: 55 mm	Length: 420 mm	Width: 90 mm	Weight: 190 g	Retail box: 4	Old art. no.	123331	6 411501 233318



- Scabbard kit for SW-330 (article No. 1020199) and
- SW-240 (article No. 1020200)
- Scabbard with left- and right-side mounting • Usable with WoodXpert tool belt (Article No. 1003626)

Curved replacement blade (CC33)						1020193	Z	6 4 1 1 5 0 1 2 3 3 3 6 3
Height: 3 mm	Length: 434 mm	Width: 71 mm	Weight: 117 g	Retail box: 4	Old art. no. 123336 6 4 1 1 5 0 1			
					Replaceme	ent blade for		



- SW-330 (article No. 1020199) and
 SW-240 (article No. 1020200)
 General cutting, fast pruning with fewer strokes
 Pitch of teeth 4 mm

Straight replacement blade (SC33)					Art. no.	1020195	z
Height: 3 mm	Length: 434 mm	Width: 71 mm	Weight: 104 g	Retail box: 4	Old art. no.	123337	6 411501 233370



Replacement blade for

- SW-330 (article No. 1020199) and
- SW-240 (article No. 1020200)
- Felling cuts
- Pitch of teeth 4 mm

Straight replacement blade (SF33)

Height: 3 mm

Length: 434 mm Width: 71 mm Weight: 108 g Retail box: 4 Old art. no. 123338



Replacement blade for

Art. no.

Art. no.

- SW-330 (article No. 1020199) and
- SW-240 (article No. 1020200)

1020197

- Fruit trees and trees with loose bark
- Pitch of teeth 2,5 mm

Curved	replacemen	t blade	(CC24)
--------	------------	---------	--------

Length: 340 mm Width: 53 mm Weight: 79 g Retail box: 4 Old art. no. 123246 Height: 3 mm





Replacement blade for

- SW-330 (article No. 1020199) and
- SW-240 (article No. 1020200)

1020194

- General cutting
- Pitch of teeth 4 mm

Straight replacement blade (SC24)

Height: 3 mm Length: 340 mm Weight: 77 g Retail box: 4 Old art. no. 123247 Width: 53 mm





Replacement blade for

• SW-330 (article No. 1020199) and

1020196

- SW-240 (article No. 1020200)
- Root cuts

Art. no.

Art. no.

• Pitch of teeth 4 mm

Straight	replacement	blade	(SF24)
----------	-------------	-------	--------

Length: 340 mm Width: 53 mm Weight: 79 g Retail box: 4 Old art. no. 123248 Height: 3 mm





Replacement blade for

- SW-330 (article No. 1020199) and
- SW-240 (article No. 1020200)

1020198

- Fruit trees and trees with loose bark
- Pitch of teeth 2,5 mm

Choko	Dlada	for	Dow	Cour	CMO
Spare	piade	TOP	DOW	Saw	3VV3U

Art. no. 1001706 Height: 1 mm Length: 630 mm Width: 40 mm Weight: 60 g Retail box: 5 Old art. no. 124807





Replacement blade for

• 21" Bow Saw SW30 (article No. 1001621)

EAN

Spare Blade for Bow Saw SW31						1001707	0 046561 100681
Height: 1 mm	Length: 671 mm	Width: 40 mm	Weight: 60 g	Retail box: 5	Old art. no.	124817	0 046561 100681



Replacement blade for

• 24" Bow Saw SW31 (article No. 1000615)

Blade, spring, screw PX92						1026275	6 4 2 4 0 0 2 0 0 8 4 9 1
Height: 270 mm	Length: 35 mm	Width: 170 mm	Weight: 64 g	Retail box: 4	Old art. no.	-	6 4 2 4 0 0 2 0 0 8 4 9 1



Blade, spring, screw for product
• PGX Pruner bypass M PX92 (article No. 1023630)

Blade, spring, screw PX93					Art. no.	1026276	Z	6 4 2 4 0 0 2 0 0 8 5 0 7
Height: 270 mm	Length: 35 mm	Width: 170 mm	Weight: 64 g	Retail box: 4	Old art. no.	-		6 4 2 4 0 0 2 0 0 8 5 0 7



Blade, spring, screw for product
• PGX Pruner anvil L PX93 (article No. 1023629)

Blade, spring, screw PX94						1026277	8 4 2 4 0 0 2 0 0 8 5 1 4
Height: 270 mm	Length: 35 mm	Width: 170 mm	Weight: 66 g	Retail box: 4	Old art. no.	-	6 424002 008514



Blade, spring, screw for product
• PGX Pruner bypass L PX94 (article No. 1023628)

Blade, spring, bolt, screw P90						1026278	Z	6 4 2 4 0 0 2 0 0 8 5 2 1
Height: 270 mm	Length: 35 mm	Width: 170 mm	Weight: 150 g	Retail box: 4	Old art. no.	-		6 424002 008521



Blade, spring, bolt, screw for product
• Pro Pruner P90 (article No. 1001530)

Blade, spring, screw P100					Art. no. 1026279	6 424002 008538
Height: 270 mm	Length: 25 mm	Width: 170 mm	Weight: 48 g	Retail box: 4	Old art. no	6 4 2 4 0 0 2 0 0 8 5 3 8



Blade, spring, screw for product
• Quantum Pruner bypass P100 (article No. 1001434)

Blade, lock, screw kit PB8 M & L					Art. no. 1026280	6 424002 008545
Height: 270 mm	Length: 20 mm	Width: 170 mm	Weight: 122g	Retail box: 4	Old art. no	6 424002 008545



- Blade, lock, screw kit for products
 Pro Tools Pruner PB8 M (article No. 1020204), and
 Pro Tools Pruner PB8 L (article No. 1020203)

Blade kit F	PTFE PB8 N	1 & L	Art. no. 1026281	N N N N N N N N N N N N N N N N N N N		
Height: 270 mm	Length: 12 mm	Width: 170 mm	Weight: 42 g	Retail box: 4	Old art. no	6 424002 008552



Blade kit PTFE for products

- Pro Tools Pruner PB8 M (article No. 1020204), and
 Pro Tools Pruner PB8 L (article No. 1020203)

Handle kit	: PB8 M		Art. no. 1026282	EAN		
Height: 270 mm	Length: 22 mm	Width: 170 mm	Weight: 80 g	Retail box: 4	Old art. no	6 424002 008569



Handle kit for product • Pro Tools Pruner PB8 M (article No. 1020204)

Handle kit	PB8 L		Art. no.	1026283	Z			
Height: 270 mm	Length: 25 mm	Width: 170 mm	Weight: 90 g	Retail box: 4	Old art. no.	-		6 424002 008576



Handle kit for product
• Pro Tools Pruner PB8 L (article No. 1020203)







- Quantum Lopper bypass Scissor S L102 (article No.
- PowerGear Lopper bypass Scissor S L72 (article No. 1001555), and
- \bullet PowerGear Lopper bypass Scissor M L76 (article No. 1001553)

Blade, screws L104, L108, LX94, LX98, L78, L94, L98									Art. no.	1026285	Z	6 4 2 4 0 0 2 0 0 8 5 9 0	
Height:	270 mm	Length:	26 mm	Width:	170 mm	Weight:	286 g	Retail box:	4	Old art. no.	-	Ä	6 424002 008590



Blade, screws for products

- Quantum Lopper bypass M L104 (article No. 1001438) and bypass L L108 (article No. 1001435),
- PGX Lopper bypass M LX94 (article No. 1020187) and bypass L LX98 (article No. 1020188),
- PowerGear Lopper bypass Hook L L78 (article No. 1000584),
- PowerGear Steel Lopper bypass M L94 (article No. 1001549) and bypass L L98 (article No. 1001548)

Blades anvil, screw L109, LX99, L93, L99									Art. no.	1026286	z	6 4 2 4 0 0 2 0 0 8 6 0 6
Height:	Height: 270 mm Length: 22 mm Width: 170 mm Weight: 254 g Retail box: 4								Old art. no.	-	Ą	6 424002 008606



Blades anvil, screw for products

- Quantum Lopper anvil L L109 (article No. 1001437),
 PGX Lopper anvil L LX99 (article No. 1020189),
- PowerGear Steel Lopper Anvil M L93 (article No. 1001550), and
- PowerGear Steel Lopper Anvil L L99 (article No. 1001547)

Blade, screw L70, L74, L90, L92, LX92										Art. no. 1026288
Height:	270 mm	Length:	20 mm	Width:	170 mm	Weight:	136 g	Retail box:	4	Old art. no 6 4 2 4 0 0 2 0 0 8 6 2 0
d	T.	The state of the s		7						Blade, screw for products PowerGear Lopper bypass Hook Head S L70 (article No. 1002104), PowerGear Lopper bypass Hook M L74 (article No. 1000582), PowerGear Steel Steel Lopper bypass XS L90 (article No. 1001552), PowerGear Steel Lopper bypass S L92 (article No. 1001551), and PGX Lopper bypass S LX92 (article No. 1020186)
Blad	es, an	vil, sc	crew L	_71						Art. no. 1026290
Height:	270 mm	Length:	25 mm	Width:	170 mm	Weight:	178 g	Retail box:	4	Old art. no 6 4 2 4 0 0 2 0 0 8 6 4 4



Blades, anvil, screw for product

• PowerGear Lopper anvil S L71 (article No. 1001556)

Blades, ar	ıvil, screw l	_77	Art. no. 1026292	6 4 2 4 0 0 2 0 0 8 6 6 8		
Height: 270 mm	Length: 31 mm	Width: 170 mm	Weight: 372 g	Retail box: 4	Old art. no	6 424002 008668



Blades, anvil, screw for product

• PowerGear Lopper anvil L L77 (article No. 1000583)

Blade, spr	ing, chain l	ink for tree	Art. no. 1026293	6 4 2 4 0 0 2 0 0 8 6 7 5		
Height: 270 mm	Length: 22 mm	Width: 170 mm	Weight: 74 g	Retail box: 4	Old art. no	6 424002 008675



- Blade, spring, chain link for products PowerGear™ Tree pruners UP82 (article No. 1001558) / UP84 (article No. 1001557) / UP86 (article No. 1000598)
- PowerGear™ X Tree pruners UPX82 (article No. 1023625) / UPX86 (article No. 1023624)

Spare cutting head, UPX82, UPX86								Art. no.	1026295	z			
Height:	240 mm	Length:	82 mm	Width:	100 mm	Weight:	444 g	Retail box:	4	Old art. no.	-		6 424002 008699



- Spare cutting head for products
 PGX Tree pruner UPX82 (article No. 1023625), and
 PGX Telescopic Tree pruner UPX86 (article No. 1023624)

Internal ro	pe & roll co	ord UP86	Art. no. 10275	526 z		
Height: 26 mm	Length: 270 mm	Width: 170 mm	Weight: 120 g	Retail box: 4	Old art. no	6 411501 150356



For Universal Cutters Tree Pruner Bypass Telescopic UP86 (article No. 1000598)

Internal rope & roll cord UP82								Art. no.	1027525	z		
Height:	26 mm	Length:	270 mm	Width:	170 mm	Weight:	90 g	Retail box:	4	Old art. no.	-	6 411501 150349



For Universal Cutters Tree Pruner Bypass UP82 (article No. 1001558)

Handle and rope set UPX86									Art. no.	1026296	z	6 4 2 4 0 0 2 0 0 8 7 0 5	
Height:	240 mm	Length:	82 mm	Width:	100 mm	Weight:	188 g	Retail box:	4	Old art. no.	-		6 424002 008705



Handle and rope set for product

• PGX Telescopic tree pruner UPX86 (article No. 1023624)

Handle and rope set UPX82										Art. no.	1026297	Z	6 424002 008712
Height:	240 mm	Length:	82 mm	Width:	100 mm	Weight:	162 g	Retail box:	4	Old art. no.	-		6 424002 008712



Handle and rope set for product
• PGX Tree pruner UPX82 (article No. 1023625)

QuikDrill ¹	™ PlusPart	S	Art. no.	1000637	5 905568 347176		
Height: 20 mm	Length: 145 mm	Width: 100 mm	Weight: 165 g	Retail box: 2	Old art. no.	134717	5 905568 347176



Spare blades for • QuikDrill™ Garden Drill S (article No. 1000636) • Working diameter 100 mm.

QuikDrill™ PlusPart M										Art. no.	1000639	Z	
Height:	20 mm	Length:	185 mm	Width:	120 mm	Weight:	355 g	Retail box:	2	Old art. no.	134727	6	5 9 0 5 5 6 8 3 4 7 2 7 5



Spare	blades	for
-------	--------	-----

- QuikDrill™ Garden Drill M (article No. 1000638)
 Working diameter 150 mm.

QuikDrill™ PlusPart L										Art. no.	1000641	Z	
Height:	20 mm	Length:	220 mm	Width:	150 mm	Weight:	620 g	Retail box:	2	Old art. no.	134737	7	5 905568 347374




- Spare blades for

 QuikDrill™ Garden Drill L (article No. 1000640)

 Working diameter 200 mm.



Which tool for which task















Fiskars has been a part of the evolution of tools since 1649. Our scissors have cut millions of meters of fabrics. Our axes have worked millions of trunks. Our knives have cut millions of slices of bread. Our pans have fried millions of carefully marinated steaks – all with a superior outcome.

COOKING | GARDENING | CRAFTING | SEWING | SCHOOL & OFFICE

